

1

Tuesday, July 14, 2026**Opening Address**

08:45 - 09:00

1-P11 | Dargan Auditorium | 09:00 - 10:10

Plenary Session I

09:00

PLENARY TALK

Metasurfaces as a platform for classical and quantum light control*Ruwen Peng, Mu Wang*

Nanjing University (China)

In this talk, we present metasurfaces as a platform for classical and quantum light control. The approaches achieve potential applications in optical display, data storage, information encryption, and quantum information networks.

09:35

PLENARY TALK

Plenary Lecture by Federico Capasso*Federico Capasso*

Harvard University (USA)

Plenary lecture by Federico Capasso (Harvard University). Title and abstract to be confirmed.

Coffee Break

10:10 - 10:50

1-P1 | Business School Concourse | 10:10 - 10:40

Poster Session I

P1

Phononic Crystal-Based Acoustic Sensor: Simulation and Experimental Analysis for Real-Time Characterization of Refined Petroleum Hydrocarbon Blends*Fares Kanouni, Rahmani Mahdi, Mosbah Daamouche*

University of Setif 1 (Algeria)

this study introduces a phononic crystal-based sensor for characterizing refined petroleum products like gasoil, gasoline, and mixtures, leveraging acoustic band gaps for high sensitivity. Simulations and experiments validate its ability to distinguish fuels, offering a cost-effective alternative to traditional methods for real-time petrochemical monitoring.

P2

Design of High-Efficiency Electroacoustic Conversion Devices Based on Elastic Topological Materials*Jiamin Guo¹, Zhongming Gu¹, Lei Fan², Jie Liu¹, Yafeng Chen¹, Zhongqing Su², Jie Zhu¹*¹Tongji University (China), ²The Hong Kong Polytechnic University (China)

Elastic topological materials enable robust wave energy capture. We demonstrate a synthetic-dimension engineered higher-order topological elastic structure with high-Q, corner-localized modes, integrated with piezoelectrics for efficient ultrasonic energy harvesting and electroacoustic conversion, offering enhanced selectivity, robustness, and device integrability.

P3

On-chip Neural Network for High-speed, Energy-efficient and Integrated Computation*Xueyun Li, Shining Zhu, Tao Li*

Nanjing University (China)

We propose a novel architecture of waveguide-array optical neural network on the thin-film lithium niobate platform. The superior features of this design enable high-speed, energy-efficient, computationally dense and fabrication-robust performance on optical computation and machine learning inference, aiming at next-generation AI applications.

P4

Surface Plasmon Resonance based optical fiber refractive index sensor using tungsten disulfide and Copper*Shikha Sachdeva¹, Navneet K. Sharma²*¹University of the Punjab (India), ²Jaypee Institute of Information Technology (India)

An experimental fiber optic surface plasmon resonance (SPR) sensor based on tungsten disulfide (WS₂) and copper (Cu). The sensor is analyzed using the wavelength interrogation method. The impact of the thicknesses of the materials on the sensor's sensitivity is explained.

P5

Beyond optical chirality density: tensor-based description of electromagnetic chirality*Iliia Smagin, Nikolay Gippius, Sergey Dyakov*

Skolkovo Institute of Science and Technology (Russia)

Optical chirality density is commonly used to characterize chiral electromagnetic fields but fails in anisotropic media. We introduce tensorial descriptors of electromagnetic chirality based on the Lipkin formalism and link them to molecular emission processes. Complementary measures of chirality arise in anisotropic environments, even when scalar optical chirality vanishes.

P6

Ultrasensitive label-free miRNA sensing realized by a Q-tunable plasmonic metasurface*Daiki Kawasaki, Takuo Tanaka*

RIKEN (Japan)

In this report, we developed a plasmonic metasurface biosensor of which sensitivity is tunable to match the required limit of detection and dynamic range in miRNA detection in human serum. Our metasurface biosensor is promising as reliable and ultrasensitive biosensing platform for simple and rapid diagnostic technologies.

P7

From Translucent to Transparent Wood*Ilya Sychugov*

KTH Royal Institute of Technology (Sweden)

Using spatiotemporal measurements of light propagation in transparent wood composites the main scattering mechanism was identified as refraction on cell wall interface with polymer filler. Based on this insight we show how by controlling the wood-polymer refractive index contrast and lumen shape a truly transparent wood composite can be realized.

P8

Temporal Disorder in Two-Dimensional Phononic Time Crystals: A Numerical Study*Takamichi Terao*

Gifu University (Japan)

Numerical simulations of a 2D mass-spring lattice with time-varying stiffness reveal parametric amplification of vibrational waves. The exponential growth depends on the modulation interval and temporal disorder. The Fourier analysis shows selective amplification of specific wavenumbers governed by momentum bandgaps that can be tuned or suppressed by temporal disorder.

P9

Control of Chiroptical Response with Chiral Plasmonic Nanoparticles*Ruiqian Zhang, Xiaolu Zhuo, Jianfang Wang*

The Chinese University of Hong Kong (China)

In this work, we investigated the chiroptical response of chiral plasmonic nanoparticles via structural and substrate design. The plasmonic nanohelix exhibits distinct mode-dependent chiroptical far-field properties. Plasmonic helicoid with high-refractive-index substrate shows remarkable enhancement in g-factor and peak separation between absorption and scattering g-factor spectra, attributed to strong plasmon hybridization.

P10

A Low-Profile Microfluidic Frequency Selective Surface with Wideband Reconfigurable and Thermally Tunable Absorption*Yang Wang, Rongzhou Gong*

Huazhong University of Science and Technology (China)

A novel reconfigurable frequency selective surface is proposed. By controlling the water layer, the absorption and transmission functions can be switched. Numerical results show that the relative bandwidth is 29.8%. Due to the Debye model, the absorption band of this RFSS can also be tuned by the water temperature.

P11

Artificial Organic Hyperbolic Metamaterials Supporting Surface Exciton Polaritons and Near-Zero Permittivity Surface Waves*José N. Gama¹, Diogo Cunha², Carla Estévez-Varela³, Marina Garcia-Pardo⁴, Pablo Pedreira⁵, Adelaide Miranda⁶, M. Carmen González-López⁴, Pieter A.A. De Beule⁶, Eduardo Solano⁵, Rosalia Serna⁴, Vasilevskiy², Lopez-Garcia⁴, Pastoriza-Santos¹, Núñez-Sánchez³*

¹Universidade de Vigo (UVigo) (Spain), ²Universidades do Minho e do Porto (Portugal), ³Instituto de Ciencia de Materiales de Madrid (ICMM-CSIC) (Spain), ⁴Instituto de Óptica (IO-CSIC) (Spain), ⁵ALBA Synchrotron (Spain), ⁶International Iberian Nanotechnology Laboratory (INL) (Portugal)

This study introduces fully organic hyperbolic metamaterials created from J-aggregate dyes and polyelectrolyte multilayers. These structures exhibit extreme optical anisotropy and support surface exciton polaritons at the nanoscale. By linking supramolecular order to photonic states, this robust platform enables precise control over light confinement at the nanoscale.

P12

Research on Hydrogel-Based Flexible Underwater Acoustic Metamaterials*Haoyu Zhao¹, Lei Zuo¹, Jinxin Zhao², Kai Zhang¹*¹Beijing Institute of Technology (China), ²Beijing Ningji New Materials Technology Co., Ltd (China)

We develop a hydrogel-based flexible acoustic metamaterial for underwater carpet cloaking. To elucidate the underlying mechanism of the proposed microstructure, the effects of anisotropic stiffness and anisotropic density are investigated. It suppresses shear waves and utilizes a longitudinal wave-dominant coupling mode, enabling excellent cloaking performance confirmed by simulations and experiments.

P13

Harmonizing Plasmonic and Photonic Effects to Boost Photocatalytic H₂ Production*Tharishinny Raja Mogan¹, Jijia Zhang¹, Li Shiuan Ng¹, Siew Kheng Boong¹, Carice Chong¹, JinnKye Lee¹, Haitao Li², Hiang Kwee Lee¹*¹Nanyang Technological University (Singapore), ²Yangzhou University (China)

This work demonstrates a plasmonic photonic architecture using an optically inert silica opal framework to confine light efficiently. Spectral alignment between photonic and plasmonic modes amplifies electromagnetic fields, enabling exceptionally high solar driven hydrogen generation without semiconductors or cocatalysts and establishing a general design principle for plasmonic catalysis.

P14

Multiscale QM/Classical Modeling of SERS Spectra in Amino Acids and Nucleobases*Sveva Sodomaco, Chiara Cappelli*

Scuola Normale Superiore (Italy)

Our recently developed multiscale quantum mechanics/classical approach is presented for modeling surface-enhanced (SE) Raman scattering (SERS) spectra of amino acids and nucleobases near plasmonic nanostructures. Atomistic yet classical force fields describe the plasmonic properties of noble-metal nanostructures. SERS results are complemented by SE hyper-Raman spectra, together with experimental data.

P15

A Machine-Learning-Enabled Metasurface Adapting to the Environment*Thijs van Rossum¹, Thomas Koschny², Philippe Tassin¹*¹Chalmers University of Technology (Sweden), ²Ames Laboratory-U.S. DOE (USA)

We propose a machine-learning-based adaptive algorithm for tunable metasurfaces in a changing environment. We use a neural network processing information from the metasurface to predict the environment, followed by another neural network to reconfigure it. We demonstrate this for a metasurface adapting to a beam with unknown angle of incidence.

P16

Topological edge state waveguide fed antennas*Shih-Hui Gilbert Chang*

National Cheng Kung University (Taiwan)

Topological edge-states based on the quantum spin-Hall effect are implemented in a dual layer PEC structure to form a one-way propagation waveguide. A slot antenna fed by such a topological waveguide exhibits higher-order resonant modes and leads to pseudospin-flips. The properties of the topological protection, simulated by FDTD, are discussed.

P17

ENZ Multilayers to Control of Time-Dependent Non-Hermitian Modes*Giuseppina Simone*

University of Napoli "Federico II" (Italy)

I investigate ultrafast, non-Hermitian photonic dynamics in ITO-based multilayers under time-dependent permittivity modulation. Transient ENZ-plasmonic mode hybridization drives spectral shifts, broadening, and avoided crossings. Using scattering-matrix eigenvalues and reflection-phase topology, I reveal ultrafast reconfigurable control of photonic states, demonstrating dynamic manipulation of non-Hermitian scattering on picosecond timescales.

P18

Gradient-Momentum Engineering in Metasurface for Continuous and Asymmetric Beam Steering*Hsiu-Ping Su, Po-Sheng Huang, Pin Chieh Wu*

National Cheng Kung University (Taiwan)

We develop a transmissive metasurface featuring spatially continuous, independently tunable in-plane momentum gradients, enabling wide FOI coverage of 100° and 70° in the horizontal and vertical directions. By tuning the gradient momentum distribution, it enables precise control of the FOI along orthogonal axes, making it well suited for next-generation applications.

P19

Multiscale analysis of anisotropic composites*Natalia Rylko*

Cracow University of Technology (Poland)

A new two-dimensional polydisperse model for analyzing two-phase composites is developed. Verification of the model is performed using composite microstructures in which the local inclusion concentration is sufficiently uniform, ensuring that the material does not exhibit a graded structure. The examined microstructure is characterized at the macro-, meso-, and micro-scales.

P20

Establishing a Library of Metasurface Building Blocks through Coherence-Controlled Holographic Microscopy*Ondrej Cervinka, Vlastmil Weiss, Martin Hrtoň, Petr Bouchal, Petr Liška, Filip Ligmajer, Tomáš Šíkola, Petr Viewegh*

Brno University of Technology (Czech Republic)

We demonstrate coherence-controlled holographic microscopy as a robust tool for creating experimental metasurface building block libraries. By measuring the experimental response of TiO₂ nanostructures across varying wavelengths, polarizations, and numerical apertures, we identify critical discrepancies between simulations and real-world performance caused by fabrication-induced internal voids in modified damascene nanofabrication process.

P21

Spectral and Polarization Control of Smith-Purcell Radiation via Chiral Dielectric Gratings*Loris Cavenaile, Thomas Delplace, Muluneh Abebe, Bjorn Maes*

UMONS (Belgium)

We utilize chiral materials to unlock Smith-Purcell radiation into modes typically forbidden in two-dimensional achiral structures. Via a Pasteur medium, the modes hybridize, allowing excitation by the passing electron's evanescent field. This approach offers a new degree of freedom for wavelength and polarization control.

P22

Carbon Nanodot Superparticles as a new family of Optical Metamaterials*Caterina Tortorici¹, Riccardo Rubino¹, Laureline Roff², Vincenzo De Michele², Rodrigo Szostak³, Fabrizio Messina¹, Alice Sciortino¹*¹University of Palermo (Italy), ²Université Jean Monnet (France), ³Brazilian Synchrotron Light Laboratory (Brazil)

Carbon nanodot superparticles were fabricated via emulsion-templated assembly using bare and PEGylated nanodots. PEG functionalization modulates interparticle spacing, leading to emission blueshifts and longer lifetimes. Structural uniformity is confirmed by electron microscopy, while humidity induces emission quenching and structural degradation.

P23

Enhancement of Spontaneous Decay Rate in Hybrid Photonic Nanocavities*Themistoklis Deloudis, Angus Crookes, Angela Demetriadou*

University of Birmingham (United Kingdom)

Structured optical environments modify the spontaneous decay rate of quantum emitters. Ultra high emission rates are often hindered by either the diffraction limit or material losses. We design a hybrid photonic nanocavity with extreme enhancement of the spontaneous decay rate, not often seen in diffraction-limited photonic cavities.

P24

Solution-processed microcavities incorporating luminescent hybrid Copper(I) iodides*Federica Bortoletto¹, Emma Contin², Ullrich Steiner¹, Andrea Doderò¹*¹Adolphe Merkle Institute (Switzerland), ²University of Bologna (Italy)

Luminescent hybrid crystals are grown via organic ligand evaporation within a CuI-containing polymeric layer. This emissive layer can serve as defect layer in solution-processed microcavities, whose photonic bandgap and cavity mode are tuned to spectrally match the hybrid crystals emission, to the end of narrowing and enhancing it.

P25

VO₂-Based Smart Window Enabling High Transparency and Tunable Thermal Emissivity*Jaehyeong Kim, Dongkyun Kang, Jungwoo Pyo, Hwaji An, Myeongkyu Lee*

Yonsei University (Korea)

This work demonstrates a sputtered VO₂/ZnS/ITO smart window with high visible transparency and strong thermal emissivity modulation. The structure achieves a luminous transmittance of 47% and an emissivity modulation of 0.52 between 20 °C and 80 °C, enabling simultaneous control of solar transmission and mid-infrared radiative cooling.

P26

Experimental Study of Mechanically Graded Tensegrity-Inspired Cellular Metamaterials*Anna Al Sabouni-Zawadzka, Adam Zawadzki, Wojciech Gilewski, Maciej Kołodziejczak*

Warsaw University of Tehcnology (Poland)

This paper presents an experimental study of graded tensegrity-inspired metamaterials fabricated by additive manufacturing. Compression tests are performed under uniform and concentrated loads on simplex- and expanded octahedron-based lattices to demonstrate the influence of unit cell topology and cell gradation on their mechanical behaviour.

P27

Tunable Polaritonic Topologies Generated by qBIC Metasurfaces*Connor Heimig¹, Enrico Bau¹, Jonas Biechteler¹, Florian Mangold², Julian Schwab², Manobina Karmakar¹, Leonardo Menezes¹, Haoran Ren³, Stefan A. Maier³, Harald Giesser², Tittl²*¹Ludwig-Maximilians-Universität München (Germany), ²University of Stuttgart (Germany), ³Monash University (Australia)

We experimentally demonstrate tunable polaritonic topological textures using nonlocal photonic modes in dielectric metasurfaces supporting quasi bound states in the continuum. Hyperbolic phonon polaritons launched in hBN form skyrmion lattices on individual resonators. Frequency and geometry control enable reconfigurable skyrmions, merons, and related topological textures within a single platform.

P28

Diversity-Optimized Dataset Generation Pipeline for High-Reflectivity Metamirror Inverse Design*Swarali Talele, Liam Shelling Neto, Stefanie Kroker*

TU Braunschweig (Germany)

Designing complex multispectral metamirrors for cavities requires precise control of phase and reflectivity across subwavelength metaatoms. Diffusion-based generative models enable inverse design for such structures but are limited by dataset quality, especially when crucial regions are underpopulated. We present a pipeline that generates validated candidate geometries, yielding an enriched dataset.

P29

Dynamical superradiance in vibrationally dressed molecules*Lukas Freter¹, Piper Fowler-Wright², Javier Cuerda¹, Brendon Lovett², Jonathan Keeling², Paivi Törmä¹*¹Aalto University (Finland), ²University of St Andrews (United Kingdom)

We study dynamical superradiance—the collective oscillation of energy between a cavity mode and emitters—in organic materials by solving the open Holstein-Tavis-Cummings model in the mean-field approximation. We show that superradiance survives for small vibrational coupling, and that for negative cavity detunings, vibrational coupling may even enhance superradiance.

P30

Surface-Enhanced Raman Spectroscopic Observation of SuFEx Processes at Metal Surfaces*Aleksandra Miszczak, Justyna Grzeda, Hubert Sobiech, Jan Dudziński, Michał Barbasiwicz, Andrzej Kudelski, Aleksandra Szaniawska*

University of Warsaw (Poland)

Surface-enhanced Raman spectroscopy (SERS) was applied to investigate sulfur (VI) fluoride exchange reactions at metal-solution interfaces. The study demonstrates that SERS enables monitoring of click reaction, close proximity of metal surface does not significantly change the reaction and elegantly shows that structural changes of adsorbate influence their orientation on metal.

P31

Chiral Meta-atoms for Geometric-phase Manipulation in Metasurfaces Operating in the Visible Range*Mircea Giloan*

MG Data (Romania)

The geometric phase method enables phase manipulation of circularly polarized incident light. We investigate the ability of chiral metaatoms with specific geometries to convert incident circularly polarized light into its orthogonal handedness in transmission. Such metaatoms can be used to design efficient, polarizationinsensitive metasurfaces.

P32

Quantum nanophotonics with free electrons*Javier García de Abajo*

ICFO-Institute of Photonics Sciences (Spain)

At the intersection of electron microscopy, ultrafast optics, and quantum physics, ultrafast electron microscopy enables the study of plasmonic excitations with unmatched spatiotemporal resolution. We discuss quantum aspects of electron-plasmon interactions, including the generation of single and entangled photons, highlighting prospects for quantum technologies.

1–O2 | Room 3074 | 10:50 - 12:45

SYM1: Hybrid Nanomaterials and Metastructures for Photonics, Sensing and Energy*Organized by: Jérôme Plain, Alexander Govorov, Davy Gérard, Pedro Hernandez Martinez**Chaired by: Jérôme Plain, Alexander Govorov, Davy Gérard, Pedro Hernandez Martinez*

10:50

INVITED TALK

Green Hydrogen Produced from Water Splitting at Photocatalytic Titanium Dioxide Thin Films on Gold Nanoislands*Nicolas Albenge, Florian Laible, Jonas Rathgeb, Timo Braun, Sandra Glocker, Bjarne Gutbrod, Leah Schynowski, Udo Weimar, Nicolae Barsan, Monika Fleischer*

Eberhard Karls University of Tübingen (Germany)

Gold nanoislands are hybridized with a titanium dioxide thin film combining visible light absorbing structures with UV absorbing photocatalysts for light-induced water splitting. A custom reactor is built to measure the amount of hydrogen generated. Design considerations and first hints to the generation of green hydrogen are presented.

11:10

INVITED TALK

Mechanistic Insights into Light-Mediated Growth of Gold Nanoplates*Robert Hughes, Brendan Nieu Kirk, Runze Tang*

University of Notre Dame (USA)

We report a two-reagent, light-mediated synthesis of periodic arrays of gold nanoplates that is different from conventional plasmon-mediated growth. Photochemical reactions occur in the growth solution rather than at nanoplate surfaces, enabling optical priming of growth solution and subsequent dark growth. Wavelength-dependent studies reveal two independent growth mechanisms.

11:30

INVITED TALK

Very-large scale reconfigurable surfaces for dynamic control of THz and millimeter waves*Said Ergoktas*

University of Bath (United Kingdom)

In this talk, I will go through brief history of our research on graphene-based terahertz (THz) devices leading to our latest work on very large-scale reconfigurable surfaces for dynamic control of THz and millimeter-wave.

11:50

INVITED TALK

Control of photo-induced absorption and chemical functionalization within plasmonic nanostructures*Marlo Vega¹, Thomas Prieur¹, Julien Moreau¹, Paul-Ludovic Karsent², Céline Molinaro³, Olivier Soppera³, Paul Charette², Michael Canva², Jean-François Bryche⁴*¹Université Paris-Saclay (France), ²Université de Sherbrooke (Canada), ³Université de Haute Alsace (France), ⁴Université Grenoble Alpes (France)

We demonstrate how thermal energy distribution within excited plasmonic metasurfaces can be used for local modification of chemical functionalization for biosensing applications.

12:10

Terahertz Slow- and Fast-Light Switching Through Liquid-Crystal-Integrated Plasmon-Induced Transparency Fano-resonant Metamaterials*Rafał Kowderziej¹, Ilario Bisignano², Dmitriy Yavorskiy³, Marek Olifierczuk¹, Antonio Ferraro⁴, Giuseppe Lio⁵, Norbert Pałka¹, Jerzy Wróbel¹, Roberto Caputo⁶*¹Military University of Technology (Poland), ²University of Tsukuba (Japan), ³Institute of High Pressure Physics PAS (Poland), ⁴Consiglio Nazionale delle Ricerche (Italy), ⁵University of Pisa (Italy), ⁶University of Calabria (Italy)

Active and hybrid Fano-resonant plasmon induced transparency (PIT) metasurfaces are identified as an emerging technology in terahertz optics. Here, we introduce Fano-resonant liquid crystal integrated PIT metasurface for terahertz slow- and fast-light switching. Our findings support active Fano-resonant metasurfaces as compelling candidates for state-of-the-art nonlinear and slow- and fast-light devices.

12:25

INVITED TALK

Hybrid integrated nonlinear photonics with resonant 2D materials*Alessandro Bile¹, Domenico de Ceglia², Daniele Ceneda¹, Maria Cristina Larciprete¹, Marco Centini¹*¹Sapienza Università di Roma (Italy), ²University of Brescia (Italy)

We present a hybrid integrated platform based on patterned 3R MoS₂ enabling compact visible second harmonic generation. Band edge localization and counter propagating excitation provide efficient vertical emission from nanoscale nonlinear regions, supporting scalable integrated nonlinear and quantum photonic architectures.

1-03 | Room 3051 | 10:50 - 12:50

SP5: Functional materials for tunable and reconfigurable photonics*Organized by: Sébastien Cueff and Yael Gutierrez**Chaired by: Sébastien Cueff and Yael Gutierrez*

10:50

INVITED TALK

Polymer plasmons and gating for active metaoptics*Magnus Jonsson*

Linköping University (Sweden)

We will present our latest findings related to dynamic tuning of optical metasurfaces and nanophotonic devices based on redox-tunable conducting polymers.

11:10

INVITED TALK

Metamaterial devices and metalenses for optical beam steering*Daniele Melati¹, Sarra Salhi¹, Jian Cao¹, Gervasio D'Anzileri¹, Zindine Mokeddem¹, Hachim Lahbib¹, Warren Kut King Kan¹, Sandeep Yadav Golla¹, Constantine Papakonstantinou¹, Amir Hossein Masominia¹, Vivien¹, Ramos¹, Cassan¹, Cheber², Schmid², Xin³, Ye³*¹Université Paris-Saclay - CNRS (France), ²National Research Council Canada (Canada), ³Carleton University (Canada)

We present our work on metamaterial-integrated photonic devices for optical beam steering, including polarization-insensitive grating antennas and optical phased arrays. Moreover we discuss our work on singlet metalenses achieving broadband achromatic focusing and a large field of view.

11:30 INVITED TALK Integrated Optical Phased Arrays for AR Displays, Biophotonics, Trapped Ions, & Beyond

Jelena Notaros

Massachusetts Institute of Technology (USA)

This talk will review our work on developing integrated optical-phased-array-based platforms, devices, and systems for applications in LiDAR sensing, augmented-reality displays, 3D printing, optical trapping for biophotonics, and trapped-ion quantum engineering.

11:50 INVITED TALK Active and Reconfigurable Free-Space Photonics using Phase-Change Metamaterials

C. David Wright¹, Joe Shields¹, Guoce Yang², Carlota Ruiz de Galarreta¹, Mengyun Wang², Stuart Kendall¹, Joe Pady¹, Nikolaos Farmakidis¹, David Phillips¹, Jacopo Bertolotti¹, Alù³, Bhaskaran²

¹University of Exeter (United Kingdom), ²University of Oxford (United Kingdom), ³The City College of New York (USA)

The design, simulation and experimental realisation of various phase-change metasurface devices for the active and reconfigurable control of light is described. Particular emphasis is placed on metasurfaces for free-space implementations of optical image processing, optical mode conversion and optical orbital angular momentum control.

12:10 INVITED TALK Broadband Optical Properties and Thermal Stability of Thermal Evaporated GST and GSST Thin Films for Reconfigurable Metalens Applications

João Borlido¹, Ricardo Machado¹, Bernardo Dores¹, José Rodrigues¹, Filipa Mota¹, Eliana Vieira¹, Julien Legendre², Ioannis Draganidis², Georgia Papadakis², Diogo Aguiar³, Correia¹

¹University of Minho (Portugal), ²ICFO-Institut de Ciències Fòniques (Spain), ³International Iberian Nanotechnology Laboratory (Portugal)

GST and GSST enable tunable photonics but exhibit severe chemical and structural instability when uncapped at elevated temperatures. We quantify the magnitude of thickness, stoichiometry, crystallization, optical degradation in thermal evaporated GST and GSST films using EDS, XRD, topology, transmittance, and broadband ellipsometry, and discuss the implications for reconfigurable metalenses.

12:30 INVITED TALK Tailoring Surface Polaritons and Hyperbolic Polaritons in 2D materials with the Plasmonic Phase-Change Material In₃SbTe₂

Thomas Taubner, Lukas Conrads, Lina Jäckering, Matthias Wuttig

RWTH Aachen University (Germany)

We exploit the non-volatile insulator-to-metal transition of the plasmonic phase-change material In₃SbTe₂ for optical programming polariton resonators in hyperbolic 2d materials such as hBN and α -MoO₃. The strongly confined resonance modes and highly-directional propagation are investigated with scanning near-field optical microscopy. This study enables rapid prototyping of reconfigurable polariton optics.

1-04 | Maharry Theatre | 10:50 - 12:40

SYM4: Chirality, magnetism, and magnetoelectricity: Separate phenomena and joint effects in metamaterial structures

Organized by: Eugene Kamenetskii

Chaired by: Eugene Kamenetskii

10:50 INVITED TALK Theory of Spin-Chiral Phonon Coupling in Chiral Crystals

Dapeng Yao, Gen Tatara

RIKEN (Japan)

We microscopically show the spin-chiral phonon coupling in 3D chiral crystals. We consider that phonon modulate the electron motion through the electron-phonon coupling, leading to an effective magnetic field on electron spins via spin-orbital coupling. We derive an effective Hamiltonian which couples the phonon and spin degrees of freedom.

11:10

INVITED TALK

Orbital optical chirality: Spectrally and spatially resolved measurements of multipolar chiroptical responses for optical vortex beams*Yoshito Tanaka*

Hokkaido University (Japan)

We demonstrate spatially and spectrally resolved chiral dichroism using a single twisted nanorod pair with spectrally separated plasmon resonances and rapid modulation of optical vortex handedness. At the vortex center, dichroism arises from novel optical chirality dependent on orbital angular momentum, which interacts with hybridized twisted quadrupole plasmon modes.

11:30

INVITED TALK

Strong coupling of chiral light with chiral matter: a macroscopic study*Sergey Dyakov¹, Natalia Salakhova¹, Iliia Smagin¹, Denis Baranov², Iliia Fradkin¹, Nikolay Gippius¹*¹Skolkovo Institute of Science and Technology (Russia), ²Moscow Center for Advanced Studies (Russia)

We consider a Fabry-Perot resonator supporting photonic modes with non-zero handedness. By placing chiral material into such a resonator, we demonstrate chiral strong coupling. The interaction strength depending on the chiralities of both the medium and the photonic mode enabling selective optical sensing of molecular enantiomers for pharmaceuticals and chemistry.

11:50

INVITED TALK

Self-Polarizing Chiral Cavities for Control of Quantum Emitters*Behrooz Semnani¹, Anya Houk², M. Soltani², Athena Xu², M. Bajcsy²*¹University of Waterloo (Canada), ²Institute for Quantum Computing (IQC) (Canada)

We report experimental progress on the design, fabrication, and characterization of highperformance confocal Fabry-Pérot cavities formed by dielectric metasurfaces. These metasurfaces stabilize the cavity, optimize the mode volume, and introduce polarization birefringence, with particular emphasis on single-spin chiral cavities enabled by dielectric metasurface mirrors.

12:10

KEYNOTE TALK

Generating Optical Merons through Spin-orbit Coupling in Anisotropic Metamaterials*Vittorio Aita, Anastasiia Zaleska, Anatoly Zayats*

King's College London (United Kingdom)

We will discuss the enhanced spin-orbit coupling in strongly anisotropic metamaterials which provides efficient conversion of polarisation state of the transmitted light and results in meron-type topological structures of the electromagnetic field. Flexible control of polarisation and its topological properties is important for optical manipulation, communications, metrology and quantum technologies.

1-05 | Room 3071 | 10:50 - 12:50

SP9: When 'meta' meets 'materials': innovative materials, fabrication, functionalities*Organized by: Dorota Pawlak and Virginie Ponsinet**Chaired by: Dorota Pawlak and Virginie Ponsinet*

10:50

INVITED TALK

Nondestructive testing of metamaterials by Photoacoustic and Photothermal Techniques*Roberto Li Voti, G. Leahu, E. Petronijevic, C. Skubisz, A. Maurizi, G. Lalle, G. Cesarini, M. C. Larciprete, M. Centini, A. Belardini, Sibilia*

Sapienza Università di Roma (Italy)

Recent advancement in experimental Photoacoustic and Photothermal techniques has enabled a large number of interesting observations and understanding of heat transfer processes on metamaterials at the nanoscale

11:10 INVITED TALK **Exploiting strong confinement of light in hybrid self-assembled metamaterials**

Anton Bykov, Nicolas Spiesshofer, Charalambos Louca, Tabitha Jones, Lille Borresen, Nima Taghipour, Jeremy J. Baumberg

University of Cambridge (United Kingdom)

Plasmonic nanocavities can realise extreme confinement of light. Here we discuss hybrid metamaterials, produced by self assembly of quantum dots, metal nanocrystals, and plasmonic particles, stabilized by robust molecular scaffolds. These artificial structures harness plasmonic confinement to enable infrared sensing, control of emission, and hot carrier physics on the nanoscale.

11:30 INVITED TALK **Light and molecules at the nanoscale**

Pablo Alonso-González

Universidad de Oviedo (Spain)

In this talk, we will show the real-space visualization of directional-dependent strong coupling phenomena between nanolight and organic molecules (pentacene).

11:50 INVITED TALK **Publishing in Nature Portfolio**

Rachel Won

Nature Reviews Electrical Engineering (United Kingdom)

This talk will give you an overview of Nature Portfolio, with emphasis on Nature Reviews Electrical Engineering, before detailing the editorial and peer review processes for its research and review journals. The editorial criteria and editorial policies of these journals will also be presented.

12:10 INVITED TALK **Interband plasmonic elemental materials for sustainable nanophotonics: widening the spectral range**

Johann Toudert, Fernando Chacon-Sanchez, Rosalia Serna

Instituto de Optica (Spain)

We will show how interband transitions in semimetals and semiconductor nanostructures enable an alternative plasmonic response that expands from far-UV to the IR, therefore allowing the development of sustainable and reliable platforms for nanophotonics that will support advanced functionalities such as perfect absorption, structural coloration, and tunable optical response.

12:30 INVITED TALK **Geometry Matrix: From Physical Model to Computational Framework**

Alonso Moreta¹, Mateo Perez¹, Karen Caicedo², Ashod Aradian³, Alessandro Veltri⁴

¹Universidad San Francisco de Quito (Ecuador), ²Institute of Applied Sciences and Intelligent Systems (ISASI-CNR) (Italy), ³Université de Bordeaux (France), ⁴Università della Calabria (Italy)

The Geometry Matrix formalism provides a unified framework for modeling active plasmonic nanoparticles across quasi-static and Mie regimes. It enables prediction of emission thresholds, spectra, and modal instabilities in gain-assisted nanostructures. We present its implementation as a modular open library for reproducible nanophotonics modeling.

1–06 | Room 3126 | 10:50 - 12:50

SP1: Metamaterials: novel trends and applicationsOrganized by: *Tatjana Gric*Chaired by: *Tatjana Gric***10:50 INVITED TALK Design of Reconfigurable and Non-Reciprocal Soft-matter Photonic Devices***Peter Ropač, Zala Korenjak, Matjaž Humar, Miha Ravnik*

University of Ljubljana (Slovenia)

Using topology optimization and parametric design approaches we designed various reconfigurable photonic devices such as beam splitters, focusing elements, diffraction gratings, and devices with non-reciprocal transmission. Some devices are realized with liquid crystals using a novel method. We show strong agreement in performance of the simulated and realized devices.

11:10 INVITED TALK High-Precision Nanofabrication and Characterization of Metamaterials Using ZEISS FIB-SEM Technology*Olena Vertsanova, Martina Schenkel*

Carl Zeiss Microscopy GmbH (Germany)

ZEISS electron microscopy is indispensable method in the discovery of materials with enhanced or novel properties, metamaterials, nanophotonic, quantum photonics, facilitating high-resolution imaging, detailed characterization, and nanofabrication. The ZEISS electron microscopy contributes significantly to the understanding and developing of novel materials and devices.

11:30 INVITED TALK The interaction of nanoplasmonic hot carriers with adsorbates*Johannes Lischner*

Imperial College London (United Kingdom)

Highly energetic or "hot" electrons and holes generated from the decay of localized surface plasmons can be harnessed for applications in photocatalysis, photovoltaics and sensing. I will discuss the interaction of these hot carriers with adsorbed molecules and connect this to experimental observations of chemical interface damping of plasmons.

11:50 INVITED TALK Nanostructured GLAD optical coatings for reflectance and birefringence control*Lina Grineviciute, Darija Astrauskyte, Lukas Ramalis*

Center for Physical Sciences and Technology (Lithuania)

In this work the possibilities to engineer the inner nanostructures of individual layer and applications for the formation of coating-based AR-, HR-coatings, polarizers and phase retarders were proposed.

12:10 INVITED TALK Lattice Resonances in Bipartite Arrays of Nanodisks*Juan Jose Alvarez Serrano¹, Vincenzo Aglieri², Juan Ramon Deop-Ruano¹, Muhammad Sohaib², Andrea Toma², Alejandro Manjavacas¹*¹IQF-CSIC (Spain), ²Istituto Italiano di Tecnologia (Italy)

Two-dimensional, bipartite arrays of nanostructures offer great potential for photonic technologies. By tuning the relative position of the two nanoparticles within the unit cell, we theoretically anticipate and experimentally verify lattice resonances with diverse optical properties, including super- and subradiant modes, noninteracting ones, and out-of-plane polarized resonances.

12:30

INVITED TALK

High-efficiency nonlinear optical response of silicon based metasurfaces in the visible and UV spectrum*Shroddha Mukhopadhyay¹, Crina Cojocar¹, Maria Antonietta Vincent², Michael Scalora², Jose Trull¹*¹Universitat Politècnica de Catalunya (Spain), ²University of Brescia (Italy)

We investigate harmonic generation in silicon-based membranes and metasurfaces operating in the visible and UV spectrum. Our combined experimental-theoretical study reveals second, third, and higher harmonic generation up to the seventh order. Resonant field confinement in corresponding metasurfaces enable enhanced efficient UV emission and predictive design of nonlinear nanophotonic devices.

1-07 | Room 5039 | 10:50 - 12:30

SP17: Topological Insulator Metamaterials*Organized by: Giuseppina Simone**Chaired by: Giuseppina Simone*

10:50

INVITED TALK

Reconfigurable Topological Insulators and Acoustic Devices Based on an Electroacoustic Material Platform*Michael Leamy*

University of Vermont (USA)

We present recent work on reconfigurable, electroacoustic topological insulators as a platform for enabling acoustic devices such as multiplexers/demultiplexers, transistors, logic gates, and single-bit memory. The theoretical underpinnings of the reconfigurable topological insulator will be discussed together with experimental results confirming multiple device operation.

11:10

INVITED TALK

A spectral localizer approach for Floquet insulators*Stephan Wong¹, Alexander Cerjan¹, Justin Cole²*¹Sandia National Laboratories (USA), ²University of Colorado (USA)

A spectral localizer methodology for diagnosing topology in Floquet insulators will be presented. This approach leverages local topological markers to probe topology in periodically driven lattice systems without time-reversal symmetry. Quantitative bounds on the range of topological protection can be proved.

11:30

INVITED TALK

Topological Metamaterials Driven Study of the Dielectric Response of the Cancerous Biological Tissue*Tatjana Gric*

Vilnius Gediminas Technical University (Lithuania)

Cancerous tissues are treated as the disordered anisotropic media. The classical Maxwell-Garnett technique is utilized to evaluate an effective medium of the sample with no needs of human intervention. In this relation, the presented technique allows for the creation of the phantom tissue models for the usage in clinical applications.

11:50

INVITED TALK

Magnetic Response Enhancement in Topological Insulator Metamaterial Hybrid Layers*Qiang Sun¹, Eitan Dvorquez², Felipe A. Pinto², Mohan C. Mathpa², Jeronimo R. Maze², Brant C. Gibson¹, Andrew D. Greentree¹*¹RMIT University (Australia), ²Pontificia Universidad Catolica (Chile)

We demonstrate that combining a topological insulator layer with an active metamaterial substrate strongly enhances the magnetic field induced by an electric point source. Optimized substrate parameters increase the response by over four orders of magnitude and extend the magnetic field into free space.

12:10 INVITED TALK Terahertz non-linear optics in van der Waals topological insulator metamaterials*Miriam Serena Vitiello*

CNR-NANO and Scuola Normale Superiore (Italy)

High-order harmonic generation (HHG) in solids-the frequency up-conversion of an optical signal-is governed by symmetries. Here, we demonstrate frequency up-conversion in the 6.4 (even-order)-9.7 (odd-order)THz frequency range. This results from bulk centro-symmetry (odd states) and symmetry breaking in the topological surface states (odd and even).

1-08 | Room 4050B | 10:50 - 12:45

SP4: Chiral fields and ultrafast chiral spectroscopy*Organized by: Jamal Berakdar and Andrei Afanasev**Chaired by: Jamal Berakdar and Andrei Afanasev***10:50 INVITED TALK Manipulating chiral effects with plasmonic nanostructures***Yuanyang Xie, Alexey Krasavin, Anatoly Zayats*

King's College London (United Kingdom)

Plasmonics offers unique opportunities to enhance and engineer optical chirality. In this talk we present an overview of our recent research in chiral plasmonics, starting with discussion of how plasmonic chirality can be defined, and then presenting how it can be used to engineer chiral optical scattering and emission.

11:10 INVITED TALK Enabling Ultrastrong Chiral Light-Matter Interactions With Chiral Superradiance*Jonah Peter, Susanne Yelin*

Harvard University (USA)

The first experimental observation of chiral superradiance is presented and supported by theoretical quantum optics calculations. Our results demonstrate strong chiral light-matter coupling owing to enhancement via quantum coherence in the solid state and at room temperature.

11:30 INVITED TALK Non-dichroic Chiral Photoelectron Spectroscopy*Letizia Fede¹, Debabrata Rajak², Chris Sparling³, David Ayuso⁴, Sylvain Betoule⁵, Valérie Blanchet¹, Piero Decleva⁶, Dominique Decamps¹, Stéphane Petit¹, Bernard Pons¹, Mairesse¹, Ordonez⁷*

¹Universite de Bordeaux (France), ²The Extreme Light Infrastructure ERIC (Hungary), ³Heriot-Watt University (United Kingdom), ⁴Imperial College London (United Kingdom), ⁵Sorbonne Université (France), ⁶Universita degli Studi di Trieste (Italy), ⁷Freie Universitat (Germany)

We find enantiosensitive but non-dichroic signals in the 3D photoelectron angular distribution of chiral molecules upon multiphoton ionization with elliptically polarized light. The robustness of enantiosensitivity against ellipticity is an example of symmetry protection, opening unexplored opportunities for imaging ultrafast dynamics in chiral molecules with polarization-structured light.

11:50 INVITED TALK Nonlinear Light-Matter Interactions for Ultrafast Chiral Detection in Confined Environments*Stefanos Koufidis, Jacob Edginton, David Ayuso*

Imperial College London (United Kingdom)

Conventional methods for detecting molecular chirality rely on weak magneto-electric effects and therefore offer limited sensitivity. Here we explore an alternative approach based on locally chiral light, which can produce strong enantio-sensitive responses within the electric-dipole approximation. We propose an implementation in microfluidics for detection of chiral molecules in solution.

12:10

INVITED TALK

Twisted light generates robust many-body states for practical quantum computing*F. J. Rodríguez¹, Luis Quiroga², Neil Johnson³*¹Universidad de los Andes (Colombia), ²Universidad de Los Andes (Colombia), ³George Washington University (USA)

We present a scheme for using twisted light to generate many-body states in electronic nanostructures whose topological symmetries can provide enhanced robustness for practical quantum computing. Quadrupole type coupling enables access to internal spectra – breaking Kohn’s theorem. Our findings are robust for screened and Coulomb interactions.

12:30

Dynamically Tuneable Helicity in Twisted Electromagnetic Resonators*Emma Paterson, Jeremy Bourhill, Michael Tobar, Maxim Goryachev*

University of Western Australia (Australia)

We demonstrate real-time macroscopic control of electromagnetic helicity and resonant frequency in a rectangular cross-section microwave cavity resonator by dynamically twisting its conducting boundaries. The resulting mirror asymmetry induces magnetoelectric coupling between near-degenerate transverse electric and magnetic modes, generating helical hybrid eigenmodes with resonant frequencies proportional to their electromagnetic helicity.

1–09 | Dargan Auditorium | 10:50 - 12:40

SP16: Metamaterials and Metasurfaces as Platforms for Next-Generation Electromagnetics: Fundamentals, Applications and Future Trends*Organized by: David R. Smith and Okan Yurduseven**Chaired by: David R. Smith and Okan Yurduseven*

10:50

KEYNOTE TALK

Auger processes and switching Indium Tin Oxide with femtosecond laser pulses*John Pendry*

Imperial College London (United Kingdom)

ITO, is the workhorse of high speed switching of light. Recent experiments using multi-GW intensity pumps reveal processes where very hot conduction electrons have enough energy to promote valence electrons into the conduction band via the Auger effect. We construct a model which accurately reproduces the features seen in experiment.

11:20

INVITED TALK

Communicating and Computing with Microwave Networks*Matteo Nerini, Bruno Clerckx*

Imperial College London (United Kingdom)

Future wireless systems will communicate and process extremely high-dimensional signals under stringent latency constraints. As antenna arrays scale toward massive and gigantic multiple-input multiple-output (MIMO), conventional digital signal processing becomes prohibitive, motivating paradigm shifts where both communication and computation are partially offloaded from the digital to the analog domain.

11:40

INVITED TALK

Universal Wave-Control Framework for Reconfigurable Microwave Systems*Philipp del Hougne*

IETR - Université de Rennes (France)

Reconfigurable microwave systems (e.g., involving programmable metasurfaces) can be treated as multiport networks, enabling a universal, experiment-calibrated model-based framework for optimization and determining fundamental limits. This model also reveals how to maximize wave-domain flexibility. Altogether, the universal framework paves the way toward a prototype-aware electromagnetic information theory.

12:00

INVITED TALK

Compressive Metasurfaces for Communications and Imaging Applications*Okan Yurduseven¹, David Smith²*¹Queen's University Belfast (United Kingdom), ²Duke University (USA)

We present a physical layer compression framework for communications and imaging applications. The system makes use of wave-chaotic metasurface antennas, generating quasi-random radiated field patterns. This mechanism enables wireless channels to be characterized using a single-pixel hardware architecture while operating as a single-pixel microwave camera for imaging.

12:20

INVITED TALK

Self-Organized Photonic Metasurface Synthesis Inspired by Morphogenesis*Thomas Fromentèze¹, Marco Gandolfi², Andrea Locatelli², Costantino De Angelis², Emebet Woldu Hadgu¹, Raphaël Pestourie³*¹University of Limoges (France), ²Università degli Studi di Brescia - CNR-INO (Italy), ³Georgia Institute of Technology (USA)

We introduce a bio-inspired generative model that serves as a parametrization of photonic metasurfaces. This approach, inspired by morphogenesis, has proved successful in the microwave range. This framework utilizes reaction-diffusion patterns to self-organize dielectric structures. We demonstrate a functional 50 μm silicon lens operating at $\lambda = 1550$ nm.

1-O10 | Room 5052 | 10:50 - 12:30

SYM2: New trends in nanophotonics and advanced materials*Organized by: Junsuk Rho, Hakjoo Lee, Namkyoo Park, Seong Ok Han**Chaired by: Junsuk Rho, Hakjoo Lee, Namkyoo Park, Seong Ok Han*

10:50

INVITED TALK

Engineering Electromagnetic Descriptors at the Nanoscale with Plasmonic Nanoantennas*Mario Zapata, Javier Aizpurua*

Donostia International Physics Center (Spain)

We present a unified framework for engineering electromagnetic descriptors in plasmonic nanoantennas to control nanoscale light-matter interactions. Full-wave simulations show how geometry, symmetry, and lattice coupling tune LDOS, chirality, and decay channels. Nanogap cavities and surface-lattice-resonant arrays enable tailored emission, polarization selectivity, and vibrational sensing, validated experimentally.

11:10

INVITED TALK

Plasmon Assisted Up Conversion for High Performance Photochromic Smart Windows*Ovidio Peña-Rodríguez¹, Chang Woo Kim², Edgardo Gabriel Santoro¹, Umapada Pal³, Young Soo Kang⁴*¹Universidad Politécnica de Madrid (Spain), ²Pukyong National University (South Korea), ³Benemérita Universidad Autónoma de Puebla (Mexico), ⁴Korea Institute of Energy Technology (South Korea)

Photochromic smart windows can regulate solar radiation, but their performance is limited by the small ultraviolet fraction in sunlight. We report plasmonic yolk shell nanophosphors that convert visible light into ultraviolet emission. Integrated with tungsten oxide photochromic films, they significantly accelerate coloration kinetics and enhance optical contrast in smart windows.

11:30

INVITED TALK

Can Surface Plasmon Carry Heat?*Jungmin Nam, Kuk Hyun Yun, Bong Jae Lee*

KAIST (South Korea)

This presentation outlines our recent endeavors in developing an efficient heat spreader made of a nanoscale metallic film, beginning with experimental investigations to demonstrate in-plane heat transfer along a thin metal film via surface plasmon.

11:50 INVITED TALK Hard and Soft: Exploiting Nanoplasmonics in Sensing Applications*Luca De Stefano¹, Valeria Nocerino², Bruno Miranda¹, Principia Dardano¹*¹CNR ISASI (Italy), ²University of Naples Federico II (Italy)

Optical (bio)sensors are based on materials that convert a (bio)molecular interaction occurring on their surface into a change in the values of the light impinging on them. Integrated optics, optical circuits on glass and silicon, has been the technology adopted in optical sensing until the advent of nanoplasmonics and metamaterials.

12:10 INVITED TALK Polarization-Programmable Optics using Chiral Dielectric Metastructures*Soo Jin Kim*

Korea University (Korea)

We demonstrate symmetry broken dielectric metasurfaces that leverage the nonlocal guided mode resonances to enable efficient spin selective polarization control and chirality resolved detection. Moreover, we propose metastructures which produce globally biased optical chirality in the near and far field regime, supported by coupled mode design rules.

1-O11 | McNabb Theatre | 10:50 - 12:40

SYM2: New trends in nanophotonics and advanced materials*Organized by: Junsuk Rho, Hakjoo Lee, Namkyoo Park, Seong Ok Han**Chaired by: Junsuk Rho, Hakjoo Lee, Namkyoo Park, Seong Ok Han***10:50 INVITED TALK Manipulate Multispectral 3D Polarization Structures with Optical Metasurfaces***Xianzhong Chen, Hammad Ahmed, Chunmei Zhang*

Heriot-Watt University (United Kingdom)

3D polarization structures are garnering significant interest owing to their peculiar properties. We use optical metasurfaces to generate various multispectral polarization 3D structures and cascaded polarization cages, whose polarization profiles can be dynamically modulated.

11:10 INVITED TALK Metasurface concepts for polarisation control*Ilya Shadrivov*

Australian National University (Australia)

We develop metasurface based broadband polarisers and waveplates for controlling Terahertz radiation. We discuss effects of topology and mode interplay for achieving broadband operation of the proposed devices.

11:30 KEYNOTE TALK How can light be used for measurements a myriad times finer than those of Robert Hooke and a million times faster than those of Eadweard Muybridge?*Nikolay Zheludev*

University of Southampton (United Kingdom)

By training metrological estimators, employing topologically structured light, and engineering the flow of Fisher information, optical metrology can surpass conventional resolution limits by orders of magnitude-achieving atomic-scale precision at megahertz acquisition rates.

12:00 INVITED TALK Numerical analysis of directional guided modes on highly anisotropic metasurface*Maxim Nikitin, Andrei Lavrinenko, Battulga Munkhbat, Osamu Takayama*

DTU Electro (Denmark)

Anisotropic materials can support directional surface waves and guided modes. Their propagation direction and its angular cone depend on the optical properties of the anisotropic materials. We numerically analyze directional surface waves on tungsten disulfide metasurface, which exhibits large effective anisotropy and transparency for near-infrared wavelengths.

12:20

INVITED TALK

DRUM: From Diabolic to Exceptional Point and Phase-Tunable Hysteresis toward Controllable Artificial Neurons*Stefano Biasi, Bülent Aslan, Davide Olivieri, Stefano Gretter, Lorenzo Pavesi*

University of Trento (Italy)

We present the Dynamically Reconfigurable Unified Microresonator (DRUM), an integrated silicon photonic platform enabling tunable Hermitian and non-Hermitian coupling between counter-propagating modes. The DRUM exploits coupling-controlled feedback to access diabolic and exceptional points, inducing nonlinear hysteresis and memory effects. This enables controllable bifurcations and functions as a reconfigurable artificial neuron.

1-O12 | Room 5025 | 10:50 - 12:30

SYM5: Phononics and acoustic metamaterials*Organized by: Marco Miniaci, Jensen Li, Jean-Philippe Groby, Vincent Pagneux, Noé Jiménez**Chaired by: Marco Miniaci, Jensen Li, Jean-Philippe Groby, Vincent Pagneux, Noé Jiménez*

10:50

INVITED TALK

Multifunctional Composite Metastructures for Vibration and Noise Control*Yabin Jin*

Fudan University (China)

This work presents multifunctional fiber reinforced composite metastructures for integrated vibration attenuation and noise reduction. By combining local resonance mechanisms with acoustic impedance engineering through additive manufacturing, lightweight load bearing structures achieve low frequency bandgaps, broadband sound absorption, and significantly enhanced structural stiffness.

11:10

INVITED TALK

Single-sensor vibration sensing enabled by disordered elastic metasurfaces*Bing Li, Jianjie Zhang, Zhongzheng Zhang*

Northwestern Polytechnical University (China)

Conventional sensing relies on dense sensors and sophisticated hardware. Recently, intelligent sensing provides a powerful tool to overcome this limitation. In this work, metasurfaces are synergistically integrated with intelligent sensing, a single-sensor vibration sensing framework is established, achieving high-fidelity vibration localization in aluminum, composite structures, and UAV propeller.

11:30

INVITED TALK

Prey-predator phononic properties in biocomposites*Maroun Abi Ghanem*

Universite Claude Bernard Lyon 1 (France)

This study explores phononic properties in two biological systems: nacrés "brick-and-mortar" structure and the mantis shrimp's Bouligand architecture. Experimental and numerical analyses reveal phononic bandgaps and anisotropic wave propagation, suggesting evolutionary advantages for impact resistance and mechanical protection.

11:50

INVITED TALK

Resonator Cascades in a 3D Lattice as a Broadband Acoustic Metamaterial*Frieder Lucklum*

Technical University of Denmark (DTU) (Denmark)

Cascading coupled resonators allows multiple frequency splitting, a common concept in electronic filters. Translating this idea to acoustic metamaterials leads to connected Helmholtz resonators in a 3D lattice, similar to elastic 3D mass-spring metamaterials. Analytical, numerical, and early experimental results demonstrate broadband sound absorption and sound insulation potential.

12:10

INVITED TALK

Transmission enhancement through a barrier induced by global and local mirror symmetries in periodic waveguides*Elie Salemech, Simon Félix, Vincent Pagneux*

LAUM-CNRS (France)

We show a broadband enhancement of transmission through an opaque barrier placed at the center of a symmetric periodic waveguide. This enhancement is sensitive to subwavelength barrier displacements and, for symmetric unit cells, recurs at half-period shifts due to local symmetries.

1–O13 | Room 4047 | 10:50 - 12:40

SP20: Nonlocal and nonlinear nanophotonics*Organized by: Gonzalo Álvarez-Pérez and Huatian Hu**Chaired by: Gonzalo Álvarez-Pérez and Huatian Hu*

10:50

INVITED TALK

Metasurface-controlled external cavity tunable lasers*Zahra Basiri¹, Alessandro Tomasino¹, Gabriel Juelg¹, Andrea Lanfranchi², Ileana-Cristina Benea-Chelmus³*¹Ecole Polytechnique Federale de Lausanne (Switzerland), ²University of Genoa (Italy), ³EPFL (Switzerland)

Tunable lasers are essential for optical communication, spectroscopy, and precision sensing. Many tunable laser systems rely on mechanical components, limiting speed and stability. Here, we demonstrate an external cavity semiconductor laser capable of achieving ultrafast frequency and amplitude modulation within a compact footprint without any moving parts.

11:10

INVITED TALK

Integrated Nonlinear Photonics for Compact Terahertz and Quantum Devices*Shima Rajabali*

Delft University of Technology (The Netherlands)

In this talk, I will highlight our recent advancement in realizing terahertz photonic devices and electro-optic quantum transducers on a nonlinear integrated photonic platform.

11:30

GaAs nanowires as a tunable source of polarization-entangled photons*Elise Bailly-Rioufrey¹, Zoya Polishchikova¹, Grégoire Saerens¹, Wenhe Jia¹, Helena Weigand¹, Thomas Dursap², Andreas Maeder¹, Philippe Regreny², Robert Chapman¹, Alexandre Danescu², Chauvin², Penuelas², Grange¹*¹ETH Zürich (Switzerland), ²INSA Lyon (France)

This work introduces a novel approach for realizing a tunable nanoscale source of polarization-entangled photon pairs in the near-infrared, using orthogonal GaAs nanowires. Photon pairs arise from type-0 spontaneous parametric down-conversion (SPDC) and the quantum state is adjustable via pump polarization, enabling a continuous transition from entangled to separable states.

11:45

INVITED TALK

Engineering Second Harmonic Polarization via Dual Guided-Mode Resonances in Metasurface-Decorated Thin-Film Lithium Niobate*Chao Meng*

University of Southern Denmark (Denmark)

We introduce a nonlocal nonlinear metasurface combining a plasmonic metasurface atop a lithium-niobate film, supporting two detuned, orthogonally propagating guided-mode resonances. This design enables compact, on-chip frequency conversion, allowing control of second-harmonic polarization chirality via rotation of the pump polarization.

12:05

INVITED TALK

Lattice Resonances in Periodic Arrays of Time-Modulated Scatterers*Juan R. Deop-Ruano¹, María Blanco de Paz², Diego M. Solís³, Alejandro Manjavacas²*

¹Instituto de Química-Física (IQF-CSIC) (Spain), ²Instituto de Química Física Blas Cabrera (IQF) (Spain), ³University of Vigo (Spain)
 In this work, we investigate lattice resonances in periodic arrays of time-modulated scatterers by modelling each scatterer as a harmonic oscillator with periodically varying optical properties. Our work establishes a simple theoretical framework for understanding collective lattice resonances in time-modulated arrays, enabling dynamic control and amplification of these modes.

12:25

Probing Low-Frequency Excitations with Visible Light and Electron Beams*Leila Rocio Prelat¹, Eduardo J. C. Dias², F. Javier García de Abajo¹*

¹The Barcelona Institute of Science and Technology (Spain), ²University of Southern Denmark (Denmark)
 We introduce wave mixing cathodoluminescence, combining visible light and focused electron beams to probe low-frequency excitations with nanoscale resolution. Calculations for a retinal-coated silver nanorod show that far-infrared vibrational fingerprints are up-converted to visible sidebands, enabling electron microscopy in electron microscopes without low-frequency detectors.

1–O14 | Room 4050A | 10:50 - 11:50

SP19: Quantum Matter and Dynamics in Hybrid Metamaterial Platforms*Organized by: Khaled Mnaymneh**Chaired by: Khaled Mnaymneh*

10:50

INVITED TALK

Engineering van der Waals Materials for Quantum Optical Emission*Shengxi Huang*

Rice University (USA)

We report new atomic engineering approaches on van der Waals materials to generate high quality single photon emitters. Our approaches include atomic substitution through plasma treatment, in-situ doping, and manipulating layer thickness and polarization. Such approaches have led to single photon emission with high purity, high brightness, and high stability.

11:10

INVITED TALK

Quantum Phononic Links for On-chip Long Range Coupling of Hole Spin Qubits on Silicon*Maksym Myronov*

The University of Warwick (United Kingdom)

Scalable semiconductor quantum computing requires coherent coupling between distant qubits. Quantum Phononic Links (QPLs) are engineered phononic waveguides in compressively strained germanium on silicon that mediate strain-based interactions between hole spin qubits. Harnessing strong spin-orbit coupling, QPLs enable frequency-selective, CMOS-compatible, long-range coherent coupling towards scalable quantum processors.

11:30

INVITED TALK

Topological plasmonics: A study of a non-Hermitian Su-Schrieffer-Heeger chain*Flore Kunst*

Max Planck Institute for the Science of Light (Germany)

I will present a framework to study the topology of coupled metallic nanoresonators arranged in a Su-Schrieffer-Heeger geometry embedded in a dielectric. To correctly account for Ohmic losses, we use a non-Hermitian description allowing us to uncover boundary states, and compare our results to existing literature and full-wave numerics.

1–O15 | Room 4050A | 11:50 - 12:35

GEN14: Nanophotonics and Plasmonics Applications: Optical Antennas, Quantum Photonic Devices, and Beyond

11:50

Switching Quantum Dot Microresonators by Ultrafast Laser Pulses*Pietro Castronovo¹, Marco Reale¹, Susan A Rigter², Cherie R. Kagan³, Christopher B Murray³, Salvatore Lorenzo¹, Erik C. Garnett², Peter Schall², Emanuele Marino¹, Alice Sciortino¹, Messina¹*¹Università degli Studi di Palermo (Italy), ²University of Amsterdam (The Netherlands), ³University of Pennsylvania (USA)

The ultrafast optical control of microresonators remains underexplored despite many prospective applications in nanophotonics. We demonstrate that ultrafast optical pulses can reversibly modulate whispering-gallery resonances in quantum-dot superparticle microresonators due to combined electronic and thermal effects. The results suggest quantum dot superparticles as metamaterials for photonic switching and optoelectronic nanotechnologies.

12:05

Coupling-Controlled Exceptional Points in Intersubband Polaritonic Metasurfaces*Beomjoon Kim¹, Hyeonju Chung¹, Gerhard Boehm², Mikhail A. Belkin², Jongwon Lee¹*¹Ulsan National Institute of Science and Technology (UNIST) (Korea), ²Technical University of Munich (Germany)

We present non-Hermitian degeneracies, specifically exceptional points (EPs), in geometry-controlled intersubband polaritonic metasurfaces consisting of two plasmonic resonators strongly coupled to intersubband transitions. By varying the resonator gap, we precisely control the coupling coefficient and demonstrate EP emergence near 9.74 μm through numerical simulations in the mid-infrared regime firstly.

12:20

Solving the Helmholtz equation with analog systems at telecommunications wavelengths*Ross Macdonald, Andrew Naylor, Victor Pacheco-Peña*

Newcastle University (United Kingdom)

Solutions to PDEs in the form of the Helmholtz equation are produced at 193.41 THz by exploiting a network of dielectric waveguides with wave splitters and Bragg gratings. Numerical simulation results will be presented demonstrating the potential for this technique to produce accurate solutions to Dirichlet boundary value problems.

Lunch Break

12:40 - 14:00

1-O16 | Room 3074 | 14:00 - 16:00

SYM1: Hybrid Nanomaterials and Metastructures for Photonics, Sensing and Energy*Organized by: Jérôme Plain, Alexander Govorov, Davy Gérard, Pedro Hernandez Martinez**Chaired by: Jérôme Plain, Alexander Govorov, Davy Gérard, Pedro Hernandez Martinez*

14:00

INVITED TALK

Metasurfaces with phase singularity for sensor applications: a theoretical and experimental study*Theo Girerd, Sebastien Cuffe, Fabien Mandorlo, Taha Benyattou, Xavier Letartre, Cécile Jamois, Lydie Ferrier, Lotfi Berguiga*

Université Claude Bernard Lyon 1 (France)

Photonic structures with phase singularities are studied theoretically and experimentally for sensing applications. Our theoretical framework provides a better understanding of the phase behaviour near critical coupling. We demonstrated that the sensitivity and detection limit of the Goos-Hänchen sensor can be improved theoretically by a factor of 100 000.

14:20 INVITED TALK Flexible and Stackable Stickers to Prepare Quasi-3D Metasurfaces*Shunsuke Murai, Koichi Okamoto*

Osaka Metropolitan University (Japan)

We present a strategy for preparing quasi-three-dimensional metasurfaces using flexible and stackable metasurface stickers. The flexibility and stackability of the polymer-embedded metasurface stickers allow facile assembly of multilayer architectures, providing additional degrees of freedom for tailoring optical responses.

14:40 INVITED TALK Tailoring Optical Dispersion using Nonlinear Geometric-phase Metasurfaces*Mikko Huttunen¹, Madona Mekhael¹, Roman Calpe², Robert Fickler¹, Tommi Hakala²*¹Tampere University (Finland), ²University of Eastern Finland (Finland)

We demonstrate nonlinear metasurfaces utilizing nonlinear geometric phase, providing accurate phase control of nonlinear signals via adjusting the orientation of metasurfaces. Demonstrated metasurfaces could be used as thin coatings for nonlinear applications benefitting of dispersion fine-tuning, such as for frequency conversion of ultrashort pulses using very thin nonlinear materials.

15:00 INVITED TALK Polarization-resolved nonlinear chiroptical scattering*Ventsislav Valev*

University of Bath (United Kingdom)

Recent reports of nonlinear chiroptical scattering include hyper-Rayleigh, hyper-Mie, hyper-Tyndall and hyper-Raman optical activity. All were observed as differences in scattered light intensity depending on the handedness of incident light and of the scatterers. We demonstrate that the polarization of the scattered light provides an independent set of chiroptical observables.

15:20 INVITED TALK Sensing chiral molecules using achiral plasmonic metasurfaces: limitations and perspectives*Obren Markovic¹, Shuhui Yang¹, Mathieu Nicolas¹, Catherine Schwob¹, Mathieu Mivelle¹, Guillaume Demesy², Nicolas Bonod², Souhir Boujday¹, Bruno Gallas³*¹Sorbonne Université (France), ²Aix-Marseille University (France), ³INSP-CNRS (France)

Multipolar modes can be used to generate superchiral fields in the vicinity of plasmonic resonators. However, small systematic shape errors can produce linear polarization effects that can propagate in the CD to produce a spurious signal. Polarimetry allows estimating the sensitivity limits to the detection of chiral molecules.

15:40 INVITED TALK Chiral surface plasmons and their spin-hall effect on top of helix arrays*Paul de Bollivier¹, Vage Karakhanyan¹, Roland Salut¹, Miguel A. Suarez¹, Nicolas Martin¹, Thierry Grosjean²*¹FEMTO-ST (France), ²FEMTO-ST Institute (France)

We demonstrate the existence of a new type of surface plasmons supported by nanohelix arrays. A spin Hall effect is observed in the free-space outcoupling of these plasmons, revealing a spin-dependent deflection in the emitted radiation. These results highlight the chiral nature of the plasmonic modes sustained by nanohelix arrays.

1-O17 | Room 3051 | 14:00 - 15:55

SP5: Functional materials for tunable and reconfigurable photonics

Organized by: Sébastien Cueff and Yael Gutierrez

Chaired by: Sébastien Cueff and Yael Gutierrez

14:00 INVITED TALK The Old Brewster Effect Meets New Phase-Change Materials for Optical Switching*Gonzalo Santos¹, Diego Pérez¹, Josef Res², Maria Losurdo³, Yael Gutiérrez¹, Fernando Moreno¹*¹Universidad de Cantabria (Spain), ²Johannes Kepler University (Austria), ³CNR ICMATE (Italy)

Phase-change materials enable optical switching devices with highly tunable optical behavior, ultrafast modulation speeds, and low energy requirements. In this work, we introduce a new optical amplitude switch that employs the phase-change material antimony trisulfide (Sb₂S₃) and exploits the Brewster-angle effect to achieve efficient, controllable modulation.

14:20 A Fabrication-Friendly All-optical Integrated Photonic Phase-change Memory with Plasmonic Enhancement*Joseph Pady¹, Junchao Song¹, Emanuele Gemo², Joe Shields¹, Stuart Kendall¹, Nikolaos Farmakidis¹, Harish Bhaskaran³, Ivonne Bente⁴, Wolfram Pernice⁴, David Wright¹*¹University of Exeter (United Kingdom), ²Politecnico di Torino (Italy), ³University of Oxford (United Kingdom), ⁴University of Münster (Germany)

The optical characteristics and device switching properties of a fabrication-friendly all-optical, plasmonically-enhanced phase-change memory are investigated through both finite-element modelling and a bespoke phase-change computational model. Rapid and low-energy (16 pJ to 50 pJ) optical switching is numerically demonstrated, and device optical contrast is enhanced through cascading multiple plasmonic nanoantennas.

14:35 INVITED TALK Analysis of the fast dynamics of optical properties in phase change materials*Sebastian Walfort, Nils Holle, Julia Vehndel, Niklas Vollmar, Nils Weber, Joel Billermann, Martin Salinga*

University of Münster (Germany)

We resolved the entire switching cycle of a single-element phase change material (PCM) in optical pump-probe measurements with femtosecond resolution. Based on ab-initio simulations we revealed a complex multi-step process, where the intermediate transient states exhibit distinct optical properties with even larger contrasts than those observed between crystal and glass.

14:55 INVITED TALK Self-Consistent Optical-Thermal Modeling of VO₂ Nanoparticles for Tunable Photonic Applications*Peter Kepič, Jiří Kabát, Tereza Bačová, Filip Ligmajer*

Brno University of Technology (Czech Republic)

This study investigates the photothermal dynamics of VO₂ nanostructures through numerical simulations. We identify "nonlinear ignition," in which plasmonic resonance triggers a positive feedback loop, leading to abrupt temperature and optical jumps at specific intensity thresholds. Additionally, we optimize VO₂-integrated SiN waveguides, demonstrating high-performance on-chip modulation for energy-efficient photonic applications.

15:15 INVITED TALK Semimetallic nanostructures as multifunctional materials for nanophotonics*Fernando Chacon-Sanchez, Johann Toudert, Rosalía Serna*

Instituto de Optica IO-CSIC (Spain)

Bismuth and Antimony are semimetallic materials, that displays a versatility unmatched by most widespread materials for nanophotonics. It behaves as a plasmonic, high refractive index and phase change material simultaneously on different wavelengths. We will show the potential of Bi metasurfaces for structural coloring, sensing and photonics.

15:35 INVITED TALK Phase transitions for tunable nanophononicsSandeep Sathyan¹, Ornella Colmegna¹, Helmut Kar², Sébastien Cuffe³, Norberto Daniel Lanzillotti-Kimura¹¹Université Paris-Saclay (France), ²Universität Augsburg (Germany), ³Université Claude Bernard Lyon 1 (France)

We investigate coherent GHz acoustic phonons in VO₂ thin films using ultrafast pump-probe reflectivity across the phase transition. Distinct temporal and spectral changes reveal phase-dependent interaction mechanisms, supported by simulations. These results highlight VO₂ as a platform for tunable nanoacoustic resonators, reconfigurable phononic networks, and programmable optoacoustic devices for applications.

1-O18 | Room 3071 | 14:00 - 16:00

SP9: When 'meta' meets 'materials': innovative materials, fabrication, functionalities

Organized by: Dorota Pawlak and Virginie Ponsinet

Chaired by: Dorota Pawlak and Virginie Ponsinet

14:00 INVITED TALK Chiroptical Emergence in Disordered Plasmonic AssembliesAso Rahimzadegan¹, Zihao Lu², Thomas G. Parton³, Sinuhe Perea-Puente³, Antonio Carone³, Jessica Ma⁴, Emeline Raguin³, Bruno Frka-Petecic⁵, Aurimas Narkevicius⁵, Junyoung Kwon⁶, Greer⁵, Kotov⁴, Vynck⁷, Vignolini³¹Max Planck Institute (Germany), ²University of Cambridge (Germany), ³Max Planck Institute of Colloids and Interfaces (Germany), ⁴University of Michigan (USA), ⁵University of Cambridge (United Kingdom), ⁶Pukyong National University (Korea), ⁷Claude Bernard University Lyon 1 (France)

We demonstrate chiroptical activity in disordered ensembles of plasmonic nanospheres despite showing no chirality in their retrieved coordinates. Optical simulations verify the experimental results and reveal that the observed circular dichroism emerges from mesoscopic electromagnetic correlations rather than local chiral coupling, establishing a new paradigm for scalable self-assembled chiral metamaterials.

14:20 INVITED TALK Designer metasurfaces from the bottom-up

Beniamino Sciacca

CNRS (France)

The development of cost-effective approaches to fabricate metasurfaces at a macroscopic scale is essential for their spread in industrially-relevant products. We show how templated assembly of colloidal building blocs, such as nanocubes, can be employed to fabricate functional metasurfaces with an arbitrary design.

14:40 INVITED TALK Directed Self-Assembly of Block Copolymers for Ultra-High-Resolution Gold Metasurfaces and Photonic CrystalsAchmad Putranto¹, Hong Li¹, Martin Kogelschatz¹, Guillaume Fleury², Sébastien Cavalaglio¹, Badreddine Smiri¹, David Fuard¹, Camille Petit-Etienne¹, Raphael Ramos¹, Redouane Borsali¹, Zelsmann¹¹Université Grenoble Alpes (France), ²Université de Bordeaux (France)

The self-assembly of block copolymers is used to fabricate sub-10 nm gold nanocrevices metasurfaces (that are used as sensitive and polarization-dependent SERS substrates) as well as 1D responsive photonic crystals

15:00 INVITED TALK Engineered 3D Topological Eutectics: Tailoring Dirac-Rashba Interfaces via Directional Solidification for Advanced Spin-OrbitronicsKingshuk Bandopadhyay¹, Krzysztof Markus¹, Andrzej Materna¹, Federico Mazzola², Dorota Pawlak¹¹ENSEMBLE3 (Poland), ²CNR - SPIN (Italy)

We report the fabrication of Topological Insulator heterostructures using a scalable solidification method, achieving atomically smooth interfaces. ARPES data confirms that topological surface states coexist with giant-Rashba states. Observed charge transfer and robust electronic features establish this system as a premier platform for advancing spintronics, quantum computing, and next-generation optoelectronics.

15:20 INVITED TALK Tamm plasmon laser diodes*Joel Bellessa¹, Maël Lauprete¹, Clémentine Symonds¹, Jean Michel Benoit¹, Aristide Lemaitre²*¹Université Claude Bernard Lyon 1 (France), ²Université Paris-Saclay (France)

An electrically driven Tamm laser diode based on surface-confined Tamm plasmon modes is presented. The device integrates a silver microdisk with a quantum-well-embedded GaAs/AlAs distributed Bragg reflector supporting Tamm surface resonances. Additionally, the integration of metasurfaces into Tamm structures is described.

15:40 INVITED TALK Photoluminescence Modulation in Self-Coupled Molecular Cavities*Evan S. Hyunkoo Kang*

Chungbuk National University (South Korea)

Self-coupled molecular cavities, formed by organic dye nanostructures without external resonators, enable tunable photoluminescence through geometry-controlled resonances. By combining experiments and FDTD simulations, we show that emission modulation arises from excitation-dependent nearfield enhancement and cavity-modified radiative quantum efficiency.

1–O19 | Room 3126 | 14:00 - 16:00

SP1: Metamaterials: novel trends and applications*Organized by: Tatjana Gric**Chaired by: Tatjana Gric***14:00 INVITED TALK Scalable Metafibres for Advanced Imaging via On-Fibre Wavefront Engineering and Wavefront Shaping***Fei He, Rafael Fuentes Dominguez, Terry Wright, George Gordon*

University of Nottingham (United Kingdom)

Metasurfaces and diffractive optics integrated onto fibre tips can extend the capabilities of ultrathin imaging probes, but scalable fabrication remains a key challenge. We present transfer-fabricated metafibres and show how their combination with transmission-matrix wavefront shaping enables improved focusing, depth control, and advanced fibre-based imaging.

14:20 INVITED TALK Nitride-based nanoparticles for metasurfaces*Ermelinda Salvaggio¹, Jérémie Béal¹, Gregory Abadias², Sophie Camelio², David Babonneau², Davy Gerard¹, Christophe Couteau¹, Jérôme Plain¹*¹European University of Technology Eut+ (France), ²Université de Poitiers (France)

This work characterizes nitride-based nanoparticle arrays and shows that stoichiometry can be used to adjust their plasmonic and photothermal responses. Measurements and simulations reveal narrow, tunable, and robust plasmonic network resonances that show promise for nitride-based devices and metasurfaces.

14:40 INVITED TALK Abnormal hot carrier thermalization at van Hove singularities in twisted bilayer graphene*Nianze Shang¹, Chen Huang², Kaihui Liu², Zhipei Sun¹*¹Aalto University (Finland), ²Peking University (China)

We reveal abnormal hot carrier thermalization in twisted bilayer graphene at van Hove singularities using time-resolved ultrafast photoluminescence autocorrelation spectroscopy. A prolonged relaxation lifetime of approximately 600 femtoseconds is observed due to phonon bottleneck and interlayer charge redistribution, unveiling nonequilibrium dynamics in moiré-engineered graphene.

15:00

INVITED TALK

Wavelet-Fourier Modal Method for very Large-Beam Scattering in Photonics and Biophotonics*Kofi Edee*

Institut Pascal (France)

We present a physics-based computational framework for wide-beam electromagnetic scattering in large-scale, aperiodic, and anisotropic media. A wide incident beam is represented as a superposition of localized beamlets propagated through overlapping subdomains, ensuring efficient computation and smooth field reconstruction in strongly heterogeneous and anisotropic structures.

15:20

INVITED TALK

Plasmon-Driven pn Junctions in Graphene Revealed by Raman Spectroscopy and Flexural Phonon Coupling*Maciej Wiesner¹, W. Strupinski², Jayanta Sarkar³, Aleksandra Trzaskowska¹, Nojoon Myoung⁴, Andriy Serebryannikov¹*

¹Adam Mickiewicz University (Poland), ²Warsaw University of Technology (Poland), ³VTT Technical Research Centre (Finland), ⁴Chosun University (Korea)

Raman spectroscopy tracks evolution of graphene G and 2D peaks near Au nanocylinders, revealing strain-correlated shifts, 2D splitting, and carrier-type inversion consistent with plasmon-driven lateral pn-junction formation on SiC. Flexural GHz nanopillar resonances enable acousto-plasmonic coupling and strain-mediated charge redistribution, defining a spectroscopic pathway toward META-scale nano-optoelectronic device control architectures.

15:40

INVITED TALK

Laser-induced formation of plasmonic nanostructures*Rodrigas Liudvinavicius, Kernius Vilkevicius, Evaldas Stankevicius*

Center for Physical Sciences and Technology (FTMC) (Lithuania)

Plasmonic nanostructures enable strong light matter interactions and advanced optical functionalities but are commonly fabricated using costly and low throughput lithographic techniques. We demonstrate laser induced formation of plasmonic nanostructures using direct laser writing enabling single step chemical free large area fabrication suitable for scalable and cost-effective photonic applications.

1-O20 | Room 4050B | 14:00 - 15:00

SP4: Chiral fields and ultrafast chiral spectroscopy

Organized by: Jamal Berakdar and Andrei Afanasev

Chaired by: Jamal Berakdar and Andrei Afanasev

14:00 INVITED TALK Attosecond Chiral Interferometry with Free Electron Lasers

Davide Faccialà¹, J. Terentjevas², A. Senftleben³, J. Mikosch³, M. Rubert⁴, A. Schneider², M. Padovani², A. G. Lohr², A. Roos², P. Martin Maier², Flores², Heilemann², Christou², Ghosh³, Obert⁵, Germeroth³, Mirahmad², Vozzi¹, Prince⁶, Di Fraia⁷, Patchkovski²

¹CNR - Istituto di Fotonica e Nanotecnologie (CNR-IFN) (Italy), ²Max Born Institute for Nonlinear Optics and Short Pulse Spectroscopy (Germany), ³University of Kassel (Germany), ⁴Imperial College London (United Kingdom), ⁵Politecnico di Milano (Italy), ⁶Elettra Sincrotrone (Italy), ⁷CNR - Istituto Officina dei Materiali (CNR-IOM) (Italy)

We show that two color phase-locked free-electron laser pulses induce interferometric and enantio-sensitive photoemission in propylene oxide. Our method isolates coherent chiral contributions, resolving individual multi-electron states. This provides direct access to chiral electronic currents on sub_x0002_femtosecond timescales.

14:20 INVITED TALK Tailored laser fields for driving nonlinear interactions with chiral molecules

Aude Rodriguez¹, Jacob Edginton², Alexander Löhr³, Justas Terentjevas³, Patricia Vindel-Zandbergen⁴, Andrés Ordóñez⁵, Josh Vogwell⁶, Olga Smirnova³, David Ayuso⁶, Laura Rego⁷

¹ICMM-CSIC (Spain), ²Imperial College London (United Kingdom), ³Max-Born-Institut (Germany), ⁴New York University (USA), ⁵Freie Universität Berlin (Germany), ⁶Imperial College London (United Kingdom), ⁷Instituto de Ciencia de Materiales de Madrid (ICMM-CSIC) (Spain)

Tailored laser fields are a powerful tool to investigate chirality. We show that the interaction of vector beams with chiral molecules results in topological chiral rings, where the handedness of the molecules is imprinted in the divergence of their light emission.

14:40 INVITED TALK Controlling Intensity and Polarization at Deep Subwavelength Scale with Plasmonic Metastructures

Viktor Podolskiy¹, Brandon Gomes¹, Jiaren Tan², Hooman Barati Sedeh², Yuruo Zheng², Jacob LaMountain¹, Sean Morrison¹, Anatoly Zayats³, Natalia Litchinitser²

¹University of Massachusetts Lowell (USA), ²Duke University (USA), ³King's College London (United Kingdom)

Recently, plasmonic multilayered structures have been utilized to generate skyrmionic distributions of optical spin fields with deep subwavelength scale. We explore relationship between the details of such distributions and the structural properties of the multilayer/metamaterial systems

1-O21 | Room 5052 | 14:00 - 16:00

SYM2: New trends in nanophotonics and advanced materials

Organized by: Junsuk Rho, Hakjoo Lee, Namkyoo Park, Seong Ok Han

Chaired by: Junsuk Rho, Hakjoo Lee, Namkyoo Park, Seong Ok Han

14:00 INVITED TALK Subspace-protected topological phases*Masatoshi Sato*

Kyoto University (Japan)

Symmetry is a key to controlling topological phases. In this talk, I will explain that an invariant subspace, a generalization of symmetry, protects topological phases with unconventional properties. I also discuss a possible realization of such subspace-protected topological phases in metamaterials.

14:20 INVITED TALK Fluctuation-induced Hall-like lateral forces in a chiral-gain environment*Daigo Oue¹, Mário Silveirinha²*¹RIKEN (Japan), ²Instituto Superior Técnico-University of Lisbon (Portugal)

We predict a fluctuation-induced lateral force on a particle near a substrate under an electrostatic bias that induces chiral optical gain. The force arises from vacuum fluctuations in a non-Hermitian environment, is governed by the Berry curvature dipole, and enables directional momentum transfer without a magnetic field.

14:40 INVITED TALK Topological Band Engineering in Plasmonic Systems*Yang Guo, Changzhi Gu, Ziyi Fu, Cai Luo*

Institute of Physics-Chinese Academy of Sciences (China)

We present a tunable plasmonic grating based on the Su-Schrieffer-Heeger model for topological photonics in visible-range. Through geometric modulation, it facilitates topological band inversion with bound states in the continuum and exhibits a highly confined mid-gap interface state, promising for compact topological optical devices.

15:00 INVITED TALK Finite-Barrier Bound States and Flat Bands Enabled by p-Orbitals*Tao Liu, Han-Rong Xia, Duanduan Wan, Meng Xiao*

Wuhan University (China)

Orbital degrees of freedom provide a powerful route to engineer unconventional wave phenomena in photonic crystals. We show that orbital photonic lattices support finite-barrier bound states and rotation-induced flat bands. By controlling orbital orientation, multiple bands become fully degenerate and dispersionless, enabling robust mode localization and flexible photonic control.

15:20 INVITED TALK Chirped Pulse Propagation and Control in Reverberant non-Hermitian Settings Enabled Through Complex Time Delay*Isabella Giovannelli, Thomas M. Antonsen, Steven Anlage*

University of Maryland (USA)

Complex time delay (CTD), derived from frequency-domain scattering matrix data, predicts time shifts of reflected and transmitted time-domain pulses from multi-modal scattering systems. We extend these results to chirped-pulses and show that the pulse time shift is a combination of real and imaginary CTD, creating new opportunities for pulse control.

15:40 INVITED TALK Chirality in Non-Hermitian Photonic Crystals*Masaya Notomi, Yuto Moritake, Taiki Yoda*

Institute of Science Tokyo (Japan)

We study optical chirality arising from non-Hermitian nature of photonic crystals theoretically and experimentally. First, we reveal interesting interplay between topological singularity and 3D/2D chirality in non-Hermitian photonic crystals. Second, we show our recent results on propagating non-Hermitian skin effect in photonic crystals, and their application to chiral orbital-angular momentum.

1-O22 | Room 4047 | 14:00 - 16:00

SYM4: Chirality, magnetism, and magnetoelectricity: Separate phenomena and joint effects in metamaterial structures

Organized by: Eugene Kamenetskii

Chaired by: Eugene Kamenetskii

14:00 INVITED TALK Nonlinear magnetization dynamics as a route to nonreciprocal phases, spin superfluidity, and analogue gravity*Benedetta Flebus, Vincent Flynn*

Boston College (USA)

Balancing dc spin torque against Gilbert damping stabilizes a self-organized spin-superfluid limit cycle in a chiral ferromagnetic multilayer. The resulting superflow is inherently nonreciprocal, enabling direction-selective magnon transport. In a comoving frame the long-wavelength dynamics map onto an effective acoustic metric, allowing sonic horizons and Hawking-like emission.

14:20 INVITED TALK Breaking of time-reversal symmetry and Onsager reciprocity in chiral molecule interfaced with an environment*Jonas Fransson*

Uppsala University (Sweden)

It is demonstrated that the spin-configuration of a chiral molecule is enantiospecifically locked when coupled to an electron reservoir. Together with the molecular spin-orbit coupling, this dissipative coupling generates an effective spin-splitting of the molecular energy levels and facilitates stabilization of a chirality determined spin-configuration.

14:40 INVITED TALK Nonlinear terahertz magnetoelectric coupling of electromagnons in multiferroics*Youtarou Takahashi*

The University of Tokyo (Japan)

Multiferroics of spin-driven ferroelectricity provide strong dynamical magnetoelectric coupling, leading to versatile nonreciprocal optical responses. Here, we show the nonlinear magnetoelectric coupling of spin excitations of multiferroics, electromagnons, by using the strong terahertz field. The different nonlinear responses, anharmonic coupling of electromagnons and higher harmonic generation, have been demonstrated.

15:00 INVITED TALK Zero-frequency chiral magnonic edge states protected by non-equilibrium topology*Rembert Duine¹, Pieter Gunnink², Joren Harms³, Alexander Mook⁴*

¹Utrecht University (The Netherlands), ²Johannes Gutenberg University Mainz (Germany), ³Universität Konstanz (Germany), ⁴University of Munster (Germany)

Topological bosonic excitations must, in contrast to their fermionic counterparts, appear at finite energies. This is a key challenge for magnons, as it prevents excitation and detection of topologically-protected magnonic edge states and their use in magnonic devices. We show how the edge states can be lowered to zero frequency.

15:20 INVITED TALK Gaussian quantum state preparation of ferromagnetic magnons*Marco Brühlmann¹, Monika Mycroft¹, Yunyoung Hwang², Jorge Puebla², Rostyslav Serha³, Andrii Chumak³, Carlos Gonzalez Ballester¹*

¹TU Wien (Austria), ²Kyoto University (Japan), ³University of Vienna (Austria)

We theoretically show how Gaussian quantum magnonic states, both propagating and confined, can be prepared using only external drives, by harnessing the intrinsic magnon nonlinearity.

15:40 INVITED TALK Symmetry Principles and Topology-Driven Design of Knot-Particle Metasurfaces*Nadav Goshen, Yarden Mazor*

Tel-Aviv University (Israel)

We present a topology and symmetry driven design framework, for single-layer bianisotropic metasurfaces based on knot particles. Knot topology ensures intrinsic electric-magnetic balance and strong chiral response, while controlled mirror-symmetry breaking enables hybrid chiral-omega coupling. Experiments validate efficient polarization rotation and tunable asymmetric scattering without multilayer architectures.

1-O23 | Room 5025 | 14:00 - 16:00

SYM2: New trends in nanophotonics and advanced materials*Organized by: Junsuk Rho, Hakjoo Lee, Namkyoo Park, Seong Ok Han**Chaired by: Junsuk Rho, Hakjoo Lee, Namkyoo Park, Seong Ok Han***14:00 INVITED TALK Meta-optics based multidimensional imager***Fengjun Li, Zilan Deng, Xiangping Li*

Jinan University (China)

Here we report the development of metasurface based integrated optics from polarization imaging to optoelectronic Stokes logic.

14:20 INVITED TALK MetasurfaceDriven Control of Quantum Emitters: From Visible Nanolasers to Telecom Photonics*Giovanni Mattei*

University of Padua (Italy)

Engineered optical metasurfaces enable precise control of quantumemitter radiation at room temperature. We demonstrate three platforms: metallic nanoparticle arrays for coherent visible emission, slottedsilicon metasurfaces enhancing Er^3 emission at 1540 nm, and VO_2 phasechange films providing active tunability. These approaches advance scalable quantum photonic sources across visible and telecom bands

14:40 INVITED TALK Two Distinct Quasi-Bound States in the Continuum in an Amorphous Silicon Metasurface*Hicham Mangach, Pascal Szriftgiser, Gaëtan Lévêque, Yan Pennec, Bahram Djafari-Rouhani*

Université de Lille (France)

Quasi-bound states in the continuum (QBICs) enable subwavelength light confinement with long photon lifetimes. Here, we demonstrate accidental and symmetry-protected QBICs in an amorphous silicon metasurface. The quality factor of the accidental QBIC reaches 10^4 , while the symmetry-protected QBIC approaches 10^5 .

15:00 INVITED TALK Symmetry-Broken q-BIC Dielectric Metasurfaces for Enhanced Linear and Nonlinear Light-Matter Interactions*Wen-Hui (Sophia) Cheng, Hung-Yi Wu, Tzu-Hsiang Liu, Hsin-Yu Shen*

National Cheng Kung University (Taiwan)

We present a dielectric metasurface supporting q-BICs induced by controlled symmetry breaking. Strong mode interference enables high-Q resonances, enhanced photoluminescence, and boosted third-harmonic generation. By balancing field confinement and radiation coupling, the design offers an efficient platform for enhancing linear and nonlinear light-matter interactions in nanophotonic devices.

15:20 INVITED TALK Self enhanced generative metasurface inverse design

Mathys Le Grand¹, Pascal Urard², Loumi Trémas², Damien Maitre², Louis-Henri Fernandez-Mouron², Régis Orobitchouk¹

¹Institut des nanotechnologies de Lyon (France), ²STMicroelectronics (France)

Inverse design of metasurfaces is hindered by complex structural-electromagnetic relationships and computationally expensive traditional optimization. While deep learning models offer solutions, they are limited by narrow training datasets. We propose using generative inverse design techniques to augment and diversify databases, significantly enhancing design space coverage and improving model generalization.

15:40 INVITED TALK Spatial Fourier filtering with metagratings

Mahmoud A. A. Abouelatta, Karim Achouri

EPFL (Switzerland)

Traditional 4f Fourier-optics are too bulky for integrated photonics. We present the first nanostructured metagrating providing high-fidelity angular filtering five orders of magnitude thinner than lens-based systems. By engineering dipolar resonances and Kerker-like interference, we achieve efficient spatial filtering, enabling ultra-compact, lens-free optical computing across the near-infrared.

1-O24 | Dargan Auditorium | 14:00 - 15:50

SP20: Nonlocal and nonlinear nanophotonics

Organized by: Gonzalo Álvarez-Pérez and Huatian Hu

Chaired by: Gonzalo Álvarez-Pérez and Huatian Hu

14:00 KEYNOTE TALK Probing nanoscale optical nonlocal and nonlinear effects through free electrons

Javier García de Abajo

ICFO-Institute of Photonics Sciences (Spain)

We explore how free electrons probe nanomaterials' nonlocal and nonlinear optical responses with unmatched spatial resolution, examining harmonic generation, Kerr nonlinearities, and interference of inelastically scattered electrons, while lateral deflections from finite momentum transfers reveal nonlocal effects.

14:30 INVITED TALK Single-cycle optical nonlinearity of transparent conducting oxides explained

Ieng-Wai Un¹, Subhjit Sarkar², Yonatan Sivan³

¹South China Normal University (China), ²Shiv Nadar University (India), ³Ben-Gurion University (Israel)

We provide a quantitative model for the electro-optic response of transparent conducting oxides to single cycle intense pulses. We show that the interplay between spatio-temporal aspects of absorption, stimulated emission and multi-photon absorption can explain the weaker-than-before nonlinear response observed in experiments, as well as on the unexplained relaxation dynamics.

14:50 INVITED TALK Enhancing the Kerr-effect in nonlinear media for mid-IR single-photon detection at room temperature

Richarda Niemann¹, Ke-Sean J. Peter¹, Maxwell J. Tolchin², Jon-Paul Maria², Sahin Ozdemir³, Nathaniel Kinsey³, Durdu Guney⁴, Joshua D. Caldwell¹

¹Vanderbilt University (USA), ²Pennsylvania State University (USA), ³Saint Louis University (USA), ⁴Michigan Technological University (USA)

We present our work on maximizing the nonlinearity in CdO at its ENZ frequency to enhance the phase shift occurring due to the effective optical Kerr-effect tracing the ultimate goal of mid-IR single photon detection at room temperature. We discuss the nonlinear refractive index response to wavelength and angular tuning.

15:10

INVITED TALK

Mid-infrared nonlinearity in heavily-doped semiconductor nanoantennas and waveguides

Michele Ortolani¹, Raffaella Polito², Maria Gambelli¹, Enrico Bau³, Andreas Tittl³, Luca Lucia⁴, Adel Boussesksou⁴, Raffaele Colombelli⁴, Gregoir Beaudoin⁴, Isabelle Sagnes⁴, Hu⁵, Alvarez-Perez⁵, Cirac⁵, Talamas Simola⁶, De Seta⁶, Cibella², Mattioli², Notargiacomo², Pea², Venanzi⁷, Giliberti¹

¹Sapienza University of Rome (Italy), ²CNR (Italy), ³Ludwig-Maximilian University (Germany), ⁴Centre de Nanosciences et de Nanotechnologies (France), ⁵Center for Biomolecular Nanotechnologies - IIT (Italy), ⁶Roma Tre University (Italy), ⁷Center for Life Nano and Neuro Sciences - IIT (Italy)

The hydrodynamic behaviour of free electrons generates strong nonlinear optical response when the effective mass is small, as in the n-type doped semiconductors InGaAs and Ge. We show nanoantennas and waveguides where the nonlinear response depends on carrier density, is resonant with antenna geometry, and tunable with a field-effect voltage.

15:30

INVITED TALK

Limitations and Opportunities in Second Order Nonlinear Optical Materials: The Role of the Penn Gap

Jacob Khurgin

Johns Hopkins University (USA)

This study examines second-order nonlinear optical materials, highlighting the Penn gap as a key factor in predicting upper limits of $\chi(2)$. Results suggest that while improvements in the mid-infrared range are limited, significant potential exists for enhancement in the ultraviolet by combining a wide Penn gap with reduced bond polarity.

1-Q25 | Room 4050A | 14:00 - 15:15

SP24: Cavity Quantum Materials and Polaritonic Devices: From Microscopic Theory to Functionality

Organized by: Yu Zhang

Chaired by: Yu Zhang

14:00

INVITED TALK

Polaritonic dark state delocalisation in conjugate polymers via beyond the light-line strong coupling

Marie Rider

University of Bath (United Kingdom)

Strongly coupled light-molecule systems exhibit a small number of bright polaritons and many dark polaritons at the molecular frequency. These states are only truly dark in systems with zero disorder. We propose how to distinguish dark states from uncoupled molecules, and extract information about their delocalisation properties.

14:20

INVITED TALK

Probing Cavity Polaritons via Scattering of Frequency-Entangled Biphoton States

Andrei Piryatinski¹, Nishaant Jacobus¹, Sameer Dambal¹, Eric R. Bittner², Yu Zhang¹, Ajay R. S. Kandada²

¹Los Alamos National Laboratory (USA), ²Wake Forest University (USA)

We have developed scattering theory for frequency-entangled photon pairs interacting with cavity polariton and bipolariton states. Within the Tavis-Cummings framework, we elucidate biphoton scattering signatures in the joint spectral amplitude and entanglement entropy, demonstrating the technique's potential as a probe of polaritonic states in semiconductor and molecular nanostructures.

14:40

Cavity coupling of van der Waals heterostructures

Gunda Kipp¹, Hope M Bretscher², Gaetan Membrez¹, Ethan Koskas¹, Lorenzo Graziotto¹, Felix Helmrigh¹, Luca Somboli¹, Benedikt Schulte², Dorothee Herrmann², Kateryna Kussyak², Day Germany³, Kesavan², Matsuyama², Li², Langner², Hagelstein², Sturm⁴, Potts², Eckhardt², Huang⁴, Watanabe⁵

¹ETH Zürich (Switzerland), ²Max Planck Institute for the Structure and Dynamics of Matter (Germany), ³(Max Planck Institute for the Structure and Dynamics of Matter), ⁴Columbia University (USA), ⁵National Institute for Materials Science (Japan)

Van der Waals heterostructures host strongly correlated phases tunable in situ via electrostatic gates. Their conductive layers, including the gates themselves, can form plasmonic self-cavities for terahertz light due to finite-size effects. Here we investigate how these effects enable cavity engineering in the ultrastrong coupling regime, with and without light.

14:55

INVITED TALK

Restoring Bloch's Theorem for Cavity Exciton Polaron-Polaritons

Michael A. D. Taylor, Yu Zhang

Los Alamos National Laboratory (USA)

We introduce a hybrid photon–exciton–phonon quantum electrodynamics Hamiltonian to restore Bloch's theorem. The interchange of momenta between fermions and bosons breaks crystalline excitons' translational symmetry. Restoring said symmetry, we efficiently compute experimentally accessible observables, enabling investigations that elucidate material properties in strong coupling.

1–O26 | McNabb Theatre | 14:00 - 15:50

SYM5: Phononics and acoustic metamaterials

Organized by: Marco Miniaci, Jensen Li, Jean-Philippe Groby, Vincent Pagneux, Noé Jiménez

Chaired by: Marco Miniaci, Jensen Li, Jean-Philippe Groby, Vincent Pagneux, Noé Jiménez

14:00

INVITED TALK

Practical Design of Helmholtz Resonators Considering Geometry and Acoustic Losses

Vicente Cutanda Henriquez, Frieder Lucklum

Technical University of Denmark (Denmark)

Helmholtz resonators (HRs) are widely used as a means to achieve sub-wavelength performance in acoustic metamaterials. HRs contain compliance, mass and loss elements. The balance of the three determines resonance frequency, bandwidth and absorption. We discuss how to implement HRs for better control, robustness and performance.

14:20

INVITED TALK

Radiation Control in Fluid-Loaded Metamaterial Waveguides with Space and Time Modulation

Emanuele Riva¹, Alper Erturk²

¹Politecnico di Milano (Italy), ²Georgia Institute of Technology (USA)

We investigate leaky-wave radiation in fluid-loaded elastic waveguides equipped with spatially and temporally modulated resonators. Periodic modulation induces controlled wavenumber-frequency shifts that activate radiating Floquet harmonics inside the acoustic sound cone. The resulting radiation angle is tunable and is herein engineered to focus acoustic energy in the adjacent fluid.

14:40

KEYNOTE TALK

Metastructures for spatial signal processing and energy confinement

Raffaele Ardito¹, Marcello Cazzola¹, Chiara Gazzola¹, Jacopo Maria De Ponti¹, Marco Miniaci², Prisca Viviani¹, Alberto Corigliano¹

¹Politecnico di Milano (Italy), ²Politecnico di Torino (Italy)

This work critically discusses micro- and meso-scale graded metastructures as spatial signal processing platforms, with emphasis on achieving tonotopicity, advanced control of wave propagation, and elastic energy confinement. Illustrative examples include graded micro- and meso-scale arrays and bio-inspired, cyclically symmetric phononic pseudo-crystals.

15:10

INVITED TALK

Ultrafast Electronic and Acoustic Dynamics in Nanocrystalline Silicon

Tânia Ribeiro¹, Tiago E. C. Magalhaes¹, Housseem Rezgui¹, Gloria Conte¹, Olli Ylivaara², Jouni Ahopelto², Clivia Sotomayor-Torres¹

¹INL - International Iberian Nanotechnology Laboratory (Portugal), ²VTT Technical Research Centre of Finland Ltd (Finland)

In this work, we report the ultrafast electronic and acoustic dynamics of nanocrystalline silicon (nc-Si) thin films and membranes, investigating how structural and morphological changes impact phonon lifetimes.

15:30

INVITED TALK

Optical probing of the vibrational and thermal dynamics of single metal nanoparticles

Nathan Berrit¹, Noelle Lascoux¹, Clément Panais¹, Sylvie Marguet², Natalia Del Fatti¹, Aurélien Crut¹

¹Université de Lyon (France), ²Université Paris-Saclay (France)

The resonant optical response of single plasmonic nanoparticles enables efficient probing of their vibrational and thermal dynamics. Ultrafast pump-probe experiments and numerical simulations reveal how these dynamics depend on nanodisk and substrate properties, and demonstrate that vibrations and cooling produce distinct spectral signatures, enabling their selective detection.

1–O27 | Maharry Theatre | 14:00 - 15:45

SP15: Plasmonic Nanomaterials for Bio-diagnostics, Environmental Monitoring and Food Safety

Organized by: Lucia Petti and Massimo Rippa

Chaired by: Lucia Petti and Massimo Rippa

14:00

INVITED TALK

Vanadium Dioxide Nanoparticles: A Platform for Tuning Localized Surface Plasmons

Michal Horák¹, Jiří Kabát¹, Rostislav Řepa¹, Jordan A. Hachte², Peter Kepič¹, Vlastimil Křápek¹, Andrea Konečná¹, Tomáš Šikola¹

¹Brno University of Technology (Czech Republic), ²Oak Ridge National Laboratory (USA)

We present a comprehensive modal analysis of single-phase and multi-phase vanadium dioxide nanoparticles using in-situ high-resolution electron energy loss spectroscopy. In addition to identifying individual plasmonic modes and bulk losses as a function of nanoparticle size, our focus is on capturing the dynamic nanoscale optical response throughout the metal-insulator transition.

14:20

Correlation Spectroscopy based Nanobiosensor: Application for Cu-Zn Superoxyde Dismutase detection

Mohand Chahal¹, Abdelhak Dhib², Nordin FELIDJ², Nadia Djaker¹

¹Université Sorbonne Paris Nord (France), ²Université Paris Cite (France)

Gold nanoparticles (GNP) are widely used in many fields, such chemistry and nanomedicine. Recently, scattering correlation spectroscopy is one of the most used techniques for GNP-biomolecules interaction characterization. The SCS correlation curve is very sensitive to Parameters such as molecules orientation, binding affinity and cooperativity regarding the GNP surface.

14:35

INVITED TALK

Decoding Intracellular Microenvironment by SERS

Aleksandra Szaniawska, Agnieszka Girstun, Katarzyna Bogusz, Justyna Grzeda, Aleksandra Miszczak, Hubert Sobiech, Katarzyna Wlecial, Andrzej Kudelski

University of Warsaw (Poland)

Surface enhanced Raman spectroscopy is applied to probe intracellular pH at the nanoscale using plasmonic gold nanostructures functionalized with pH sensitive reporters. Comparative calibration in buffers cell media and living cells reveals how nanoparticle architecture and reporter chemistry shape sensor response to complex intracellular microenvironments.

TUE

14:55 INVITED TALK **Multimetallic plasmonic nanoparticles for colorimetric sensing***Vincenzo Amendola*

University of Padova (Italy)

Colorimetric sensors exploiting analyte-induced color changes are widely studied in plasmonic nanoparticles, especially gold. In functionalized colloids, analyte-triggered aggregation causes spectral shifts detectable by UV-Vis spectroscopy and visually. Similar effects occur in silver and rhodium nanoparticles, though less attractive. We compare these nanomaterials and outline unexplored opportunities for plasmonic sensing.

15:15 KEYNOTE TALK **Chirality in Light Matter interaction***Giuseppe Strangi*

Case Western Reserve University (USA)

Chiral metasurfaces enable strong control of light matter interaction at the nanoscale. Planar plasmonic architectures generate superchiral electromagnetic fields that enhance chiroptical responses beyond natural systems. These engineered platforms support enantioselective sensing, molecular spectroscopy, and quantum photonics by amplifying weak optical signatures of molecular chirality.

1-O28 | Room 5039 | 14:00 - 15:30

SP16: Metamaterials and Metasurfaces as Platforms for Next-Generation Electromagnetics: Fundamentals, Applications and Future Trends*Organized by: David R. Smith and Okan Yurduseven**Chaired by: David R. Smith and Okan Yurduseven***14:00** INVITED TALK **Physical Neural Networks for Wireless Communications***Marco Di Renzo*

CNRS-CentraleSupélec & King's College London (United Kingdom)

In this talk, we introduce wave-domain processing enabled by reconfigurable metasurfaces with the aim to redesign the physical layer of wireless communications. We will discuss the motivations, enabling technologies and our recent contributions in this emerging field of research.

14:20 INVITED TALK **Analysis and Simulation of Intrinsic Response Time of Time-Varying Metasurfaces***Sheng Lei, Alex Man Hon Wong*

City University of Hong Kong (China)

We investigate the causes of time delays for varactor-driven meta-atoms. Particularly, through theory, simulation and experiment, we study the electromagnetic response time of the meta-atom given fast switching signals. Our results pave way to designing fast time-varying metasurfaces whose modulation approaches or exceeds the frequency of the illumination wave.

14:40 INVITED TALK **Impedance Network Based Design of STAR Metasurfaces***Mohsen Khailiy*

University of Surrey (United Kingdom)

This paper presents an impedance network modeling framework for the efficient design of metasurfaces capable of simultaneous reflection and transmission control. The method predicts unit cell responses without iterative full-wave simulations and enables polarization-selective beam-steering and focusing at the same frequency. Theoretical and experimental results validate the proposed design approach.

15:00

Diffractive and Metasurface Networks for Visual Information Processing*Jingtian Hu¹, Yuxiang Sun², Fenglei Wang¹, Nanxing Chen¹*¹Harbin Institute of Technology (China), ²Chinese University of Hong Kong (China)

This paper demonstrates a series of visual information processors based on diffractive and metasurface networks. In contrast to conventional digital image processing platforms, these optical structures are pre-sensor processors and can achieve tremendous acceleration of various vision-based tasks including morphological transformations, arithmetic operations, and content creations.

15:15

Transformer-based Neural Network Enabled Subpixel-Resolution in Wide-Field Meta-Microscope*Shanshan Hu, Tao Li*

Nanjing University (China)

We propose and experimentally demonstrate a synergistic computational imaging framework that integrates a compact metalens microscope with a transformer-based neural network, which enables wide-field and subpixel resolution imaging without added optical complexity, illustrating a scalable and cost-effective approach to miniaturized and intelligent microscopy.

1-O29 | Room 4050B | 15:00 - 16:00

SP17: Topological Insulator Metamaterials*Organized by: Giuseppina Simone**Chaired by: Giuseppina Simone*

15:00

INVITED TALK

Graphene and Topological Insulator Metamaterials for Terahertz Applications*Klaas-Jan Tielrooij*

Eindhoven University of Technology (The Netherlands)

Graphene and topological insulators have in common that photoexcitation with virtually any wavelength, including gigahertz (GHz) and terahertz (THz) light, can lead to highly efficient carrier heating. This carrier heat can be exploited to create novel metamaterial devices with applications in terahertz nonlinear photonics and terahertz photodetection for quality inspection.

15:20

INVITED TALK

Exceptional points can enable lower-Q modes to lase first*Julius Kullig¹, Qi Zhong², Jan Wiersig¹, Ramy ElGanainy³*¹Otto-von-Guericke-Universität Magdeburg (Germany), ²Michigan Technological University (USA), ³Saint Louis University (USA)

Laser systems are expected to lase first in the highest-Q cavity mode under uniform pumping. We show this can fail near exceptional points (EPs): two lower-Q modes coalesce, forming a hybrid mode whose gain grows faster and reaches threshold before a competing higher-Q mode.

15:40

INVITED TALK

CVD-Synthesized PtTe₂ Nanoribbon Arrays for Tunable Mid-IR Polarized Photocurrent via SPP Control*Christian Martella, Alessandro Molle*

CNR-IMM (Italy)

Here, we investigate experimental parameters for synthesizing engineered PtTe₂ microribbon arrays, enabling precise control of surface plasmon polariton excitation. This design selectively enhances mid-infrared polarization-sensitive photocurrent, with spectral tunability via ribbon array geometry

1-O30 | Room 4050A | 15:15 - 15:55

SP8: Bio-Inspired NanophotonicsOrganized by: *Debashis Chanda*Chaired by: *Debashis Chanda***15:15 INVITED TALK Switchable nonlocal organic metasurfaces***Dongqing Lin, Yulong Duan, Magnus Jonsson*

Linköping University (Sweden)

We present two types of tunable collective lattice resonances (CLRs) through conducting polymer metasurfaces, with resonance wavelengths ranging from 4500 to 640 nm. Poly(3,4-ethylenedioxythiophene) nanoantenna arrays either form plasmonic CLRs by themselves or serve as “optical gate” to switch light confinement and Mie CLRs in low-index organic dielectrics.

15:35 INVITED TALK Planar plasmonic chirality enabled by conductivity anisotropy in symmetric polymer structures*Yulong Duan, Magnus P. Jonsson*

Linköping University (Sweden)

We demonstrate planar chirality in fully mirror-symmetric polymer metasurfaces by coupling geometric symmetry with anisotropic conductivity. Rotating the in-plane conductivity tensor enables continuous tuning between achiral, left- and right-handed plasmonic responses, decoupling chirality from geometric asymmetry.

Coffee Break

16:00 - 16:40

1-P2 | Business School Concourse | 16:00 - 16:30

Poster Session II**P1****Hyperbolic SuperResonance and LongRange Quantum Entanglement***Evgeniy Narimanov¹, Eugene Demler²*¹Purdue University (USA), ²ETH Zurich (Switzerland)

Hyperbolic materials support extreme momentum electromagnetic modes that enable deeply subwavelength field confinement and reshape light-matter interaction. We report the discovery of hyperbolic superresonance, arising from clustered highwavenumber modes in finite hyperbolic structures, which enables strong and even ultrastrong light-matter coupling and mediates strong longrange interaction between quantum emitters.

P2**Nonlinear Interferometric Platform for Infrared Metasurface Characterization Towards Bound States in the Continuum***Vidya Prakash Muppalla, Kousik Bera, Brijesh Kumar, Srivatsa Murali, Anshuman Kumar Srivastava*

IIT Bombay (India)

We demonstrate a stable nonlinear interferometric platform for infrared characterization using visible photon detection at 807 nm. The system enables phase-sensitive probing of infrared responses without direct infrared detection and provides a platform for studying high-Q metasurfaces and bound states in the continuum.

P3

Room-temperature strong coupling in metal-based organic microcavities for low-threshold micro-lasers*Andrea Betti¹, Eleonora Cara², Giulia Serrano³, Natascia De Leo², Renato Torre¹, Alice Boschetti²*¹European Laboratory for Non-Linear Spectroscopy (Italy), ²Istituto Nazionale di Ricerca Metrologica (Italy), ³Università degli Studi di Firenze (Italy)

Microscale coherent light sources are central to integrated photonics. We investigate supramolecular light-harvesting complexes embedded in metal microcavities. Strong exciton-polariton formation with large Rabi splitting is observed at room temperature. These results establish metal-based organic microcavities as scalable platforms for enhanced light-matter interaction and low-threshold polaritonic devices.

P4

Mid-infrared Hyperbolic Metamaterial for the Silicon-Germanium Technology Platform*Jon Schlipf¹, Enrico Talamas Simola², Fritz Berkmann³, Leonetta Baldassare⁴, Giovanni Capellini¹, Monica de Seta², Luciana di Gaspare², Inga Fischer¹, Damiano Marian⁵, Michele Ortolan⁴, Virgilio⁵*¹IHP - Leibniz Institute for High Performance Microelectronics (Germany), ²Università degli Studi Roma Tre (Italy), ³BTU Cottbus-Senftenberg (Germany), ⁴Sapienza Università di Roma (Italy), ⁵Università di Pisa (Italy)

We present anisotropic metamaterials based on SiGe layers with alternating doping. They were grown by chemical vapour deposition and characterized using Fourier-transform infrared spectroscopy. Measured reflectance spectra show excellent agreement with full-wave simulations, indicating the presence of a hyperbolic metamaterial near the plasma edge.

P5

Flat Band Skin Effect in Mechanical Metamaterials*Xulong Wang, Guancong Ma*

Hong Kong Baptist University (China)

We report the flat-band skin effect (FBSE) in one-dimension non-Hermitian lattices, driven by the spectral topology of surrounding dispersive bands. The FBSE was experimentally observed in a non-Hermitian mechanical lattice. Our work reveals unique non-Hermitian localization and offers new perspectives on wave propagation.

P6

Harvesting Mechanical Energy Absorbed by Negative Poisson's Ratio Metamaterials*Jiazhen Zhang¹, Guobiao Hu², Hao Tang², Yaozi Zheng², Yaowen Yang¹*¹Nanyang Technological University (Singapore), ²The Hong Kong University of Science and Technology (China)

Negative Poisson's ratio metamaterials exhibit high energy absorption under compression, but the absorbed energy is typically dissipated. This work demonstrates a piezoelectric framework that converts absorbed mechanical energy into electrical power. Experiments show 11 V peak storage voltage and 8.3×10 J harvested energy, sufficient for wireless transmission.

P7

Optical Control of Lasing Modes in Quantum Dot Superparticles*Marco Reale, Pietro Castronovo, Marco Cannas, Emanuele Marino, Alice Sciortino, Fabrizio Messina*

University of Palermo (Italy)

We report excitation-controlled lasing from individual CdSe/CdS quantum dot superparticles. By tuning the pump wavelength, reversible selection of whispering-gallery modes is achieved. This provides a purely optical route to dynamically reconfigurable and compact microlasers.

P8

Observing Exceptional Lines in Scattering Matrices*Wenzhe Liu¹, Jingyi Zhao¹, Xinhao Wang¹, Lei Shi¹, Che Ting Chan², Jian Zi¹*¹Fudan University (China), ²the Hong Kong University of Science and Technology (China)

We investigate topological singularities in scattering matrices of photonic structures in the visible spectrum. Using frequency and momentum as parameter space, we observe features consistent with exceptional lines through Mueller matrix spectroscopy. This approach enables investigation of non-Hermitian topology without complex structural requirements.

P9

Nanopopcorn-Based SERS Nanosensors for Intracellular pH Mapping*Katarzyna Bogusz, Katarzyna Wleciał, Agnieszka Girstun, Andrzej Kudelski, Aleksandra Szaniawska*

University of Warsaw (Poland)

Surface enhanced Raman spectroscopy is investigated as a tool for probing intracellular pH and local chemical microenvironment using gold nanopopcorn nanostructures functionalized with pH sensitive Raman reporters. The work combines nanoparticle synthesis reporter comparison and cellular studies to evaluate how nanoscale architecture and biological environment determine intracellular SERS response.

P10

Magnetic Properties and Applications of Glass-coated Ferromagnetic Microwires*Valentina Zhukova, Paula Corte-Leon, Mihail Ipatov, Juan Maria Blanco, Arcady Zhukov*

University of the Basque Country (Spain)

The impact of post-processing on magnetic properties and the giant magnetoimpedance (GMI) effect of Fe- and Co-based glass-coated microwires is evaluated. Frequency dependence of GMI ratio of studied microwires has been discussed considering frequency dependence of the skin penetration depth as well as magnetic anisotropy distribution within the metallic nucleus.

P11

A Biomimetic Photonic Structure Based on PROSPECT Model for High-Fidelity Vegetation Spectral*Mang Li, Linqi Huang, Zhaobo Feng, Xian Wang*

Huazhong University of Science and Technology (China)

Inspired by vegetation microstructure and the PROSPECT model, we design a multilayer biomimetic photonic film with a fixed $[\text{YbF}_3/\text{ZnS}]^2/[\text{Ge}/\text{ZnS}]$ stack. By optimizing only the layer thicknesses, it accurately mimics diverse vegetation solar spectrums (380-2500 nm), validated by high spectral cosine value (SCA0.99).

P12

Topological Derivative Multiscale Approach for the Design of Broadband Epsilon-Near-Zero Metamaterials*Antonio Andre Novotny¹, Jorge Luz Filho¹, Felipe Pinheiro², Pablo Blanco¹*¹LNCC/MCT (Brazil), ²UFRJ (Brazil)

We present an application of the topological derivative for the multiscale design of ENZ metamaterials. From the sensitivity of the effective macroscopic electric permittivity to microscale topological changes, we achieve a systematic design of ENZ composites across visible and near-infrared wavelengths. Nontrivial geometries are obtained, significantly broadening the ENZ bandwidth.

P13

Resonance Engineering in Bi₂Te₃ Mie Void Heterostructures*Zhuoyuan Lu, Kirill Koshelev, Pavel Tonkaev, Ziyu Chen, Dawei Liu, Wenkai Yang, Yuri Kivshar, Yuerui Lu*

Australian National University (Australia)

Resonance engineering of Bi₂Te₃ Mie void resonators is presented, where air core cavities support surface localized modes governed by geometry. The resonance behavior and field confinement are experimentally probed using photoluminescence and second harmonic generation, revealing robust mode localization and continuous tunability at the single resonator level.

P14

Full-Stokes metagrating for dual-wavelength polarization imaging*Huanxin Liao, Zeyu Zheng, Han Gao*

China Jiliang University (China)

Currently, metasurfaces with imaging elements for polarization imaging mostly work at a single wavelength, which is difficult to meet the application requirements for multi-wavelength/broadband in fields such as biomedical imaging or semiconductor detection. This study realizes a dual-wavelength polarization metagrating for high accuracy polarization imaging using multi-target optimization method.

P15

Multispectral imaging with a planar cavity-type metasurface for optical security*Dongkyun Kang, Jungwoo Pyo, Jaehyeong Kim, Hwajin An, Myeongkyu Lee*

Yonsei University (Korea)

Planar cavity-type metasurface with color control unit and emission control unit enables simultaneous visible and infrared image recording via laser-induced phase change in Ge₂Sb₂Te₅ layer. Fabricated on flexible substrates, bending-stable, with infrared-lossless color layers ensuring independent spectral control, it promises applications in optical security including authentication and anti-counterfeiting.

P16

Enhanced hot-carrier generation and dissociation in porous gold nanorods*Katarzyna Kluczyk-Korch, Tomasz Antosiewicz*

University of Warsaw (Poland)

The enhanced photocatalytic performance of porous gold compared to bulk gold has been examined using atomistic simulations. A correlation has been identified between the larger number of low-coordinated surface gold atoms and an increased generation of hot carriers within the plasmonic nanostructure.

P17

Programmable synthetic frequency dimension platform for on-chip topological photonics*Xiaolong Su, Weiwei Liu, Bing Wang, Peixiang Lu*

Huazhong University of Science and Technology (China)

More recently, photonic synthetic dimension has become an emerging paradigm. Specifically, the synthetic frequency dimension offers unique advantages due to flexibly reconfigurable gauge potential and long-range couplings. Here, we present the realization of programmable chiral edge states of the Hall ladder in synthetic frequency dimension.

P18

Angle-Induced Double Resonance of Quasi-Guided Modes for Enhanced Second-Harmonic Generation*Sooseong Ji, Jaesung Kim, Jongwon Lee*

Ulsan National Institute of Science and Technology (Korea)

We experimentally demonstrate angle-tunable double-resonant second-harmonic generation in a dielectric metasurface supporting quasi-guided modes. By adjusting the incident angle source, simultaneous resonances at both the fundamental and second-harmonic wavelengths are achieved, resulting in a 27-fold enhancement of the SHG signal.

P19

Retrieving structural and optical parameters of 2D photonic crystals through angle-resolved spectroscopy: Addressing the electron microscope limitations

Anand Eswara Rao Aryasomayajula, Viswanath P

Centre for Nano and Soft Matter Sciences (CeNS) (India)

We demonstrated angle-resolved spectroscopy as precise, non-invasive metrology for characterizing self-assembled 2D photonic crystals in close-packed and non-close-packed states. By analyzing diffraction, retroreflection, and interference, we retrieved the structural parameters and effective refractive indices. This framework overcomes limitations of electron microscopy, such as need for conductive coatings and vacuum conditions.

P20

3D Stokes Polarimetry of Dipolar Near-Fields

Guillermo Serrera¹, Yael Gutiérrez¹, José J. Gil², Fernando Moreno¹

¹University of Cantabria (Spain), ²Independent researcher (Spain)

Dipolar emitters constitute fundamental building blocks in nanophotonics, yet their polarization behavior outside the far-field approximation remains insufficiently characterized. In this work, we introduce the three-dimensional Stokes formalism as a unified framework to describe the complete polarimetric landscape of dipolar radiation across the near, intermediate, and farfield regimes.

P21

Exciton-Plasmon Strong Coupling in Gold Nano-Bipyramid Arrays

Kseniia Mamaeva, Hodjat Hajan, Jamie Somers, Teodora Faraone, Colm Delaney, Larisa Florea, A. Louise Bradley

Trinity College Dublin (Ireland)

We demonstrate deterministic room-temperature strong coupling between single CdSe/ZnS quantum dots and gold nano-bipyramid tips using plasmon-triggered two-photon polymerization. Electron-beam-patterned bipyramid arrays guide QD-loaded resin to plasmonic hotspots. Scattering shows 265meV Rabi splitting and photoluminescence polariton emission, enabling a scalable route to bright nonlinear single-photon sources for integrated quantum photonics.

P22

Multimode Waveguiding Photonic-Crystal Gratings

Lucciano Antonio Letelier Carreño, Lina Grineviciute, Simas Melnikas, Kestutis Staliunas

Center for Physical Sciences and Technology (Lithuania)

We study multilayer photonic crystal gratings where stacked layers replicate a periodic surface, enabling multimode waveguiding and angular selective diffraction in reflection. An FDTD design approach reveals the role of period, index contrast and layer sequence. Samples fabricated by ion beam sputtering technology confirm narrowband angle-selective response under oblique illumination.

P23

Core-shell Au@PEtOx1-xPBuOxx Nanoparticle Colloids: Thermally Switching Optical Absorbers with Tuned LCST Point

Oleg Yeshchenko¹, Lea Daoud², Oles Fedotov¹, Pavlo Khort¹, Oksana Krupka²

¹Taras Shevchenko National University of Kyiv (Ukraine), ²Université d'Angers (France)

We focused on the study of thermo-controlled morphological transformations and optical switching phenomena in colloid solution of core-shell Au@PEtOx-stat-PBuOx and Au@PEtOx in water with gold core and statistical polymer shell of α -methyl- ω -hydroxy poly(2-ethyl-2-oxazoline)1-x-stat-poly(2-n-butyl-2-oxazoline)x and α -methyl- ω -hydroxy poly(2-ethyl-2-oxazoline) respectively using transmission electron microscopy, dynamic/electrophoretic light scattering, light absorption and SERS methods.

P24

Flexible and Programmable Semiconductor Plasmonic Platforms for Near-Infrared Meta-Optics*Debmalya Mukhopadhyay, Bivas Saha*

Jawaharlal Nehru Centre For Advanced Scientific Research (India)

Semiconducting plasmonic platforms based on doped ScN and CdO thin films are demonstrated for near-infrared meta-optics. Flexible van der Waals heteroepitaxy enabled ScN exhibits tunable ENZ response, while Sc-doped CdO enables wide spectral programmability via carrier engineering. Attenuated total reflection reveals SPP modes, establishing complementary, low-loss, programmable plasmonic materials.

P25

A Dynamically Beam Steerable Metasurface Antenna with Sidelobe Suppression*Enez Furkan Cihan¹, Nursel Akçam²*¹ASELSAN Inc. - Gazi University (Turkey), ²Gazi University (Turkey)

A beam-steerable metasurface array antenna based on a substrate-integrated waveguide is presented. PIN diodes enable dynamic beam steering toward different directions. A modified sidelobe-suppression method is integrated with the steering scheme. The proposed antenna achieves up to 6 dB sidelobe reduction while steering the beam from -25° to $+30^\circ$.

P26

Polarization needle beam metalens for large-volume super-resolution photoacoustic neuroimaging in expanded tissue*Yongjae Jo, Inki Kim*

Sungkyunkwan University (Korea)

Needle-beam metalens PAM combined with expansion microscopy improves effective resolution while preserving large-volume imaging. A modified phase enhances optical efficiency, doubling brightness. Fabricated 2 mm SiN metalens enables neuron-specific contrast via pigment labeling. Results show 4–20× resolution gain and quantitative neuronal analysis, highlighting potential for high-resolution 3D cellular imaging.

P27

Quantisation of polariton modes for dispersive resonators*Jakub Skorka, Ben Yuen, Angela Demetriadou*

University of Birmingham (United Kingdom)

We describe a new way of quantising electromagnetic fields in the presence of dispersive, lossless resonators, based on normal mode expansion of the fields. This method is a generalisation of an existing approach, developed for non-dispersive media.

P28

Deterministic Photon Addition in a Waveguide Mode*Kristina Malinowski¹, Holland Frieling¹, Benjamin Koltenbah², Pankaj Jha³, Harry Atwater¹*¹Caltech (USA), ²Boeing Technology Innovation (USA), ³Syracuse University (USA)

We report on emitter-waveguide modeling results investigating stimulated emission during single photon addition. We design and fabricate a coupled emitter-waveguide device, representing significant progress towards an experimental demonstration of deterministic single photon addition.

P29

Flat band Engineering in Polymer Acoustic Lieb Lattices*Anusha Rehman¹, Riccardo C. Moroni², David Hutchins¹, Peter J. Thomas¹, Rudolf Roemer¹, Katarzyna Majewska², Stefano Laureti³*¹University of Warwick (United Kingdom), ²Institute of Fluid-Flow Machinery Polish Academy of Sciences (Poland), ³University of Calabria (Italy)

Flat-band acoustic metamaterials enable interference-driven wave localization. Building on polymer Lieb-lattices operating in the ultrasonic-regime, a predictive scaling formulation for band tuning has been designed, together with extended Lieb architectures supporting multiple flat-bands. Mechanically reconfigurable auxetic-Lieb structures are also demonstrated. These approaches provide scalable and tunable platforms for multi-frequency acoustic-localization.

P30

Self-configuring linear diffractive optical networks for adaptive imaging through multimode fibres*Jérôme Don Jayamane¹, José C. A. Rocha¹, Unè G. Bütaité¹, Joel Carpenter², David B. Phillips¹*¹University of Exeter (United Kingdom), ²The University of Queensland (Australia)

When light propagates through complex media, its spatial modes become scrambled, hindering imaging and data transmission. Here we experimentally demonstrate how a linear diffractive optical network can be adaptively trained in-situ to efficiently reverse such scattering across multiple modes simultaneously.

P31

Free-Electron Coupling to Surface Polaritons Mediated by Small Scatterers*Leila Rocio Prelat¹, Eduardo J.C. Dias², F. Javier García de Abajo¹*¹The Barcelona Institute of Science and Technology (Spain), ²University of Southern Denmark (Denmark)

We show that small scatterers enable low-energy electrons to excite surface polaritons even when direct coupling is kinematically forbidden. Maximum emission occurs at an optimum scatterer–surface distance, while periodic arrays produce directional polaritonic Smith–Purcell emission. Hexagonal boron nitride disks provide a practical route to spectrally selective excitation of graphene plasmons.

P32

Long-range coupling through photonic molecules*Romina Abarca-Ramirez, Diego Roman-Cortes, Rodrigo Vicencio*

Universidad de Chile (Chile)

We demonstrate the evanescent and resonant excitation of high transversal modes on long photonic molecules. By inserting the molecule as a link we observe long-range coupling of very distant waveguides. We use this on a one-dimensional lattice and demonstrate the emergence of a topological phase originated by third-order nearest-neighbour coupling.

1–Q31 | Room 3051 | 16:40 - 18:45

SP5: Functional materials for tunable and reconfigurable photonics*Organized by: Sébastien Cueff and Yael Gutierrez**Chaired by: Sébastien Cueff and Yael Gutierrez*

16:40

Morphology-Directed Phase Change Metastructures: Tunable Optical Response and Energetics Without Lithography*Yedeng Fei, Tony Kong, Avik Mandal, Abbas Sheikh-Ansari, Behrad Gholipour*

University of Alberta (Canada)

Glancing-angle deposition of phase change alloy creates self-assembled reconfigurable metastructures whose optical resonances and phase-transition energetics are co-programmed by morphology alone. At constant composition, deposition angle tunes effective permittivity, resonance wavelength, switching thresholds, and kinetics. This lithography-free platform establishes morphological control as a new design paradigm for active metamaterials.

16:55 INVITED TALK Nanoresonators and metasurfaces for nonreciprocal photonics*Sergey Kruk*

Tampere University (Finland)

Nonreciprocity underpins signal routing in modern technology. While nonreciprocal electronic components - diodes, transistors - have been miniaturized to the nanoscale, nonreciprocal photonics remains bulky. We develop pathways towards nonreciprocal nanophotonics, enabling compact manipulation of amplitude, phase, and polarization of light, and opening new opportunities for integrated photonic systems.

17:15 INVITED TALK Canalization-based super-resolution imaging using an individual van der Waals thin layer*Jiahua Duan¹, Aitana Tarazaga Martín-Luengo², Christian Lanza², Stefan Partel³, Kirill Voronin⁴, Ana Isabel F. Tresguerres-Mata², Gonzalo Alvarez-Perez⁵, Alexey Y. Nikitin⁴, Javier Martín-Sánchez², Pablo Alonso González²*

¹Beijing Institute of Technology (China), ²University of Oviedo (Spain), ³Vorarlberg University of Applied Sciences (Austria), ⁴Donostia International Physics Center (DIPC) (Spain), ⁵Istituto Italiano di Tecnologia (Italy)

Phonon-polariton (PhP) canalization is diffractionless transport enabled by a flat isofrequency contour (IFC), previously achieved with twisted multilayers and angle-specific conditions. We remove stacks by tuning substrate permittivity to a specific negative value, flattening the alpha-MoO₃ PhPs IFC on SiC and enabling shiftable super-resolution imaging to 1/220 free-space wavelength.

17:35 INVITED TALK Room-temperature zero differential thermal emitters enabled by the controllable metal-insulator transition in rare-earth perovskite nickelates*Luigi Matera¹, Laurent Divay², Luis Moreno Vicente-Arche¹, Manuel Bibes¹, Paolo Bortolotti¹, Julian Peiro¹, Lucia Iglesias¹*

¹Thales - Université Paris-Saclay (France), ²Thales Research and Technology (France)

In this work, we present room temperature zero differential thermal emitters based on strained Sm 1-x Nd x NiO₃ thin films. By engineering the metal insulator transition, we obtain nearly constant long wavelength infrared emission over about 15 degrees Celsius, confirmed by outdoor thermal imaging experiments.

17:55 INVITED TALK Coherent Spin-Photon Interfaces based on Molecular Rare-Earth Systems Designing Molecular Rare-Earth Spin-Photon Quantum Interfaces*Diana Serrano*

PSL University (France)

Rare-earth ions (REIs) are promising candidates for quantum hardware owing to their optically addressable, highly coherent spin states. Integrating these properties into scalable quantum architectures, however, remains challenging. Here, we introduce REI-based molecular materials that combine long optical and spin coherence with the synthetic versatility of coordination chemistry

18:15 Reproducible 2D Structural Color Platforms for Reliable pH Sensing Applications*Jing Qian, Yekaterina Tskhe, Luke Madden, Enrique Azuaje-Hualde, David Hoey, Louise Bradley, Larisa Florea, Colm Delaney*

Trinity College Dublin (Ireland)

A well-designed 2D cube-array structural color platform was combined with a pH-responsive polymer to achieve sensitive optical pH sensing. The resulting color shift provides a reliable sensing element, offering a practical route toward integrating structural color architectures into real-world pH sensor devices.

18:30

Near-Unity Optical Switching by Sb₂S₃/Si Hybrid Metasurfaces

Amin Zamani¹, Gabriel Sanderson¹, Meibao Qin², Lu Zhang³, Qiwei Miao³, Sara Moujdi¹, Ze Zheng¹, Mohammadhossein Momtazpour¹, Christopher J. Mellor⁴, Wending Zhang³, Mei³, Mansouri¹, Xu¹, Rahmani¹

¹Nottingham Trent University (United Kingdom), ²Nanchang Institute of Science and Technology (China), ³Northwestern Polytechnical University (China), ⁴University of Nottingham (United Kingdom)

We demonstrate high-throughput optical modulation in monolithic and hybrid Sb₂S₃/Si metasurfaces, where silicon-enhanced resonances enable 99% transmission modulation at telecom wavelengths using only 3% optically induced crystallization in Sb₂S₃. This phase transition also allows large-scale tuning of nonlinear emission, offering a versatile platform for reconfigurable linear and nonlinear nanophotonics.

1–O32 | Room 3071 | 16:40 - 19:10

SP9: When 'meta' meets 'materials': innovative materials, fabrication, functionalities

Organized by: Dorota Pawlak and Virginie Ponsinet

Chaired by: Dorota Pawlak and Virginie Ponsinet

16:40

INVITED TALK

Engineering Silicon Optical Properties via Metal-Assisted Chemical Etching

Gilles Bourret

University of Salzburg (Austria)

Metal-assisted chemical etching (MACE) enables scalable, solution-based nanostructuring of silicon with precise control over its optical response. This talk highlights key parameters to achieve homogeneous MACE and optimize field enhancement in silicon nanowire arrays, for SERS, photocatalysis, solar hydrogen generation, and microchip authentication.

17:00

INVITED TALK

Silicon metasurfaces for thermal control of classical and quantum light

Agostino Di Francescantonio, Omer Can Karaman, Giulia Tagliabue

EPFL (Switzerland)

We investigate resonant, thermo-optically reconfigurable silicon metasurfaces modulating light in the classical and quantum regime. Thermo-optic effect enables dynamic modulation of photon pairs and efficient control of the transmittance via engineering of heat and optical time scales, opening interesting avenues for optical modulation and computing.

17:20

INVITED TALK

Optical Metrology of Chiral and Strain Engineered Metasurfaces

Fabian Haake, Marcello Pozzi, Theresa Stecher, Henning Galinski

ETH Zurich (Switzerland)

Controlling local optical anisotropy is central to functional metasurfaces. This talk presents scanning reflectance anisotropy microscopy (SRAM) as a non-destructive tool with sub-degree phase sensitivity and diffraction-limited resolution. We demonstrate amplitude and phase mapping of chiral and symmetry-broken metasurfaces and strain-induced symmetry breaking in metasurfaces and conventional materials.

17:40

INVITED TALK

Nanometer-Precision Optical Metrology of Large Area Nanoimprinted Metasurfaces

Jaime Gomez Rivas¹, Masoumeh Goudarzi¹, Sunghwan Jo², Maira Perez Sosa¹, Yu-Chen Wei¹, Matthijs Berghuis¹, Mohammad Ramezani³, Agustín Mihí¹

¹Eindhoven University of Technology (The Netherlands), ²ICMAB-CSIC (Spain), ³TeraNova B.V. (The Netherlands)

We present a non-destructive optical metrology method for wafer scale inspection of large area plasmonic metasurfaces. Angle resolved scatterometry implemented in a Fourier microscope enables nanometer sensitive mapping of structural uniformity. Comparison with simulations and microscopy links optical signatures to nanoscale variations in nanoparticle geometry.

18:00 INVITED TALK Phase Transition Driven Nanoparticle Assembly in Multicomponent Systems based on Liquid Crystals

Piotr Lesiak¹, Natalia Kasian¹, Anna Kozanecka-Szmigiel¹, Jan Bolek¹, Karol Kakarenko¹, Natalia Kowalska², Wiktor Lewandowski², Tomasz Woliński¹

¹Warsaw University of Technology (Poland), ²University of Warsaw (Poland)

This work demonstrates the potential for creating patterns of nanoparticle groups formed in a liquid crystal base material. Nanoparticles coated with a carefully selected ratio of two types of ligands are used. This selection of materials allows for the control of the preferential positioning of nanoparticles within the liquid crystal.

18:20 INVITED TALK Silicon Nanoparticle Monolayer Coating for Glossy, Non-Iridescent and Tunable Reflective Colors

Hiroshi Sugimoto, Jialu Song, Keisuke Moriasa, Mojtaba Karimi Habil, Minoru Fujii

Kobe University (Japan)

We report a core-shell architecture composed of Mie-resonant Si core and SiO₂ shell for nanocoating that shows structural color with the total reflectance >70% experimentally. By leveraging this coating strategy, uniform color coatings on 3D objects, enabling diverse visual appearances, are demonstrated.

18:40 Disorder silica microsphere coating for efficient sub-ambient radiative cooling

Jorge Burgos¹, Ares Liádos², Sara Nuñez-Sánchez³, Ceferino López³, Juliana Jaramillo², Pedro David García³

¹Instituto de Ciencia de Materiales de Madrid (Spain), ²UPC (Spain), ³Material Science Institute of Madrid (ICMM) (Spain)

Passive radiative cooling rejects heat to outer space through the 8-13 μ m window, enabling subambient temperatures without power. We develop disordered SiO₂microsphere coatings combining >93% solar reflectance with strong midIR emissivity. Their microstructure, optical response, and outdoor thermal behavior are experimentally validated, confirming effective cooling under direct sunlight.

18:55 Metasurface Stickers for Tailoring Photoluminescence and Inducing Chirality

Shunsuke Murai, Koichi Okamoto

Osaka Metropolitan University (Japan)

Metasurface stickers-flexible, transferable nanoantenna arrays-enable post-fabrication control of light-matter interactions on diverse substrates. By stacking and twisting layers, photoluminescence can be enhanced, redirected, and spectrally tuned, while moiré coupling induces controllablechirality for reconfigurable optical functionalities.

1-O33 | Room 3126 | 16:40 - 19:35

SP1: Metamaterials: novel trends and applications

Organized by: Tatjana Gric

Chaired by: Tatjana Gric

16:40 INVITED TALK Integration of metamaterial phase-shifting ICs in 3D-printed packages for wireless communication

Adam Pander¹, Kentaro Soeda², Daisuke Kitayama¹, Hibiki Kagami¹, Yoshinori Yamaguchi², Kuniaki Konishi², Junji Yumoto², Hiroyuki Takahashi¹

¹NTT Device Technology Laboratories (Japan), ²The University of Tokyo (Japan)

This study shows metamaterial phase-shifting integrated circuits with continuous 2π phase controllability operating at 300 GHz. To cope with the demand for high-density packaging in future beamforming devices, chips were mounted in hollow waveguide modules fabricated using a high-resolution 3D printer (RECILS). The phase-shifting characteristics were evaluated.

17:00 INVITED TALK **SuperResolution Interferometric Lithography Beyond the Diffraction Limit Enabled by a Tuneable Metasurface***Mohammad Mahdi Jafarizadeh Jazi, Leila Yousefi*

University of Sussex (United Kingdom)

To overcome the diffraction limit in optical lithography and achieve resolutions beyond this fundamental barrier, we propose a multi-mask interferometric lithography technique. In this approach, a tuneable metasurface is employed to engineer the light passing through the masks, enabling the formation of the desired pattern on the photoresist.

17:20 **Prelude to the search for natural vibrations of tensegrity-inspired cellular metamaterials***Anna Al Sabouni-Zawadzka, Adam Zawadzki, Wojciech Gilewski, Maciej Kołodziejczak*

Warsaw University of Technology (Poland)

Two techniques for estimating the natural frequencies of tensegrity-inspired cellular metamaterials are presented and discussed. The first employs a standard frame/truss geometrically nonlinear finite element model implemented in ABAQUS. The second uses single-degree-of-freedom modelling based on experimental results for quasi-static compression. Examples focus on a four-strut simplex tensegrity-inspired lattice.

17:35 INVITED TALK **Constructive homogenization of dispersed random media***Vladimir Mityushev*

Cracow University of Technology (Poland)

The asymptotic analysis is applied to derive an analytical approximate formula for the macroscopic permittivity of 2D dispersed random composites. This formula extends the lower order Maxwell-Garnett approximation, revealing that many other popular formulas for dispersed media derived from effective medium approximations are asymptotically equivalent.

17:55 INVITED TALK **Design of an Airy-Beam-Generating Element Made with High-Refractive-Index and Low-Reflectance Metasurface in the 28 GHz Band***Yuta Tanaka, Mahiro Ochiai, Takehito Suzuki*

Tokyo University of Agriculture and Technology (Japan)

We demonstrate an Airy-beam-generating element designed for the 28 GHz band based on our original high-refractive-index, low-reflectance metasurface. The results indicate that this metasurface is broadly applicable to electromagnetic wave manipulation.

18:15 INVITED TALK **Electron-Driven Photon Sources for Ramsey Interferometry with Electron Beams***Nahid Talebi*

Kiel University (Germany)

Electron-driven photon sources provide compact platforms for probing decoherence dynamics of qubits in two-dimensional materials. Here, we demonstrate how both planar and 3D-printed architectures enable precise control over the properties of the emitted light.

18:35 INVITED TALK **Application of Metamaterials in Soft and Biodegradable Electronics***Seung-Kyun Kang*

Seoul National University (Korea)

Mechanical metamaterials enable new strategies for soft electronics-based implantable devices. Here, auxetic meta-architectures suppress Poisson-induced crack closure in crack-based strain sensors, achieving ultrasensitive detection of subtle biomechanical dynamics, including cerebral vascular pulsation. As an outlook, mechanically programmed meta-structures are introduced for ultrasound-driven, spatially controlled disassembly of transient implants.

18:55 INVITED TALK Multilayer Gap Plasmons in Periodic Perfect-Conductor-Dielectric Structures*Michael Haftel¹, Justin Case², Anatoliy Pinchuk¹*¹University of Colorado (USA), ²University of Colorado at Colorado Springs (USA)

We demonstrate that periodic multilayer perfect-conductor dielectric structures with subwavelength slits support propagating multilayer gap plasmons with tunable wavenumber spectra and interlayer phase coherence. The number of supported modes increases with layer number, enabling controllable field localization and propagation for advanced photonic and metamaterial device applications.

19:15 INVITED TALK Multiphoton Luminescence and Second Harmonic Imaging in 2D Materials*Arik Ahmed¹, J. Pierce Fix², Sheikh Parvez², Jane Peabody², Nicholas J. Borys², Steve Smith¹*¹South Dakota School of Mines and Technology (USA), ²University of Utah (USA)

The relationship between nonlinear susceptibility and multi-layer stacking, orientation and material defects in 2D materials can be revealed by spectroscopic, polarization-resolved imaging. A spectrally-resolved multi-photon luminescence (MPL) and second harmonic generation (SHG) imaging microscope is used to examine the nonlinear optical properties of 2D materials and their heterostructures.

1-O34 | Room 5052 | 16:40 - 19:20

SYM2: New trends in nanophotonics and advanced materials*Organized by: Junsuk Rho, Hakjoo Lee, Namkyoo Park, Seong Ok Han**Chaired by: Junsuk Rho, Hakjoo Lee, Namkyoo Park, Seong Ok Han***16:40 INVITED TALK Plasmonic Nanostars: Engineering Optical Tunability for Enhanced Efficiency***Nicolas Pazos Perez*

Universitat Rovira i Virgili (Spain)

We investigate the controlled epitaxial growth of silver and gold onto preformed gold nanostars, enabling precise tuning of their optical response while preserving branched morphology. Adjusting the plasmon resonance position and silver content, SERS enhancing properties can be maximized by nearly two orders of magnitude compared to conventional gold nanostars.

17:00 INVITED TALK Temporal Dispersion Effects in Optical Spectra of Exciton-Plasmon Systems at Strong Coupling*Sancenja Johnson, Gabrielle Williams, Tigran Shahbazyan*

Jackson State University (USA)

We show that temporal dispersion of the metal dielectric function significantly modifies the shape of scattering spectra of quantum emitters strongly coupled to surface plasmons by shifting spectral weight towards lower energy polaritonic band.

17:20 INVITED TALK High-Entropy Alloy-Based Metasurfaces for plasmon absorber in mid infrared wavelength*Yoshiaki Nishijima, Makoto Ohashi, Yuya Hoshimiya*

Yokohama National University (Japan)

We experimentally determined the complex permittivity of a high-entropy alloy (HEA) composed of five noble metals: Au, Ag, Cu, Pd, and Pt and light metals like Al and Mg. The measurements were conducted across a broad wavelength spectrum, spanning ultraviolet, visible, and mid-infrared regions.

17:40

INVITED TALK

Miniaturized Full-Color Waveguide Combiner for AR Headsets: Wide Field-of-View and High Resolution via Compound Metagratings*Oksana Shramkova*

Université de Strasbourg (France)

This work presents a multi-layer metagrating design for single-waveguide near-eye displays, achieving a wide field of view (FoV) while reducing waveguide thickness. The approach enables high-resolution imaging by accommodating large lateral dimensions for the in-coupled grating, optimizing compatibility with advanced light engines

18:00

INVITED TALK

Enhancing the Sensitivity of Low-cost Zero-Reflection Metasurfaces for Clinical Translation*Nurten Koc¹, Ali Belarouc², Serap Aksu¹*¹Koc University (Turkey), ²University of Lyon (France)

Zero-reflection metasurfaces hold great promise for clinical translation. Towards this, we manufacture the metasurfaces using optimized adhesion materials with minimum optical loss. We demonstrate their large area homogenous nanofabrication using modified laser lithography and showed detection of brain metastasis relevant biomarkers in serum.

18:20

INVITED TALK

Photonic integrated circuits on fiber tips for lab-on-fiber sensing*Arthur Bouamra¹, Pieter Vijn¹, René van Veldhoven¹, Jui-Hung Chen², Shuo-Yen Tseng², Andrea Fiore¹*¹Eindhoven University of Technology (The Netherlands), ²National Cheng Kung University (Taiwan)

We present the integration of high-Q ring resonators onto fiber tips. These sensors feature efficient coupling and high quality factors, combining the power of nanophotonics with the versatility of fiber sensing.

18:40

INVITED TALK

Nanoscale Photonic Topological Insulators*Xiaoyong Hu*

Peking University (China)

Nanoscale photonic topological insulators, providing an excellent platform for information processing, are restricted by the experimental precise control of coupling strength between nanostructure lattices. We proposed new method of coupling strength controlling, and realized nanoscale plasmonic Aubry-André-Harper topological insulator and reconfigurable silicon micro-ring photonic topological insulator.

19:00

INVITED TALK

Exciton-Photon-Phonon Interactions in Ultra-High-Q 2D-Material Nanocavities*Chenjiang Qian*

Institute of Physics (CAS) (China)

1-O35 | Room 4047 | 16:40 - 19:00

SYM4: Chirality, magnetism, and magnetoelectricity: Separate phenomena and joint effects in metamaterial structures

Organized by: Eugene Kamenetskii

Chaired by: Eugene Kamenetskii

16:40 INVITED TALK Artificial Symmetry Design for Non-trivial Spin Topologies and Emergent Functionalities*Jinxing Zhang*

Beijing Normal University (China)

In this presentation, I will share with you one strategy for the symmetry design that can be extended into a broad variety of materials. We discover that space-inversion symmetry can be broken and accompanying "hybrid" Dzyaloshinskii-Moriya interaction can be driven by a graded strain in a correlated oxides, (La,Sr)MnO₃.

17:00 INVITED TALK GHz acoustic vortex for the manipulation of orbital angular momentum of light*Alessandro Pitanti¹, Paulo Santos²*¹University of Pisa (Italy), ²Paul-Drude-Institut für Festkörperelektronik (Germany)

Acoustic perturbation of photonic structures enables dynamic modulation of light amplitude and phase at ultra high frequencies. By shaping acoustic fields, fast control of light angular momentum becomes possible. We report GHz acoustic vortices for advanced light modulators.

17:20 INVITED TALK Pure moving optical media at microwave frequencies using magnetochiral metasurfaces*Toshiyuki Kodama*

Tohoku University (Japan)

We study microwave bianisotropies using magnetochiral (MCh) metasurfaces consisting of double Z-type gammadions with perpendicularly magnetized substrates. Combination of the metasurfaces with contraposition MCh metasurfaces cancels both the chiral-type bianisotropy and MO effect, resulting in pure moving optical media.

17:40 INVITED TALK Rotation and Self-Ordering of Nanoparticles by Optical Forces Carrying Angular Momentum*Hajime Ishihara*

Ritsumeikan University (Japan)

We present optical manipulation of nanoparticles using focused beams carrying angular momentum. Generalized optical binding stabilizes rotational motion of nanoparticle assemblies and enables fusion-driven self-ordering via scattered-light interactions. We also analyze how stimulated recoil force (SRF) from resonant stimulated emission modifies optical-vortex-driven rotation, suggesting experimental signatures such as rotation reversal.

18:00 INVITED TALK Photoinduced magnetic phase transitions in the Kondo-lattice model*Masahito Mochizuki, Ryo Hamano*

Waseda University (Japan)

We theoretically investigate photoinduced magnetic transitions in the cubic Kondo-lattice model and show that light irradiation drives a magnetic phase transition from ferromagnetic ground state to three-dimensional antiferromagnetic nonequilibrium steady state. This transition is induced by photoinduced pseudo half-filling of the exchange-split band and is accompanied by transient antiferromagnetic correlations.

18:20 INVITED TALK Analyzing Nanoscopic Light-Matter Interactions Using Reconfigurable Photonic Integrated Circuits*Marko Šimić, Johannes Bütow, Jörg S. Eismann, Sarah Lindner, Peter Banzer*

University of Graz (Austria)

The measurement and description of light-matter interactions at the nanoscale lie at the heart of most nano-optics applications. Here we present a combination of nano-optics experiments and reconfigurable photonic integrated circuits, establishing the basis for nanoscale particle localization and multipolar decomposition of scattered fields.

18:40 INVITED TALK Magnetic Multipole Dependent Dichroism Arising from Vortex Light*Akbar Salam*

Wake Forest University (USA)

QED theory is used to calculate circular and vortex dichroism induced by structured light in a magnetically susceptible molecule. The magnetic dipole-quadrupole cross term arising from the interference of transverse and longitudinal magnetic fields results in non-vanishing dichroic effects, explaining the recent observation of helical dichroism in artificial propeller meta-molecules.

1–O36 | Room 5025 | 16:40 - 19:00

SYM2: New trends in nanophotonics and advanced materials*Organized by: Junsuk Rho, Hakjoo Lee, Namkyoo Park, Seong Ok Han**Chaired by: Junsuk Rho, Hakjoo Lee, Namkyoo Park, Seong Ok Han***16:40 INVITED TALK Foundry-Ready Multi Laser Terahertz Bandwidth Photonic Isolator via Electro-optic Synthetic Motion***Kyunghun Han, Yiliang Bao, Junyeob Song, David Long, Sean Bresler, Daron Westly, Jason Gorman, Thomas LeBrun, Kartik Srinivasan, Vladimir Aksyuk*

National Institute of Standards and Technology (USA)

We demonstrate a magnet-free, intrinsically broadband photonic isolator using electro-optic traveling-wave modulation to create synthetic motion across four waveguides, realizing dynamic rotating destructive interference that continuously cancels backward-propagating light. We show ≈ 30 dB isolation, >24 dB isolation across a 30 nm span, and >20 dB isolation for two lasers simultaneously.

17:00 INVITED TALK Optical Phenomena in Time-Varying Transparent Conductors*Marcello Ferrera, Wallace Jaffray, Sven Stengel*

Heriot-Watt University (United Kingdom)

Transparent conductive oxides operating near the epsilon-near-zero regime provide a powerful platform for ultrafast time-varying photonics. We outline a unified framework for extreme optical nonlinearities spanning field engineering, quantum emission control, ultrafast polarisation manipulation, and spatio-temporal metamaterials

17:20 INVITED TALK Femtosecond Laser Direct-Written Optical Fiber Microstructure Devices for Laser Applications*Xuwen Shu*

Huazhong University of Science and Technology (China)

We report our recent progress in the use of femtosecond lasers to fabricate various microstructures within optical fibers, including gratings and interferometric devices, and discuss their diverse applications in fiber laser systems.

17:40 INVITED TALK **Tailoring valley polarization and optical nonlinear effect in transition-metal dichalcogenides***Mu Wang, Ruwen Peng*

Nanjing University (China)

In this talk, we present the manipulation valley polarization and optical nonlinear effect in transition-metal dichalcogenides. The approaches achieve potential applications in developing low-dimensional optoelectronic materials and devices.

18:00 INVITED TALK **Chiral Diffraction from Quasiperiodic Monotile Lattice Based on Aperiodic Hat Tiling***Yuto Moritake*

The University of Tokyo (Japan)

We experimentally investigated optical diffraction from a newly discovered aperiodic structure, an aperiodic monotile. The monotile tessellates two-dimensional space using a single tile shape. We fabricated a quasiperiodic lattice on a nanophotonic platform based on this monotile tiling and observed interesting chiral diffraction response unique to the monotile geometry.

18:20 INVITED TALK **Spatiotemporal Metasurface for Unconventional Control of Electromagnetic Waves***Anatoly Efimov¹, Chun-Chieh Chang¹, Simo Pajovic², Wilton J. M. Kort-Kamp², Hou-Tong Chen¹, Diego A. R. Dalvit², Abul Azad²*¹Center for Integrated Nanotechnologies (USA), ²Los Alamos National Laboratory (USA)

Lorentz reciprocity fundamentally limits the performance of photonic systems by enforcing reciprocal energy exchange between source and detector, which manifests as the symmetry of the scattering matrix. We design and fabricate a graphene-based integrated photonic structure and experimentally demonstrate nonreciprocal scattering from a metasurface modulated at gigahertz frequencies.

18:40 INVITED TALK **Copper-based plasmonic nanohole arrays for electromagnetic field enhancement***Madiha Amrani¹, Tô Nguyet², Gaëtan Lévêque², Mohamed El Ghafiani¹, E. H. El Boudouti¹, Yan Pennec², Rabah Boukherroub², Bahram Djafari-Rouhan²*¹Université Mohammed I (Morocco), ²Université Lille (France)

Localized surface plasmon resonance (LSPR) in copper nanoholes enhances local electromagnetic fields at the nanoscale. We investigate the effects of lattice period, hole size, and film thickness on field enhancement, analyzing both localized and propagating plasmonic modes. Optimized nanostructure designs offer potential applications in electrocatalysis and other plasmon-assisted processes.

1-O37 | Room 4050A | 16:40 - 18:35

SP8: Bio-Inspired Nanophotonics*Organized by: Debashis Chanda**Chaired by: Debashis Chanda***16:40** INVITED TALK **Spatial Memory of Hot Carriers in Disordered Plasmonic Structural Colors***Manobina Karmakar¹, Ayon Jyoti Karmakar², Aritra Biswas¹, Mahdi Soudi¹, Tianyi Guo¹, Pablo Cencillo Abad¹, Prasanta Kumar Datta², Debashis Chanda¹*¹Ludwig-Maximilians-University (Germany), ²Indian Institute of Technology Kharagpur (India)

We investigate disordered aluminum nanoparticle ensembles generating structural colors via localized gap-plasmons. Combining near-field imaging and ultrafast spectroscopy, we reveal that plasmon-induced hot carriers retain partial spatial-localization for hundreds of picoseconds. This unexpected spatial memory links disorder, confinement, and energy dynamics, offering new bio-inspired design principles for nanophotonic, hot-carrier devices.

17:00 INVITED TALK Dynamically Tunable Structural Colors*Aritra Biswas, Debashis Chanda*

University of Central Florida (USA)

Over the last decade, dynamic color generation has been the subject of extensive research across various scientific disciplines. In this work, we demonstrate active color tuning based on phase modulation of a multilayer stack composed of a phase-changing material (PCM) and a high-index material on a reflective surface.

17:20 INVITED TALK Metasurface tongues as universal liquid sensors*Justin Sperling¹, Finlay Walton¹, Daniel Osborne¹, Badri Aekbote¹, Anthony Perr², Rebecca Setford¹, Hanyu Gao¹, Liam Wilson¹, Chad Sipperley², Rudolf Schick², Poursat¹, Gauchotte-Lindsay¹, Peveler¹, Clark¹*¹University of Glasgow (United Kingdom), ²Spraying Systems Co. (USA)

We present a reusable plasmonic metasurface "tongue" that generates distinctive hyperspectral patterns for complex liquid mixtures through cross-reactive sensing. Simple machine learning enables both holistic quality assessment and targeted event detection. A single 24-element metasurface architecture supports universal deployment across diverse liquid-sensing tasks without bespoke receptors.

17:40 Structural Dyes by Design: Physics-Guided Photonic Colour Modules on Commodity Substrates*Hannah Sanford-Crane*

MAAD Scientist Technologies Inc. (Canada)

Structural colour arises from nanoscale scattering rather than molecular absorption, but translating optical targets into chemically realizable materials remains difficult. Structural dyes address this using modular molecular shells on commodity particle cores as programmable optical layers, designed from first-principles scattering and attached to diverse substrates via silane and click-chemistry.

17:55 INVITED TALK Strategies for Infrared Management and Thermal Insulation Inspired from Biological Organisms*Amandine Marchand¹, Kevin Delmote², Olivier Deparis², Sébastien Mouchet¹*¹University of Mons (Belgium), ²University of Namur (Belgium)

Nature provides advanced strategies for managing infrared radiation through micro and nanostructures. By studying biological examples, from insects to mammals, we derive principles for engineered materials enabling efficient insulation, passive cooling, and selective IR management. This work highlights how bioinspired designs support sustainable thermal technologies.

18:15 INVITED TALK Reversible and Dynamic Photonic Bandgap Modulation via Chemical Reactions in Liquid Crystalline Polysaccharides*Cecile Chazot¹, Simona Fine¹, Nina Hildenhagen², Bart Jan Ravoo²*¹Northwestern University (USA), ²Universität Münster (Germany)

We develop chemically responsive liquid crystalline polysaccharides whose hierarchical organization enables reversible modulation of photonic bandgaps. By coupling molecular transformations with self-assembly, we create dynamic photonic materials in which optical function is encoded at multiple length scales and tunable through targeted chemical reactivity, expanding design rules for adaptive soft matter.

1-O38 | Maharry Theatre | 16:40 - 19:10

SP2: Parity-Time and quasi-normal modes in Photonics, Plasmonics, Acoustics

Organized by: Anatole Lupu and Henri Benisty

Chaired by: Anatole Lupu and Henri Benisty

16:40 INVITED TALK Emergence of higher-order exceptional points in composite non-Hermitian quantum systemsJan Wiersig¹, Weijian Chen²¹Otto-von-Guericke Universität (Germany), ²North Carolina State University (USA)

We investigate the emergence of higher-order exceptional points (EPs) in composite quantum systems formed by the tensor product of multiple subsystems, each exhibiting an EP. We determine the resulting spectral response strength, and show that the presence of the higher-order EP causes initially entangled states to disentangle during time evolution.

17:00 INVITED TALK Light Trapping by Non-Hermitian Thin FilmsL. Grineviciute¹, I. Lukosiunas², J. Nikitina¹, I. Meskelaite², D. Gailevicius², Kestutis Staliunas³¹Center for Physical Sciences and Technology (Lithuania), ²Vilnius University (Lithuania), ³UPC-ICREA (Spain)

We consider non-Hermitically modulated thin films, with a periodic modulation of the surface, and the modulation of losses along the film. We show that the incident radiation, is unidirectionally trapped into a planar mode of the film, does not escape from the film, and is efficiently absorbed there.

17:20 INVITED TALK Topological chiral edge modes in the continuum

Li Ge

College of Staten Island (USA)

Chiral edge modes in topological states of matter were previously found in band gaps, which may be deformed and shifted as a function of the lattice momentum. Here we show that they can exist inside a bulk band instead, i.e., in the continuum.

17:40 INVITED TALK Exceptional Nexus of Reflection Zeros and a Theory of Spectral MagnetizationWilliam Tuxbury¹, Adin Dowling¹, Shahid Iqbal¹, Mattis Reisner¹, Ulrich Kuhf², Tsampikos Kottos¹¹Wesleyan University (USA), ²Universite Cote d'Azur (France)

Analogies with nematic spin theory enable a topological characterization of reflection zeros (RZs) in an SSH-like structure with parity-time and chiral-time symmetry. These symmetries enforce an exceptional nexus at the frequency origin, hosting a sixth-order exceptional point of RZs. Reflectance/transmittance measurements experimentally confirm the nexus.

18:00 INVITED TALK Pumped and active dissipative media with non-Hermitian periodic potentialsSalim Benadouda Ivars¹, Muriel Botey¹, Kestutis Staliunas², Ramon Herrero¹¹Universitat Politecnica de Catalunya (UPC) (Spain), ²ICREA (Spain)

The introduction of periodic non-Hermitian potentials in damped-driven and damped-active NonLinear Schrödinger Equation permits stabilization and accessibility of solitonic structures.

18:20 INVITED TALK Phase conjugation and focusing in multimode non-Hermitian systems*Konstantinos Makris¹, Demetri Psaltis²*¹FORTH (Greece), ²Ecole Polytechnique Federale de Lausanne (Switzerland)

In the framework of non-Hermitian photonics, we examine two possible ways for constructing a focused spot inside a guided wave system (photonic lattices or multimode fibers) with distributed gain-loss. The first one is that of parity-phase conjugation and the second one that of singular value decomposed transmission matrices.

18:40 Sensing with complex Bragg gratings over parity-time states*Tianyi Hao, Pavel Cheben, Jens H. Schmid, Pierre Berini*

University of Ottawa (Canada)

We analyze the sensitivity of non-Hermitian Hamiltonian gratings mapped onto a spherical (anti-) parity-time (PT) symmetry state space. We focus on sensing along trajectories defined by the spherical axes (r , θ , ϕ) of the PT sphere from initial states selected thereon.

18:55 Photonic neuromorphic computing using non-Hermitian zero modes in coupled nanolaser arrays*Kaiwen Ji¹, Giulio Tirabassi², Cristina Masoller³, Ge Li⁴, Alejandro M. Yacomotti¹*¹Laboratoire Photonique Numérique et Nanosciences (France), ²Universitat Politècnica de Catalunya (Spain), ³Universitat de Girona (Spain), ⁴College of Staten Island (USA)

We propose a photonic neuromorphic computing architecture based on symmetry-protected robust zero modes. We experimentally demonstrate that even a small set of coupled nanolasers can implement non-convex boundaries, enabling the classification of highly compressed handwritten digits.

1–O39 | Dargan Auditorium | 16:40 - 19:40

SYM1: Hybrid Nanomaterials and Metastructures for Photonics, Sensing and Energy*Organized by: Jérôme Plain, Alexander Govorov, Davy Gérard, Pedro Hernandez Martinez**Chaired by: Jérôme Plain, Alexander Govorov, Davy Gérard, Pedro Hernandez Martinez***16:40 KEYNOTE TALK Kagome-Inspired Topological Photonics: From Lattice Design to Robust Control of Light***Zhigang Chen*

Nankai University (China)

I will present our recent advances in Kagome-inspired photonic lattices and their structural extensions, including super-honeycomb, breathing Kagome, disclination-based, and fractal-like geometries. These systems enable the realization of diverse topological states, such as higher-order boundary modes, vortex states carrying orbital angular momentum, and flatband-induced localization.

17:10 KEYNOTE TALK Meta-optics based optomechanics*Adeel Afridi, Bruno de Melo, Bin Lu, Nadine Meyer, Romain Quidant*

ETH Zürich (Switzerland)

We discuss the use of metaoptics in optomechanics. By exploiting resonant silicon meta-atoms, we achieve enhanced optomechanical performance and deterministic control over optical forces. We show that engineering multipolar Mie resonances allows for switching between attractive and repulsive forces, directly mirroring the behavior of two-level systems.

17:40 INVITED TALK Dielectric Mie Nanostructures and Metasurfaces for Quantum Emitter Control

Antoine Azéma¹, Swaroop Pala², Jonas Muller³, Etienne Palleau⁴, Frank Fournel⁵, Vincent Larrey⁵, Guilhem Larrieu³, Gonzague Agez¹, Jean-Marie Pouirol¹, Vincent Paillard¹, Wiecha³, Ressier⁴, Cuche¹

¹CEMES-CNRS (France), ²LPCNO (India), ³LAAS-CNRS (France), ⁴LPCNO (France), ⁵CEA-Leti (France)

Enhancing single-photon sources efficiency via optically resonant nanostructures is crucial for quantum communications. High-refractive-index dielectric nanostructures offer appealing optical properties through Mie resonances, with reduced absorption and compatibility with CMOS technology. This study explores experimentally and numerically how silicon nanoantennas and metasurfaces influence the photodynamics and directionality of quantum emitters

18:00 INVITED TALK Precision Synthesis and Functionalization: Uniform, Size- and Shape-Tunable Gold and Silver Nanostructures for Advanced Platforms

Kyoungweon Park, Aklilu Worku, Angela Campo, Richard Vaia

Air Force Research Laboratory (USA)

Silver nanostructures offer superior optical response over gold at a lower cost. However, scalable aqueous synthesis with precise size and shape control remains challenging. This talk presents advances in aqueous synthesis and robust functionalization, demonstrating how these scalable silver nanoplatforms can exceed gold's performance in real-world applications.

18:20 INVITED TALK Photochemical Synthesis of Gold Nano- and Microplates on Substrates

Svetlana Neretina, Brendan Nieu Kirk, Runze Tang

University of Notre Dame (USA)

We introduce a photochemical synthesis that yields periodic arrays of highly faceted gold nanoplates with deterministic shape control. Light-driven solution chemistry enables uniform, device-ready architectures compatible with large-area patterning. This approach provides a scalable platform for integrating plasmonic nano- and microplates into metasurfaces, optical components, and next generation photonic devices.

18:40 INVITED TALK High-Q Band-folded Lattice Resonances for Low-threshold Lasing

Shaojun Wang

Soochow University (China)

We present dielectric metasurface nanolasers leveraging non-local lattice resonances and band-folding to achieve high-Q electric quadrupole modes with superior field-gain overlap. Via Pancharatnam-Berry phase encoding, we enable lowthreshold, directional, circularly polarized lasing, offering a compact, full-polarization-controllable source for quantum photonics and sensing.

19:00 INVITED TALK

Yoshihiko Togawa

Osaka Metropolitan University (Japan)

19:20 INVITED TALK Self-assembly of Artificial Proteins as Scaffold for Advanced Nanophotonics

Liudmila Trotsiuk¹, Nathan Epalle², Rémi Chassagnon¹, Régis Parvaud¹, Valérie Marchi³, Marielle Valerio-Lepiniec², Agathe Urvoas-Cisse², Philippe Minard², Erik Dujardin¹

¹Université Bourgogne Europe (France), ²Université Paris-Saclay (France), ³University of Rennes 1 (France)

We demonstrate a proof of concept for artificial protein assemblies as programmable scaffolds for the selective positioning of quantum emitters that opens new avenues for engineered light-matter interactions in nanophotonics.

1-O40 | Room 3074 | 16:40 - 19:15

SP15: Plasmonic Nanomaterials for Bio-diagnostics, Environmental Monitoring and Food Safety

Organized by: Lucia Petti and Massimo Rippa

Chaired by: Lucia Petti and Massimo Rippa

16:40 INVITED TALK Hybrid Photonic-Electronic Tapered Optical Fibers for Multimodal Neural Interfacing*Ferruccio Pisanello, Linda Piscopo, Barbara Spagnolo, Antonio Balena, Sneha Pottakad, Claudia Lattebovio, Giulio Mastrototaro, Muhammad Fayyaz Kashif, Cinzia Montinaro, Stella Aslanoglou, Kazemzadeh, Qualtieri, De Vittorio*

Istituto Italiano di Tecnologia (Italy)

We present a multifunctional tapered optical fiber platform for multimodal neural interfacing. Plasmonic nanostructures enable highly sensitive SERS detection of neurotransmitters and wavelength-selective photothermal modulation. Integrated microelectronic elements fabricated via two-photon lithography provide electrophysiological and temperature sensing, advancing hybrid photonic-electronic implantable tools for neurophotronics.

17:00 INVITED TALK Mid-infrared Spectrochemical Detection on Pixeled SEIRA Metasurfaces using Azide vibrational Probes*Emanuela Esposito¹, Federica Donadio², Valentina Di Meo³, Gennaro Sanita², Alessio Crescentelli², Angela Oliver⁴, Annamaria Sandomenico⁴, Menotti Ruvo⁴, Massimo Moccia⁵, Vincenzo Gald⁵, Rendina²*

¹Institute of Applied Sciences and Intelligent Systems-ISASI-CNR (Italy), ²CNR - Institute of Applied Sciences and Intelligent Systems (ISASI) (Italy), ³CNR - Istituto Superconduttori (Italy), ⁴CNR - Institute of Biostructures and Bioimaging (IBB) (Italy), ⁵University of Sannio (Italy)

We demonstrate a SEIRA platform based on pixeled plasmonic metasurfaces and azide vibrational probes, enabling label-free detection of intact analytes. An azidommodified Fab fragment immobilized on gold nanoantennas enables detection of Her2 at attomole levels with probe-specific spectral shifts, achieving exceptional sensitivity.

17:20 INVITED TALK Fluorescence-based chiral sensing with silicon metasurfaces*Tom Sijm¹, Artemijs Krimovs², Robert Pa², Alberto G. Curto¹*

¹Ghent University - IMEC (Belgium), ²Durham University (United Kingdom)

Chiral molecules with opposite handedness can have strongly differing biological properties. Identifying chirality is, however, limited by low sensitivity, restricting detection to high concentrations and large sample volumes. To overcome this, we propose a silicon nanophotonics-based sensing technique to enhance the sensitivity of chiral molecular detection.

17:40 INVITED TALK Smart materials for thermal management by utilizing environmental sensing*Duncan Sutherland, Xavier Gonzalez*

NANO Center Aarhus University (Denmark)

Solar conversion to heat in building interiors causes significant energy use through air-conditioning, contributing massively to global CO₂ emission. A smart windows solution based on plasmonics makes use of environmental sensing to dynamically modulate near infrared light entry as a function of solar intensity.

18:00 INVITED TALK Resonant Heat Transfer for Efficient Off Grid Photothermal Desalination*William Schmid, Qian Ye, Aleida Machorro-Ortiz, Peter Nordlander, Naomi J. Halas, Alessandro Alabastr*

Rice University (USA)

Solar photothermal desalination is limited by latent heat. We demonstrate resonant heat transfer that recycles condensation heat back to the feed when counterflows are dynamically matched. With nanophotonic or plasmonic absorbers for high light to heat conversion, resonance increases fresh water output and enables off grid desalination.

18:20

INVITED TALK

Optical Forces Enhanced by Epsilon Near Zero Metamaterials for Nanoscale Manipulation*Giovanna Palermo¹, Dante M. Acet², Maria Grazia Donato³, Onofrio Maragò³, Giuseppe Strangi⁴*¹University of Calabria (Italy), ²NLHT Lab - University of Calabria (Italy), ³CNR-IPCF (Italy), ⁴Case Western Reserve University (Italy)

We study optical force enhancement near epsilon-near-zero metamaterials for nanoscale trapping and transport. By combining electromagnetic simulations and force evaluation, we identify conditions that maximize gradient and scattering forces under realistic illumination. The approach enables tunable optical manipulation in compact platforms, with relevance to lab on chip and photonics.

18:40

INVITED TALK

Micro and Nanolasers for Biomolecular Detection*Soraya Caixeiro*

University of Bath (United Kingdom)

Micro and nanolasers exhibit sharp optical resonances that make them powerful platforms for sensitive biomolecular detection. We demonstrate spectralshift sensing using surfacefunctionalised whisperinggallerymode microlasers, with goldnanoparticle coupling providing enhanced, labelfree sensitivity. This approach enables the detection of subtle molecular interactions and offers a versatile route toward compact, highprecision biosensing devices.

19:00

Low-Power Plasmonic Strategies for Nanoscale Analyte Transport and Trapping*Aliaksandra Rakovich¹, Marciano Palmo do Carmo¹, David Mack², Diane J. Roth¹, Miao Zhao¹, Ancin M. Devis¹, Francisco Rodriguez-Fortuño¹, Stefan A. Maier³, Paloma A. Huidobro⁴*¹King's College London (United Kingdom), ²Imperial College London (United Kingdom), ³Monash University, Imperial College London (Australia), ⁴Universidad Autonoma de Madrid (Spain)

This work reports a low-power hybrid plasmonic platform for nanoscale analyte transport and trapping aimed at plasmonic biosensing applications. The platform integrates asymmetric nanoantenna arrays that enable rectified Brownian transport under modulated illumination with plasmonic bowtie electrodes that provide frequency controlled dielectrophoretic trapping and release, enabling spatially resolved analyte delivery.

1-O41 | Room 5039 | 16:40 - 18:55

GEN25: Metasurfaces: Flat Optics, FSS, HIS, and Beyond

16:40

Reconfigurable Optical Imaging via a Wavelength-Driven Multifunctional Metasurface*Hongliang Li¹, Yang Xiao¹, Yuning Ye², Jisen Wen², Xuechao Yu¹*¹Suzhou Institute of Nano-Tech and Nano-Bionics (China), ²Zhejiang University (China)

Wavelength-multiplexed metasurfaces enable compact multifunctional imaging but often suffer from inter-channel crosstalk. Here, we demonstrate a wavelength-driven metasurface for switchable dual-mode imaging. The device generates a focused beam at 450 nm and a vortex beam at 532 nm, enabling bright-field and edge-enhanced imaging within a single ultrathin platform.

16:55

SuperLattice Plasmon Mode in a Grating of 2D Electron Strips*Alexey Shuvaev¹, A. R. Khisameeva¹, V. M. Muravev², K. R. Dzhikirba², A. A. Zabolotnykh³, P. A. Gusikhin², M. S. Ryzhkov¹, D. A. Khudaiberdiev¹, A. S. Astrakhantseva², I. V. Kukushkin², Pimenov¹*¹Vienna University of Technology (Austria), ²Institute of Solid State Physics (Russia), ³Kotelnikov Institute of Radio-engineering and Electronics of the RAS (Russia)

We report an experimental observation of a new plasmon mode in the metasurface made up of two-dimensional electron system strips. A collective effect from the superlattice, along with lateral screening between the strips are the key properties of the novel resonance. The developed analytical approach accurately describes the observed behavior.

17:10

Strong Coupling between quasi-bound states in the continuum and monolayer WS₂ on a Si₃N₄ metasurface*Yongliang Zhang¹, Oisin McCormack¹, Na Jia¹, Hodjat Hajian¹, Jack Dobie¹, Justin Schulz¹, Xia Zhang², Owen Moynihan³, Brain Corbett³, A. Louise Bradley¹*¹Trinity College Dublin (Ireland), ²Northeastern University (China), ³Tyndall National Institute (Ireland)

We designed a tunable quasi-BIC metasurface using machine learning. Strong coupling with monolayer WS₂ achieved 29.3meV Rabi splitting, increased to 35.64meV via a PMMA layer. The PMMA enhanced transmission and the electric field. The PL and Raman intensities increased 5.9-fold and 2.4-fold respectively, confirming metasurface-enhanced light-matter interactions.

17:25

Wafer-scale fabrication of quartz-monolithic metalenses for the ultraviolet*Jaewon Jang¹, Hui Jae Cho², Yeonsang Park¹*¹Chungnam National University (South Korea), ²National NanoFab Center (South Korea)

We fabricated 8-inch wafer-scale, quartz-monolithic ultraviolet metalenses operating at 325 nm using ArF photolithography. This platform circumvents the scarcity of high-index dielectrics that are CMOS-compatible and transparent in ultraviolet, while maintaining high optical efficiency. This work presents a cost-effective pathway for scalable manufacturing of highly compact ultraviolet optical systems.

17:40

Colorimetric thermography by a long-infrared dual-band metalens*Zhendong Luo¹, Peng Zhang², Yang Zhao², Mu Ku Chen¹*¹City University of Hong Kong (Hong Kong), ²University of Science and Technology of China (China)

Colorimetric thermography enables emissivity-independent temperature measurement but requires bulky optics. We present a compact dual-band metalens for LWIR colorimetric thermography at 9.5 and 12.5 μm . It images low-emissivity objects and measures temperature without presetting emissivity, reducing errors by 50.16% (60-180°C), enabling compact multi-target IR systems.

17:55

Passive and Reconfigurable Terahertz Logic Metasurfaces via Frequency and Orientation Multiplexing*Mohammadhossein Momtazpour¹, Lei Xu¹, Dou Feng², Anjali Chaudhary³, Dominic Craske¹, Costas Tsakonas¹, Cuifeng Ying¹, Demosthenes Koutsogeorgis¹, Miguel Navarro-Cía², Mohsen Rahmani¹*¹Nottingham Trent University (United Kingdom), ²University of Birmingham (United Kingdom), ³Indian Institute of Technology Delhi (India)

We demonstrate a terahertz metasurface platform capable of implementing up to five distinct logic operations within a single passive architecture, representing a record level of multifunctionality. The system enables low-power operation and scalable THz signal processing, advancing the transition from electronic to optical logical decision-making.

18:10

Nanoparticle detection and directional light emission based on whispering-gallery microcavities*Youling Chen*

Institute of Semiconductors - CAS (China)

Single-molecule detection is demonstrated using the plasmonic-enhanced interface modes in a whispering-gallery microbubble resonator. Moreover, a deformed circular-side triangular microresonator is fabricated. Unidirectional light emission is experimentally demonstrated, which changes drastically upon the binding of a nanoparticle, predicting applications in electrically pumped, portable and highly sensitive far-field detection of nanoparticles.

18:25

Tunable Emission Enhancement in Ge Filmsthrough All-Dielectric Metasurfaces*Jon Schlipf¹, Diana Ryzhak¹, Giovanni Capellini¹, Paul Oleynik², Yuji Yamamoto¹, Inga Fischer¹*¹IHP - Leibniz Institute for High Performance Microelectronics (Germany), ²BTU Cottbus-Senftenberg (Germany)

We show photoluminescence enhancement up to a factor of 43 with respect to unetched layers in Ge all-dielectric metasurfaces. Our results point to band-to-band recombination as the dominant emission mechanism. Emission peaks correspond to multipole modes of coupled Mie resonators, and are controlled by lateral nanostructuring.

18:40

Deep-UV Photonic-Crystal Surface-Emitting Lasers with Sub-Degree Beam Divergence*Philippe Tassin, Dogukan Apaydin, Hjalmar Andersson, Lukas Uhlig, Sarina Graupeter, Joachim Ciers, Giulia Cardinali, Erik Strandberg, Tim Wernicke, Michael Kneissl, Schwarz, Haglund*

Chalmers University of Technology (Sweden)

We demonstrate the first optically pumped deep-ultraviolet photonic-crystal surface-emitting lasers operating below 280 nm. By optimizing the photonic crystal's filling factor, single-mode emission at 279 nm with sub-degree beam divergence is achieved. These results establish PCSEs as a promising platform for high-beam-quality, high-power deep-UV semiconductor lasers.

1-O42 | Room 4050B | 16:40 - 19:00

SYM6: Advanced Techniques for Computational Electromagnetics*Organized by: Maha Ben Rhouma**Chaired by: Maha Ben Rhouma*

16:40

INVITED TALK

Computational Nanophotonics for AR Optics: From Performance Targets to Artifact Robust Designs*Christina Spaegle*

Meta (USA)

Nanophotonic optics have the potential to enable compact, lightweight AR displays by enhancing wavefront control in wearable devices. This talk links AR system requirements to nanostructure design, discusses performance and fabrication challenges, and presents examples of nanophotonic design approaches developed to overcome artifacts and meet demanding AR display standards.

17:00

INVITED TALK

Optical Nonlinearities in Materials with Nonlocal Response*Gonzalo Alvarez-Perez¹, Huatian Hu², Cristian Cirac³*¹Italian Institute of Technology (Italy), ²Istituto Italiano di Tecnologia (Italy), ³Center for Biomolecular Nanotechnologies (Italy)

Heavily doped semiconductors and polar dielectrics enable strong mid-infrared nonlocal and nonlinear light-matter interactions. Hydrodynamic carriers and bulk plasmons enhance Kerr nonlinearities and optical bistability in tunable nanoantennas and hybrid waveguides. In polar dielectrics, anharmonic phonons generate intrinsically nonlinear phonon-polariton responses that can be strongly amplified in nanostructures.

17:20

INVITED TALK

Topologically structured doughnuts: optical skyrmions, superoscillations, and axion probes*Nikitas Papisimakis*

University of Southampton (United Kingdom)

This talk will present recent developments on spatiotemporally structured toroidal pulses including their topological properties, exotic field configurations, superoscillatory behaviour, and non-trivial light-matter interactions.

17:40

INVITED TALK

A universal scattering anomaly near bound states in the continuum*Ya Yan Lu*

City University of Hong Kong (China)

18:00

INVITED TALK

Separating partially coherent light*Charles Roques-Carmes*

Stanford University (Austria)

We demonstrate the automatic separation of partially coherent light into its mutually orthogonal and incoherent components by variational processing in an integrated circuit. This process finds and measures the eigenvectors and eigenvalues of the coherency matrix, hence also completely measuring the partially coherent state, while leaving it intact after optimization.

18:20

INVITED TALK

Simulation and Optimization of Large-Scale Metasurfaces*Jens Niegemann¹, Shin-Sung Kim², Thibault Leportier¹, Han-Hsiang (Michael) Cheng³*¹Ansys (Canada), ²Ansys (United Kingdom), ³Ansys (Japan)

We demonstrate efficient simulation and optimization of millimeter-scale metasurfaces using GPU-accelerated finite-difference time-domain (FDTD) methods. Additionally, we show how optimized metasurfaces can be seamlessly integrated into system-level simulations through machine learning-based surrogate models, enabling rapid evaluation without repeated full-wave analysis

18:40

INVITED TALK

Photo-Excited Silicon-Based Quarter-Wave Plate for Terahertz Applications*Shohei Tsuzuki, Jun Shibayama*

Hosei University (Japan)

This article investigates a photo-excited silicon quarter-wave plate in the terahertz region. Using the finite-difference time-domain method, the performance of the quarter-wave plate is calculated with a focus on light emission intensity. Depending on the intensity, this device acts as either a quarter-wave plate or a blocking filter.

1-O43 | McNabb Theatre | 16:55 - 19:15

SP20: Nonlocal and nonlinear nanophotonics

Organized by: Gonzalo Álvarez-Pérez and Huatian Hu

Chaired by: Gonzalo Álvarez-Pérez and Huatian Hu

16:55 INVITED TALK Using material and structural resonances to shape photon pair emission by four-wave mixing*Hua Li, Omer Can Karaman, Valeria Vento, Giulia Tagliabue, Christophe Galland*

EPFL (Switzerland)

Four-wave mixing (FWM) is a universal nonlinear process that can take place in any material under sufficiently strong optical excitation. We show how the polarization and spectra of quantum-correlated photon pairs produced by FWM can be tailored through the use of material resonances (phonon modes) and structural resonances (Mie-type modes).

17:15 INVITED TALK Prospects to bypass metal nonlocal phenomena using phonon-polaritons*Jacob Terndrup Heiden¹, Eduardo J. C. Dias¹, Minhyuk Kim², Martin Nørgaard¹, Vladimir A. Zenin¹, Sergey G. Menabde³, Hu Young Jeong², N. Asger Mortensen¹, Min Seok Jang³*

¹University of Southern Denmark (Denmark), ²Ulsan National Institute of Science and Technology (Korea), ³Korea Advanced Institute of Science and Technology (Korea)

Under extreme confinement of light, omission of nonclassical response often yields big discrepancies between classical predictions and measurements. Here, we show that phonon-polaritons in hexagonal boron nitride screened by gold can be confined unobstructed by nonlocal phenomena, even for phase velocities approaching the Fermi velocities of electrons in gold.

17:35 INVITED TALK A Boundary Element Method Solver for Dispersive Feibelman Parameters in Plasmonics*Ulrich Hohenester, Lorenz Huber*

University of Graz (Austria)

We develop a computational Maxwell solver based on the boundary element method incorporating frequency dependent and dispersive Feibelman parameters, which accounts for nonlocal effects in plasmonic nanoparticles. Typical runtimes are comparable to those of normal simulations, and we discuss how to obtain the pertinent Feibelman parameters for realistic metals.

17:55 INVITED TALK Nonlocal metasurfaces controlling the geometric phase and direction of light*Adam Overvig*

Stevens Institute of Technology (USA)

We discuss progress in the field of nonlocal metasurfaces to control the direction and light within a sharp spectral feature. We clarify the geometric phases involved and explore applications of symmetry-breaking design concepts to enhance resonant efficiency, unidirectionally scatter light, engineer topological cavities, and steer nonlinear harmonic generation.

18:15 INVITED TALK Mapping Nonlocal Bulk Continuum to Few Surface Modes*Runzhi Zou¹, Qiang Zhou¹, Pu Zhang², Xue-Wen Chen¹*

¹Huazhong University of Science of Technology (China), ²Huazhong University of Science and Technology (China)

The quasi-continuum of nonlocal bulk modes greatly complicates the optical responses of nanostructures and modal analysis. We establish a general framework to effectively map the nonlocal bulk continuum to few modes of an equivalent system, which admits the classical description and helps reveal physical insights from the complicated responses.

18:35

INVITED TALK

On An Integral-Equation Method in Quantum Hydrodynamics: Efficiency and Convergence Issues*Christos Mystilidis¹, Xuezhi Zheng², Christos Tserkezis¹*¹University of Southern Denmark (Denmark), ²Nanjing University of Aeronautics and Astronautics (China)

We present a Volume Integral Equation (VIE) method for the analysis of scattering from spherical nanoparticles (NPs) described by the Quantum Hydrodynamic Theory (QHT). Exploiting the inherent symmetries, we overcome significant computational bottlenecks and explore convergence issues by investigating the asymptotic behaviour of matrix elements.

18:55

INVITED TALK

Probing the extreme optical field around plasmonic nanocavities*Hongli Zhou, Shunping Zhang*

Wuhan University (China)

The fundamental limit of plasmonic field enhancement is a basic in nanophotonics. We probe the averaged electric field enhancement in a resonant Ag nanocavity reach > 1200 times in the hot spot and the vacuum field of a plasmonic mode is highly localized around a tip.

2

Wednesday, July 15, 2026

2-P1 | Dargan Auditorium | 08:30 - 10:15

Plenary Session II**08:30** **PLENARY TALK** **Materials-Driven Photonics: Toward Tunable and Extreme Light Control***Alexandra Boltasseva*

Purdue University (USA)

We study tailorable and dynamically tunable properties of transparent conducting oxides (TCOs) and transition metal nitrides (TMNs) for applications in all-optical modulators and flat optics. We also investigate metal-to-insulator transition in ultra-thin TMN films operating in the so-called transdimensional regime.

09:05 **PLENARY TALK** **Precision nanogap metamaterials for tracking bioanalytes using SERS and SEIRA***Jeremy J. Baumberg*

University of Cambridge (United Kingdom)

I will discuss a range of recent key advances that give robust, repeatable, and recleanable nanogap plasmonic sensors, as well as midIR metamaterials enabling real-time flow electrochemistry.

09:40 **PLENARY TALK** **Quadratic Nanomaterials for On-Chip Classical and Quantum Devices***Rachel Grange*

ETH Zurich (Switzerland)

Here I will present our recent progress in top-down fabrication of lithium niobate devices and bottom-up approaches, including the assembly of randomly oriented nanocrystals and sol-gel processes, to generate nonlinear classical and quantum signals. Finally, I will describe how these platforms are suited for nonlinearities in machine learning.

Coffee Break

10:15 - 11:00

2-P1 | Business School Concourse | 10:15 - 10:45

Poster Session III**P1****Low-Contrast Bound States in the Continuum Metasurfaces Enabling Single Nanoparticle Sensing***Keisuke Watanabe¹, Samuel Crowther², Masanobu Iwanaga¹, Frank Vollmer², Tadaaki Nagao¹*¹National Institute for Materials Science (NIMS) (Japan), ²University of Exeter (United Kingdom)

We present real-time sensing of single polystyrene nanoparticles using low-contrast bound states in the continuum metasurfaces with ultrahigh quality factors. Strongly confined electric fields in the shallow-etched geometry interact with virus-sized particles with a diameter of 100 nm, enabling the experimental observation of discrete wavelength steps.

P2

Autoregressive Transformer for Inverse Design of Optical Multilayer Thin-Film Structures*Kewen Ding, Peng Dai, Mike Pivnenko, Daping Chu*

University of Cambridge (United Kingdom)

We propose an encoder-decoder Transformer for inverse design of optical multilayer thin-film structures. A decoupled tokeniser predicts materials and thicknesses as separate tokens, achieving 1 nm thickness resolution. The model attains a mean absolute error of 0.0785 on 50,000 test samples at 511 designs per second.

P3

Plasmonic nanocavities for quantum light emitters and sensing applications*Khizar Shah, Ning Liu*

University of Limerick (Ireland)

Plasmonic nanocavities enable strong light-matter interaction for quantitative SERS and single-photon emission. Single-crystal Ag microplate NPOM cavities exhibit reproducible maximum SERS near monolayer 4-ATP coverage ($1 \mu\text{M}$, $\text{EF} \approx 10$). On single-crystal Au microplates, site-defined nanocavities incorporating quantum dots and Au nanospheres establish controlled emitter-cavity coupling toward deterministic single-photon platforms.

P4

Externally Driven Quantum Dynamics in Plasmonic Nanocavities*Ishita Jena, Angus Crookes, Ben Yuen, Angela Demetriadou*

University of Birmingham (United Kingdom)

Plasmonic nanocavities strongly couple to quantum emitters, but controlling this excitation with external illumination can be challenging. We propose a system of two couple nanocavities each hosting a single quantum emitter, to control the quantum dynamics of the system. This paves the way towards engineering quantum states in plasmonic systems.

P5

Long-Wavelength Infrared Dual-Polarization Metalens for Enhanced Thermal Imaging Details*Lianjie Xu, Peng Zhang, Yang Zhao*

University of Science and Technology of China (China)

Conventional polarization imaging requires complex bulky systems. Overcoming this, we present a large aperture long wave infrared dual polarization metalens. Fabricated via cost effective laser direct writing, our compact single shot device simultaneously resolves orthogonal polarization signatures, streamlining detection and paving the way for real time polarization thermal imaging.

P6

Hyperbolic metamaterials for efficient single photon emission*Manobina Karmakar¹, Pavel Klok², Katarina Rovenská², Peter Kepič², Thomas Possmayer³, Beáta Idesová², Filip Ligmajer², Leonardo Menezes³*

¹Ludwig-Maximilians-University of Munich (Germany), ²Brno University of Technology (Czech Republic), ³Ludwig-Maximilians-Universität München (Germany)

Hyperbolic metamaterials (HMMs) offer ultrahigh photonic density of states for enhancing solid-state single-photon emitters. Using electromagnetic simulations, we evaluate Purcell factors and photon collection efficiencies for metal-dielectric stacks coupled to emitters. We show that high Purcell enhancement often accompanies strong non-radiative losses, while surface gratings significantly improve far-field photon out-coupling.

P7

Dual-Band Beam-Switching Cavity-Excited Antenna Based on Scattering Constellations*Yumeng Wang, Zeqiang Lin, Alex Man Hon Wong*

City University of Hong Kong (China)

A mechanically reconfigurable dual-band cavity-excited antenna is designed with metallic rod scattering constellations. Its reconfigurability relies on modulated rod distribution. An algorithm optimizes the constellation, enabling $0^\circ/30^\circ$ beam switching at both 7GHz and 12 GHz, validated by full-wave simulations with precise beam control.

P8

Time-varying Metamaterials on a Drone Rotor Blade*Pavel Ginzburg¹, Dmytro Vovchuk¹, Anna Mikhailovskaya¹, Konstantin Grotov¹, Mikhail Tsukerman¹, Omer Tsidki¹, Sergey Geyman¹, Mykola Khobze², Vladyslav Tkach², Toms Salgals³, Muračova³, Bobrovs³*¹Tel Aviv University (Israel), ²Yuriy Fedkovych Chernivtsi National University (Ukraine), ³Riga Technical University (Latvia)

Rotation provides a practical route to time-varying scattering, enabling signal encoding and recognition. We tag rotor blades with angle-dependent metamaterial superscatterers that, in motion, generate a strong, shaped micro-Doppler signature for improved drone detectability. Meta-learning inverse design optimizes RCS, bandwidth, and angles, validated in lab and outdoor flight tests.

P9

Probing Strongly Coupled Multi-Resonant Plasmonic Cavities and Excitons in ITR-PEEM*Sacha Schwarz¹, Raphael Gherman², Alex Currie¹, Jean-François Bryche², Guillaume Beaudin², Dominique Drouin², Serge Ecoffey², François Fillion-Gourdeau¹, Pierre Levesque¹, Paul Charette², MacLean¹*¹Infinite Potential Laboratories (Canada), ²Université de Sherbrooke (Canada)

We present strong coupling between excitonic and both localized and delocalized plasmonic modes in the near-field of a multi-resonant nanoparticle-on-mirror array integrated with a WSe₂ monolayer using interferometric time-resolved photoemission electron microscopy.

P10

Metallic Nanohelices as Chiral Metasurfaces & Applications in Chiral Sensing*Thu Hac Huong Le*

National Institute of Advanced Industrial Science and Technology (AIST) (Japan)

This study presents a wafer-scale self-assembly approach for the fabrication of metallic helices by engineering the residual stresses and gradient strains in thin films, which induce spontaneous folding and twisting. The resulting nanohelices, with submicrometer radii, exhibit pronounced chiroptical responses in the infrared regime, enabling practical applications in chiroptical spectroscopies.

P11

Surface Light Localization in Topological Multilayers*Eva Otero¹, Ivan Toftu², Yuri Kivshar², Crina Cojocaru¹, Jose Trull¹*¹Universitat Politècnica de Catalunya (Spain), ²Australian National University (Australia)

We numerically and experimentally study a photonic multilayer with SSH geometry supporting localized edge states. Comparison between two structures with identical periodicity but different topological phases show edge states only in the nontrivial phase. An absorber layer confirms the mode is confined to the surface rather than the bulk.

P12

Retrieving colors hidden in a grey Fabry-Pérot cavity through coherent absorption*Giuseppe Emanuele Lio¹, Giulio Carotta², Lorenzo Lavista³, Andrea Camposeo¹, Giacomo Venturi⁴, Agnese Guernieri⁵, Alessandro Pitanti³, Simon A. R. Horsley⁶, Giuseppe C. La Rocca⁷, Alessandro Tredicucci³, Zanotto¹*¹Istituto Nanoscienze - CNR (Italy), ²Università di Pisa (Switzerland), ³Università di Pisa and Istituto Nanoscienze - CNR (Italy),⁴Università di Pisa (USA), ⁵Università di Pisa (Italy), ⁶University of Exeter (United Kingdom), ⁷NEST (Italy)

A dielectric slab coated with thin metal films is the prototypical Fabry-Pérot cavity, featuring defined reflectance and transmittance spectral resonances. Here we challenge this common acquisition, showing that an appropriately chosen metal coating washes out the Fabry-Pérot resonances, that can be however fully retrieved by a coherent absorption measurement.

P13

Broadband tunable second-harmonic generation using local-to-nonlocal intersubband polaritonic metasurfaces*Jaesung Kim¹, Gerhard Boehm², Mikhail A. Belkin², Jongwon Lee¹*¹UNIST (Korea), ²Technical University of Munich (Germany)

We demonstrate local-to-nonlocal intersubband polaritonic metasurfaces that enable broadband two-dimensional control of second-harmonic generation. A local resonance enhances excitation at the fundamental frequency, while a nonlocal resonance governs dispersive emission at the second harmonic. Voltage and incident angle independently modulate the SH spectral response, enabling broadband two-dimensional control of SHG.

P14

Detection and Quantification of Mid-Infrared through Raman thermometry in Plasmonic Bilayer Metasurface*Anju Sajan, Christopher Sumner, Rohit Chikkaraddy*

University of Birmingham (United Kingdom)

Room temperature manipulation of mid-infrared radiation is hindered by weak light-matter coupling and thermal dissipation. We design and fabricate a plasmonic bilayer resonant metasurface that enhances absorption in the mid-IR and enables quantitative evaluation of the resulting temperature rise, offering a pathway toward improved photonic sensing and thermal detection.

P15

Fundamental Limits to the Design of Achromatic Metasurfaces*Nicolas Kossowski¹, Roman Buisine¹, Adelin Patoux¹, Rémi Colom¹, Patrice Genevet², Samira Khadir¹*¹Université Côte d'Azur (France), ²Colorado School of Mines (USA)

This work establishes rigorous conditions for designing achromatic metasurfaces, defining two regimes: achromatic (unitary Strehl ratio) and pseudo-achromatic (near-achromatic behavior via aberration compensation). It derives size limits and performance metrics, validated using FDTD simulations, to guide the design of broadband metasurfaces for applications like augmented reality and imaging.

P16

Transmissive Metasurface for Efficient Underwater Sound Focusing with a Wide Incident Angle*Jin-Chen Hsu¹, Jia-Feng Lai¹, Jia-Hong Sun²*¹National Yunlin University of Science and Technology (Taiwan), ²Chang Gung University (Taiwan)

An underwater acoustic metasurface for wide-angle and efficient focusing in transmission mode is designed. Numerical results show that the metasurface can focus oblique-incident waves up to 45° at the same power level as the normal-incident case. The metasurface also exhibits good achromatic capability with a large spatial incident angle view.

P17

Revolutionizing semiconducting SERS application for resistant pollutants via nanoarchitectonics*Yunqing Kang¹, Yusuke Yamauchi¹, Julio Gutiérrez Moreno², Olga Guselnikova³*¹Nagoya University (Japan), ²Barcelona Supercomputing Center (Spain), ³Vienna University of Technology (Austria)

Amorphous Rh-Se mesoporous nanospheres synthesized via micellar self-assembly enable semiconducting SERS substrates with tunable composition, curvature, and amorphization, achieving sensitive detection of hexachlorobenzene and Teflon microplastics through electronic modulation, challenging high-surface-area paradigms and guiding design of advanced metal-selenium sensing materials for catalysis and electronics applications beyond conventional semiconductors worldwide.

P18

Inverse design of OPA beam steering correction meta optics*Joao Cunha, Filipe Camarneiro, Joao Borlido, Patricia C. Sousa, Diogo Aguiam*

INL - International Iberian Nanotechnology Laboratory (Portugal)

Optical phased arrays (OPA) are promising solid-state integrated photonic technologies for compact beam steering targeting free-space optical telecommunication and sensing applications. In this work we present an inverse design framework to optimize silicon nitride meta optics to straighten the curved OPA radiation pattern and expand the field of view coverage.

P19

High-performance Wide-angle Metalens for Optical Receiver*Wei-Hsiang Lai, Pin Chieh Wu*

National Cheng Kung University (Taiwan)

In this work, we present a 940nm metalens designed for integration with CCDs, enabling a significant reduction in system volume. The proposed metalens features a wide field of view of 93° while maintaining high modulation transfer function (MTF) performance. This ultra-compact solution enhances light collection efficiency for near-infrared optical receivers.

P20

Structural Coloring via Hyperuniform Arrays of Tapered Si Nanostructures on Glass*Hanna Kylhammar, Mikko Kjellberg, Srinivasan Anand*

KTH Royal Institute of Technology (Sweden)

Highindex dielectric nanostructures provide a route to structural coloration without pigments. Here, we demonstrate color tuning in hyperuniform arrays of amorphous silicon nanodisks by controlling the nanodisks' sidewall angle, which results in a shift in the spectral position of the resonant scattering. Charged sphere lithography enables scalable hyperuniform pattern generation.

P21

Structural Colour Transmission of Novel Superimposed Gratings Fabricated via Two-Photon Polymerisation*Jamie Somers, Jing Qian, Colm Delaney, Pascal Landais, Louise Bradley*

Trinity College Dublin (Ireland)

Direct laser writing continues to develop for photonic applications. The technique can produce complex structures using low refractive index polymer materials. The superimposed phase grating structure presented demonstrates improved colour saturation across the visible spectrum, with examples shown at 390 nm, 470 nm and 700 nm.

P22

Physically intuitive coupling engineering for realizing the proposed spectral response at the resonator with drop waveguide*Yae Jun Kim, Yu Sung Choi, Jae Won Ahn, Jae Woong Yoon*

Hanyang University (Korea)

We present an analytically guided coupling engineering framework that maps coupling parameters to spectral characteristics in a resonator with a drop waveguide. By designing wavelength dependent coupling trajectories, we realize broadband uniform resonance output at the drop port and broadband critical coupling at the bus port.

P23

Direct Laser Writing of Ag-Au Thin Films for Plasmonic Sensing Platform*Kernius Vilkevičius, Tomas Rakickas, Evaldas Stankevičius*

Center for Physical Sciences and Technology (Lithuania)

Periodic plasmonic nanostructures were fabricated on silver, gold, and silver-gold thin films using single ultrashort laser pulses. Grating-coupled resonances exhibit sharp spectral peaks and a high refractive-index sensitivity up to 930 nm/RIU. The Ag-Au nanobump arrays demonstrate enhanced performance stability and repeatability, highlighting their potential for scalable plasmonic sensing platforms.

P24

Spatially coherent quantum dot emission using guided mode resonances*Nimisha Ramprasad, Harry Atwater*

Caltech (USA)

We design guided-mode-resonant gratings to enable spatially coherent quantum-dot emission in the visible, with applications to emissive luminescent solar concentrators. This single-mode waveguide device enables high angular selectivity and asymmetric diffraction, establishing a new architecture for off axis focusing, enabling high efficiency concentrators.

P25

Tunable Thermal Emissivity for Thermal Infrared Camouflage Enabled by a Zigzag Metallic Glass Structure*Yu-Ching Shih, Wei-Han Wang, Chia-Hsuan Lee, Hsuen-Li Chen*

National Taiwan University (Taiwan)

Precise control of thermal infrared emissivity is critical for thermal management. Here, a single-layer zigzag metallic glass film fabricated by glancing angle deposition is demonstrated to provide precisely tunable emissivity. The structure induces strong optical anisotropy, enabling continuous emissivity modulation and effective thermal infrared camouflage of heated objects.

P26

Guiding synthetic chiral light for compact and efficient chiroptical sensing*Alexander Löhr¹, Justas Terentjevas¹, Patricia Vindel-Zandbergen², David Ayuso³, Misha Ivanov¹, Olga Smirnova¹*¹Max Born Institute (Germany), ²New York University (USA), ³Imperial College London (United Kingdom)

Hollow capillaries offer a practical route to synthetic chiral light by guiding a stable, near-phase-matched three-dimensional field generated by standard two-color femtosecond Ti:sapphire pulses. This enables enantio-sensitive sum-frequency emission from sub-nanomole gas-phase samples, while phase cycling isolates the chiral signal in a background-free channel, enabling compact photonic chiral sensing.

P27

Stabilization of Whispering Gallery Microresonators by Hidden Solvent Dynamics*Marco Reale, Antonino Madonna, Simonpietro Agnello, Marco Cannas, Emanuele Marino, Alice Sciortino, Fabrizio Messina*

University of Palermo (Italy)

Whispering-gallery microresonators offer ultrasensitive optical fingerprints but can suffer from long-term spectral drifts. Combining experiments and modeling, we trace this instability to slow solvent release from quantum-dot-loaded polystyrene microparticles. Harnessing this understanding, we develop a simple stabilization protocol that locks resonances, enabling reliable WGM-based photonic labels, sensors, and microscale self-trackers.

P28

Chiral sensing along dielectric waveguides: effective index splitting and mode coupling*Alice de Corte¹, Tom T. C. Sidermans², Ankit K. Singh², Bjorn Maes¹, Alberto G. Curto²*¹University of Mons (Belgium), ²Ghent University (Belgium)

The sensitive detection of chiral molecules is essential in biochemistry. We present a framework for understanding both optical rotation and circular dichroism in dielectric waveguides coated with chiral molecules. Our approach incorporates the Pasteur parameter into a mode solver to predict an effective index splitting explained by mode coupling theory.

P29

Emergent Spin-Orbital Berry Curvature Fluxes in pseudo-Nodal Semimetals*Peter C. Schmitz¹, Dongwook Go², Yuriy Mokrousov¹*¹Peter Grünberg Institute 1 (Germany), ²Korea University (Korea)

We investigate the relationship between singularities in the Spin-Orbital-texture and the Berry-curvature flux originating from avoided-crossing-manifolds in the Brillouin zone (Hotspots / Hotloops) and on the Fermi surface of analytic models and Van-der-Waals materials. Sources and Vortices seem to inter-convert by Spin-Orbit coupling analogous to Electromagnetism.

P30

Pole expansion of the optical scattering matrix via rescaled scattering channels*Elias Fösleitner¹, Adrià Canós Valero¹, Zoltan Sztranyovszky², Egor Muljarov³, Kirill Koshelev⁴, Thomas Weiss¹*¹University of Graz (Austria), ²University of Birmingham (United Kingdom), ³Cardiff University (United Kingdom), ⁴Australian National University (Australia)

The pole expansion of the optical scattering matrix provides a fast and insightful route to investigate nanophotonic systems. However, conventional scattering channels from Mie theory result in matrices that exponentially diverge in the complex frequency plane, preventing simple pole expansions. We discuss different rescaling approaches to regularize the scattering channels.

P31

Space-time modulation based on an underwater acoustic metasurface*Han Jia, Yuzhen Yang*

Institute of Acoustics CAS (China)

Here, we design a prototype of space-time acoustic metasurface (STAM), consisting of a reflective piezoelectric array controlled by a field-programmable gate array. Leveraging the spatiotemporally programmable phases of the STAM, we experimentally achieve Doppler-like chirp modulation and space-time modulation with deterministic frequency and momentum shifts of waterborne acoustic waves.

P32

Can real motion be synthetically emulated?*Kyan Louisa, Francisco J. Rodríguez-Fortuño*

King's College London (United Kingdom)

Advances in spatiotemporal material modulation have enabled synthetic motion, emulating electromagnetic responses of moving objects without physical displacement. We assess how faithfully synthetic motion reproduces true motion, using both Galilean and Lorentz protocols. By analysing wave reflection and hybrid real-synthetic motion, we isolate which dynamical effects are genuinely reproduced.

2-O2 | Room 5052 | 11:00 - 12:35

SYM2: New trends in nanophotonics and advanced materials*Organized by: Junsuk Rho, Hakjoo Lee, Namkyoo Park, Seong Ok Han**Chaired by: Junsuk Rho, Hakjoo Lee, Namkyoo Park, Seong Ok Han*

11:00

Resolving Surface Plasmon Dispersion with Fabry-Pérot-Assisted Extraordinary Optical Transmission*Youssef El Badri¹, Hicham Mangach², Mustapha Bahich¹, Yan Pennec², Bahram Djafari-Rouhani², Younes Achoui¹*¹Moulay Ismail University (Morocco), ²IEMN (France)

We present a numerical study showing the reconstruction of SPP dispersion diagram of a metal-dielectric interface from extraordinary optical transmission resonances in gratings with subwavelength Fabry-Pérot apertures. By varying periodicity, each device probes distinct momentum states, enabling reconstruction of the SPP dispersion in close agreement with eigenmode solutions.

11:15

INVITED TALK

Novel Materials for UV Plasmonic Nanostructures*Michael Foltýn, Tomáš Šíkola, Michal Horák*

Brno University of Technology (Czech Republic)

We present a study of novel plasmonic materials, focusing on nanostructured non-noble metals at the single-particle level. We demonstrate the spectral tunability of their localized surface plasmon resonances. In particular, we investigate gallium, bismuth, lead, and tin.

11:35

INVITED TALK

Enhancing and directionally controlling the photoluminescence of 2D materials using plasmonic nanocavities*Fajun Xiao*

Northwestern Polytechnical University (China)

We report particle-on-mirror plasmonic nanocavities enabling precise control of excitation, emission, and photon routing at the nanoscale. Record-large photoluminescence enhancement, tunable exciton-plasmon coupling, large strain-induced exciton energy shifts, high collection efficiency, and highly directional emission are demonstrated in two-dimensional WSe₂ and InSe systems with engineered cavity modes and directivity.

11:55

INVITED TALK

Plasmonic Enhancement of Second Harmonic Generation from a van der Waals Crystal*Hong Liu*

A*STAR (Singapore)

It has been reported that niobium oxide dichloride (NbOCl₂) crystal exhibits giant optical nonlinearity. We developed a plasmonic resonator insensitive to polarization to acquire strong local field amplification, which achieves fivefold enhancement of second harmonic generation (SHG) intensity. It provides a robust pathway toward high-performance, miniaturized nonlinear quantum light source.

12:15

INVITED TALK

Artificial magnetism and passivity in plasmonic clusters with spatial dispersion*Ranjeet Dwivedi¹, Kevin Vynck¹, Alexandre Baron², Ashod Aradian²*¹University Claude Bernard (France), ²Universite de Bordeaux (France)

We show that the optical response of dense, random, spherical clusters made of plasmonic nanoparticles can be efficiently described as that of equivalent, homogeneous spheres of the same size, made of an effective, spatially dispersive medium displaying artificial magnetism. Passivity requirements for the obtained effective media will be discussed.

2-03 | Room 4050B | 11:00 - 12:35

SP15: Plasmonic Nanomaterials for Bio-diagnostics, Environmental Monitoring and Food Safety*Organized by: Lucia Petti and Massimo Rippa**Chaired by: Lucia Petti and Massimo Rippa*

11:00

INVITED TALK

Disordered Plasmonic Metasurfaces: From Scalable Fabrication to Imaging Applications*Doeun Kim¹, Juhwan Kim², Gyurin Kim², Youn Ju Na¹, Hyeon-Ho Jeong¹*¹Gwangju Institute of Science and Technology (Korea), ²GIST (Korea)

Disordered plasmonic metasurfaces provide scalable alternatives to lithographic nanophotonics, creating dense hotspots and robust structural colors. We overview rapid wafer-scale electrostatic nanoparticle assembly and highlight imaging-oriented functions including imaging-based molecular sensing, optical security authentication, and emerging opportunities toward label-free bioimaging.

11:20

INVITED TALK

Flowthrough Raman readout in plasmonic nanopores for sequencing applications*Francesco De Angelis*

Istituto Italiano di Tecnologia (Italy)

Inspired by nanopore sequencing, we developed Raman sequential readout strategies based on plasmonic nanopores. Molecules are delivered electrophoretically while real-time Raman spectra are recorded. We identified four DNA nucleotides and multiple amino acids at single-monomer level, achieving 89% nucleotide discrimination accuracy and angstrom-scale spatial resolution, corresponding to only 4 nucleotides.

11:40

Silver Bullet - Vaterite-Based Metamaterials for Controllable ROS Generation in Biomedicine*Pavel Bezrukov¹, Hani Barhum², Pavel Ginzburg¹*¹Tel Aviv University (Israel), ²Triangle Research and Development Center (Israel)

Light-activated vaterite-silver nanoparticle metamaterials enable precise, localized ROS production for photodynamic therapy. Silver plasmonic effects extend visible-light absorption (400-700nm), enhancing oxygen activation under mild irradiation, while the porous vaterite host stabilizes and uniformly distributes AgNPs, ensuring controlled radical generation and biocompatibility.

11:55

INVITED TALK

Plasmon-Enhanced Fluorescence Sensors for Point-of-Care Testing*Nianqiang Wu*

University of Massachusetts Amherst (USA)

Plasmonic fluorescence probes have been engineering for enhancing fluorescence. The enhancement mechanism has been investigated. Fluorescence probes have been incorporated into paper lateral flow assay for on-site detection of environmental pollutants and point-of-care testing disease biomarkers.

12:15

INVITED TALK

Free-Electron-Driven Chip-Scale Mercury-Free Broadband UV Light Sources with Ultrahigh Germicidal Efficiency*Vijay Kumar Sharma, Hilmi Volkan Demir*

Nanyang Technological University Singapore (Singapore)

We demonstrate a breakthrough free-electron-driven, compact, chip-scale, mercury-free ultraviolet platform delivering spectrally engineered broadband emission precisely centered at the DNA absorption maximum (262 nm). The devices enable unprecedented single-source log-9 microbial reduction while providing ≥ 20 mW optical output, 4-6% efficiency, exceptional operational stability, and robust performance across wide temperature conditions.

2-O4 | Room 3126 | 11:00 - 12:40

SYM5: Phononics and acoustic metamaterials*Organized by: Marco Miniaci, Jensen Li, Jean-Philippe Groby, Vincent Pagneux, Noé Jiménez**Chaired by: Marco Miniaci, Jensen Li, Jean-Philippe Groby, Vincent Pagneux, Noé Jiménez*

11:00

INVITED TALK

Coherent control of acoustic phonons in phononic waveguides*Chushuang Xiang, Edson Rafael Cardozo de Oliveira, Sathyan Sandeep, Konstantinos Papatryfonos, Martina Morassi, Luc Le Gratiet, Abdelmounaim Harouri, Isabelle Sagnes, Aristide Lemaitre, Omar Ortiz, Esmann, Lanzillotti-Kimura*

Université Paris Saclay (France)

We demonstrate 20 GHz phonon transport over 20 μm in a phononic waveguide based on GaAs/AlAs multilayers. By introducing two excitation laser pulses to drive distinct phonon sources, we achieve coherent control of the propagating phonons through spatio-temporal interference.

11:20

INVITED TALK

Wave Transport in Valley Phononic Crystals*Myung-Joon Lee, Il-Kwon Oh*

Korea Advanced Institute of Science and Technology (Korea)

We examine how interface orientation affects wave transport in valley phononic crystals. Bulk dispersion calculations, supercell models, and full field simulations are used to compare junction geometries. This work provides a conservative baseline for interpreting angle-dependent transmission variations in lattice waveguides.

11:40

INVITED TALK

Wave-packet dynamics in nonreciprocal metamaterials*Bertin Many Manda¹, Sayan Jana¹, Dimitrios J. Frantzeskakis², Vassos Achilleos³, Lea Sirota¹*¹Tel Aviv University (Israel), ²University of Athens (Greece), ³Le Mans University (France)

I present recent results on the dynamics of wave packets in non-Hermitian nonreciprocal lattices. I discuss mechanisms behind wave amplification, acceleration, and wave jumps, and show how nonlinear interactions modify transport and produce dynamical phase transitions. Possible applications of these results for controlling wave propagation are also discussed.

12:00

INVITED TALK

Adaptive ultrabroadband flexural-wave absorption enabled by piezoelectrically modulated elastic metasurface*Houyou Long, Zhiwang Zhang, Ying Cheng, Xiaojun Liu*

Nanjing University (China)

We present a piezoelectrically modulated non-Hermitian elastic metasurface enabling tunable electromechanical damping, converting vibrations into electrical energy dissipated via shunt-induced Ohmic losses. With an RLC circuit and adaptive sensor-controller switching among three broadband shunts, we experimentally realize an ultrabroadband flexural-wave absorber, achieving 93.9% average absorption from 900 to 3800Hz.

12:20

INVITED TALK

Collective Near-Field Photon Transport in Disordered Si/SiO₂ Nanogranular Metamaterials*Michel Kazan*

American University of Beirut (Lebanon)

Disordered assemblies of polar-dielectric nanoparticles can support collective surface-phonon-polaritonic modes enabling photon-mediated energy transport beyond classical diffusion. Using optothermal Raman thermometry, we demonstrate that near-field radiative coupling dramatically enhances thermal conductivity in dense oxidized silicon nanopowders. The results reveal emergent thermal-metamaterial behavior arising from mesoscopic hybridization of surface phonon polaritons.

2-05 | Room 3074 | 11:00 - 12:35

SYM1: Hybrid Nanomaterials and Metastructures for Photonics, Sensing and Energy

Organized by: Jérôme Plain, Alexander Govorov, Davy Gérard, Pedro Hernandez Martinez

Chaired by: Jérôme Plain, Alexander Govorov, Davy Gérard, Pedro Hernandez Martinez

11:00 INVITED TALK Self-assembled Plasmonic Metamaterials with Hyperbolic Dispersion for Applications in Sensing*Anastasiia Zaleska, Mayela Romero-Gomez, Anatoly Zayats, Wayne Dickson*

King's College London (United Kingdom)

Plasmonic metamaterials with hyperbolic dispersion are characterized by a transition from elliptic to hyperbolic dispersion at a tunable epsilon near zero frequency. Their self-assembled fabrication provides unique opportunities for tailoring their constituents, but importantly, hybridizing them with functional layers for ultrasensitive sensing.

11:20 Metasurfaces for photon management in a thermophotovoltaic system*Vadim Zakomirnyi, Anna Rumyantseva, Sergei Kostcheev, Demetrio Macias, Renaud Bachelot, Davy Gerard*

Université de Technologie de Troyes (France)

Metasurfaces can tailor thermal radiation to improve thermophotovoltaic efficiency. This work studies a metasurface acting as a spectral filter that suppresses unwanted radiation while transmitting useful near-infrared photons (1.8 μm) for low-bandgap photovoltaic cells. Simulations reveal resonant field localization in the nanostructure, producing selective transmission.

11:35 INVITED TALK Broadband Infrared Unidirectional Absorption by non-Hermitian Multilayer Structure*Wakana Kubo*

Tokyo University of Agriculture and Technology (Japan)

We demonstrate a non-Hermitian four-layer structure exhibiting broadband unidirectional absorption in the infrared region. By precisely designing layer thicknesses, directional absorption is achieved over a wide spectral range. This approach offers a promising route toward thermal management applications, such as infrared heat-shielding and thermal smart window technologies.

11:55 INVITED TALK Enhancing Interfacial Charge Transport in Gold Nanoparticle@Conductive Polymer Hybrids via N-Heterocyclic Carbene Linkers*Ningwei Sun*

Leibniz Institute of Polymer Research Dresden (Germany)

N-Heterocyclic carbenes (NHCs) have emerged as a unique class of ligands for gold nanoparticles (Au NPs), combining strong metal binding with intrinsic electronic conductivity. Here, we present a synthetic strategy by employing amino-functionalized NHC-Au complexes with in situ oxidative polymerization of polyaniline (PANI) to yield electronically coupled Au NP@NHC-PANI hybrids.

12:15 INVITED TALK Revising Model Reactions in Plasmonic Chemistry*Olga Guselnikova*

TU Wien (Austria)

Progress in plasmonic chemistry demands reliable model reactions to elucidate energy transfer, mechanisms, and materials discovery. We show PNTP azo coupling on Au nanoparticles is unsuitable, as plasmonic heating induces Au-S cleavage and thiol oxidation. We propose alkoxyamine homolysis, offering simpler kinetics, identifiable products, and robust mechanistic interpretation for catalysis

2-O6 | McNabb Theatre | 11:00 - 12:50

SP13: Commercialization of Metasurface and Nanophotonic DevicesOrganized by: *Matthew Singer*Chaired by: *Matthew Singer***11:00 INVITED TALK Advancing Radiative Cooling Technologies Beyond the Lab: Challenges and Opportunities***Jyotirmoy Mandal*

Princeton University (USA)

Radiative cooling technologies have seen a surge in research over the last decade, and the commercialization of multiple variants. However, adoption of high-performance radiative coolers at large scales remains to be achieved. This talk will discuss some technical and market-related challenges, and the author's participation in this area.

11:20 INVITED TALK Building the Innovation Pipeline: Leveraging Princeton Core Facilities and Statewide Resources for Photonics Commercialization*Alexander Norman*

Princeton University (USA)

Princeton Materials Institute is the home to two large core facilities: the Micro/nanofabrication center (MNFC) and the Imaging and Analysis Center (IAC). Core facilities are used across the community to accelerate research and help steer ultimate product development. The broader innovation ecosystem in this area will also be highlighted.

11:40 KEYNOTE TALK Scaling the Metasurface Market: From Flat Optics to Sensor-Integrated Intelligence*Rob Devlin*

Metalenz (USA)

From lab breakthrough to mass-market deployment, this presentation explores the commercialization of metasurfaces at Metalenz-highlighting key drivers, technical challenges, and emerging applications. Metasurfaces are no longer just flat optical elements; they are evolving into system-level platforms for intelligent perception, enabling more perceptive, accurate, and efficient vision systems.

12:10 INVITED TALK Azopolymer photomorphing as holographic lithography for reconfigurable structured surfaces*Marcella Salvatore, Stefano Luigi Oscurato*

University of Naples Federico II (Italy)

Azopolymers capture the inherent vectorial nature of the light in the form of reversible surface reliefs. Tailored intensity and polarization patterns directly map into operating surfaces, without requiring development or etching. We outline here the general phenomenology of azopolymer photomorphing and its potential routes for scalable photonic manufacturing.

12:30 INVITED TALK Scalable Metasurface Photonics for Quantum Computers and Sensors*Amit Agrawal*

University of Cambridge (United Kingdom)

We demonstrate the use of metasurface for realization of an alignment-free magneto optical trap with fully integrated multi-color metasurface photonics. We characterize the metasurface functionality and performance, and facilitate laser cooling for realization of compact quantum sensors. We further demonstrate the potential of this technology in commercial quantum systems.

2-07 | Maharry Theatre | 11:00 - 12:30

META Quantum Nanophotonics WorkshopOrganized by: *Ortwin Hess*Chaired by: *Ortwin Hess***11:00 INVITED TALK Engineering Quantum Light with Perovskite Quantum Dots***Yury Rakovich¹, Alexey Nikitin², Virginia Martínez-Martínez³, Andrey Rogach⁴, Igor Aharonovich⁵*

¹Materials Physics Center (Spain), ²Donostia International Physics Center (Spain), ³Universidad del País Vasco (Spain), ⁴City University of Hong Kong (China), ⁵University of Technology Sydney (Australia)

Perovskite quantum dots (PCDs) have emerged as efficient room-temperature quantum light sources. This invited talk presents recent advances in controlling single- and multiphoton emission using plasmonic metasurfaces, doping, and van der Waals encapsulation, enabling reversible emission switching and enhanced photostability for practical quantum photonic applications.

11:20 INVITED TALK Telecom-wavelength quantum nanophotonics with self-assembled quantum dots*Nir Rotenberg*

Queen's University (Canada)

This talk introduces novel telecom-wavelength quantum dots, grown by chemical beam epitaxy in indium phosphide. These bright emitters generate photons in the telecom O- and C-bands with near-transform-limited (i.e. highly coherent) transitions. Nanophotonic structures are fabricated about these quantum dots, controlling and enhancing their interaction with photons.

11:40 INVITED TALK Subradiant entangled states in plasmonics and the quantization of radiative systems*Angela Demetriadou*

University of Birmingham (United Kingdom)

Significant advances have been achieved in quantum nanoplasmonics in recent years. We demonstrate that, under appropriate conditions, plasmonic nanocavities can support the formation of subradiant entangled states between quantum emitters. In addition, we introduce an exact and complete second-quantization framework for open photonic systems with intrinsic radiative losses.

12:00 KEYNOTE TALK Highly Nonlinear Photonic Materials Based on Metamaterials, Plasmonics, and Nanostructuring*Robert Boyd*

University of Rochester (USA)

This contribution reviews advances in the development of highly nonlinear materials by the combination of methods devised from the fields of metamaterials, plasmonics, and structured surfaces. We also review how these materials have led to the development of new photonics applications, including applications in quantum information technologies.

2-08 | Room 3051 | 11:00 - 12:40

SP11: Nano-Lasers, Spasers, and Nanostructures with Quantum ElementsOrganized by: *Alessandro Veltri and Ashod Aradian*Chaired by: *Alessandro Veltri and Ashod Aradian***11:00 INVITED TALK Temporal coherence properties of an aluminum nanocone lattice laser***Tiziana Cesca¹, Elizabeth Mendoza-Sandoval¹, Giuseppe Pirruccio², Giovanni Mattei¹*¹University of Padova (Italy), ²Universidad Nacional Autonoma de Mexico (Mexico)

This work investigates the roomtemperature temporal coherence properties of a solidstate plasmonic nanolaser made of a hexagonal array of tapered aluminum nanocones coupled to a dyedoped polymer film. The device shows exceptionally long coherence, with a measured coherence time of 30 ps and a corresponding coherence length of 8.8 mm.

11:20 INVITED TALK Quantum Nonlinear Response of Emitter Lattices*Blas Durá-Azorín¹, Antonio I. Fernandez-Dominguez¹, Alejandro Manjavacas²*¹Universidad Autónoma de Madrid (Spain), ²Instituto de Química Física Blas Cabrera (IQF) (Spain)

We theoretically study the optical response of a coherently driven periodic lattice of quantum emitters. Unlike lattices of classical resonators, we find that a resonant plane wave can populate excitonic Bloch states with parallel wavevectors different from that of the incident field, including states lying outside the light cone.

11:40 INVITED TALK Robust Perovskite Quantum Dots for Microcavity Photonics*Yu-Hsun Chou*

National Cheng Kung University (Taiwan)

Quantum confined perovskite quantum dots integrated with optical microcavities exhibit remarkable environmental stability and versatile emission behavior at room temperature. We report sustained luminescence in water, temperature dependent excitonic responses, cavity enhanced emission, and strong light matter interactions, establishing a robust platform for nanoscale photonics and stable quantum light emitters.

12:00 INVITED TALK Chiral light from exceptional points in a coupled nanolaser ring array*Kaiwen Ji¹, Melissa Hedi², Ramy El Ganainy³, Li Ge⁴, Alejandro M. Giacomotti⁵*¹Université Bordeaux (France), ²CNRS (France), ³Saint Louis University (USA), ⁴College of Staten Island (USA), ⁵CNRS/LP2N (France)

We propose and experimentally demonstrate an orbital angular momentum nanolaser array arranged in a ring geometry on an InP-based photonic crystal membrane. Our approach leverages exceptional-point singularities with net phase circulation. These results demonstrate a robust and scalable strategy for engineering compact, phase-locked laser arrays with controllable angular momentum output.

12:20 INVITED TALK Assembled Nanocrystal Lattice Nanolasers*Mindaugas Juodėnas¹, Nadzeya Khinevich¹, Gvidas Klyvis¹, Domantas Peckus¹, Joel Henzie², Tomas Tamulevičius¹, Sigita Tamulevičius¹*¹Kaunas University of Technology (Lithuania), ²National Institute for Materials Science (Japan)

We demonstrate a plasmonic nanolaser utilizing template-assembled monocrystalline silver nanocubes to minimize absorptive losses. This approach achieves lasing at 574 nm, proving material crystallinity outweighs perfect geometric order. Furthermore, transient absorption spectroscopy reveals how coherent optomechanical vibrations modulate the lattice resonance, highlighting intrinsic stability factors in self-assembled nanophotonics.

2–09 | Room 4047 | 11:00 - 12:40

SYM4: Chirality, magnetism, and magnetoelectricity: Separate phenomena and joint effects in metamaterial structures

Organized by: Eugene Kamenetskii

Chaired by: Eugene Kamenetskii

11:00 INVITED TALK Towards compact microfluidic chips for efficient chiral recognition

David Ayuso

Imperial College London (United Kingdom)

We present a route towards developing compact microfluidic platforms for efficient chiral sensing and manipulation. Our approach relies on creating synthetic chiral light inside compact microfluidic microchannels, so that the engineered light field can interact with liquid samples carrying chiral molecules in a highly enantiosensitive manner.

11:20 INVITED TALK Excitonic Charge Density Waves in Moire LaddersPaula Mellado¹, Javiera Cabezas², Francisco Muñoz²¹Universidad Adolfo Ibáñez (Chile), ²Universidad de Chile (Chile)

We analyze a half-filled four-band ladder with a relative shift between legs that generates a moiré supercell and narrows minibands near the Fermi level. Short-range interactions produce an excitonic incommensurate CDW with a gapped Higgs mode and neutral phasons,, suggesting an excitonic origin for HfTe₃.

11:40 INVITED TALK RKKY-like interactions between two magnetic skyrmions

Xiangrong Wang

The Chinese University of Hong Kong (China)

Interaction between two tilted skyrmions changes from repulsion to attraction periodically with skyrmion-skyrmion distance along certain direction, akin to the Ruderman-Kittel-Kasuya-Yosida (RKKY) interaction. The essential physics is behind a previously unrecognized universal wavy tail in the skyrmion spin texture. The RKKY-like interaction is universal for all tilted skyrmions.

12:00 INVITED TALK Microwave radiation from high chirality vortex dynamics.

Feodor Ogrin

University of Exeter (United Kingdom)

This is a model which uses 3D finite-difference-time-domain approach together with Landau-Lifshits-Gilbert equation to find the exact solutions for electromagnetic radiation from magnetic vortex structures in cylindrical elements. Here we demonstrate the spectrum of radiation and explore the collective excitation properties within a macroscopic pattern.

12:20 INVITED TALK Feedback effects of electromagnetic interactions in bianisotropic media

Kei Sawada

RIKEN (Japan)

An effective theory is developed for metamaterials exhibiting bianisotropy, with particular emphasis on magnetoelectricity and chirality classified by the space-time inversion symmetry. This approach gives a framework for representing the susceptibility functions including feedback effects due to magnetoelectric couplings.

2–010 | Room 5039 | 11:00 - 12:40

SYM6: Advanced Techniques for Computational Electromagnetics

Organized by: Maha Ben Rhouma

Chaired by: Maha Ben Rhouma

11:00 INVITED TALK **Efficient Numerical Modeling of Casimir-Lifshitz Forces in Graphene-Based Nanostructures***Youssef Jeyar¹, Brahim Guiza², Mauro Antezza²*¹Laboratoire Charles Coulomb - CNRS (France), ²CNRS-Universite de Montpellier (France)

Casimir-Lifshitz interactions in graphene gratings are studied using the Fourier Modal Method with Local Basis Functions (FMM-LBF). This method overcomes slow convergence and instabilities of standard FMM for TM-polarized fields, accurately capturing high-order diffraction, multiple scattering, and graphene strip effects.

11:20 INVITED TALK **Near-field focusing and amplification of tip-substrate radiative heat transfer***Milo Vescovo, Philippe Ben-Abdallah, Riccardo Messina*

Universite Paris-Saclay (France)

By studying the spatially resolved near-field radiative heat transfer between a nanoscale probe and a substrate, we show that introducing a thin polar film atop a non-dispersive substrate leads to enhancement and lateral focusing of the heat exchange, offering a route toward the control of heat transfer at the nanoscale.

11:40 INVITED TALK **Time Modulation of Near-Field Radiative Heat Transfer***Mauro Antezza*

University of Montpellier (France)

We develop a theory to study how a fast periodic modulation of a generic control variable affecting the near-field radiative heat coupling between two bodies produces a correction on the slow thermal dynamics.

12:00 INVITED TALK **Numerical advances in the computation of radiative heat transfer between nanostructures***Brahim Guizal, Omar Tada, Mauro Antezza, Youssef Jeyar*

Montpellier University (France)

Simulating radiative heat transfer between nanostructures can be very demanding in terms of computational resources even with Fourier methods which are known to be very efficient for handling such structures, especially lamellar ones. For that case, we propose a method that leads to a further reduction of the computational load.

12:20 INVITED TALK **BIC-Enhanced Partial LDOS in Terahertz Metasurfaces***Jie Ji¹, D. Peeters¹, W. Holman¹, T. X. Hoang², D. van Mechelen¹, J. Gomez Rivas¹, Jose Sanchez-Gil³*¹Eindhoven University of Technology (The Netherlands), ²A*STAR (Singapore), ³Instituto de Estructura de la Materia-CSIC (Spain)

This work uses terahertz near-field microscopy to reveal how quasi-bound states in the continuum enhance the partial local density of optical states in finite metasurfaces. Experiments and simulations show strong, spatially confined PLDOS enhancement that saturates with array size, establishing practical limits and design rules for THz quasiBIC engineering.

2-O11 | Room 5025 | 11:00 - 12:40

SP20: Nonlocal and nonlinear nanophotonics

Organized by: Gonzalo Álvarez-Pérez and Huatian Hu

Chaired by: Gonzalo Álvarez-Pérez and Huatian Hu

11:00 INVITED TALK Hydrodynamic model for nonlocal electrodynamic effects in ultra-confined plasmons*André Jorge Chaves¹, Tiago Barbosa², Line Jelver³, Simão Cardoso¹, Diego Costa⁴, Leonardo Campos⁵, Ingrid Barcelos⁶, N. Asger Mortensen³, Nuno Peres¹*

¹University of Minho (Portugal), ²Aeronautics Institute of Technology (Brazil), ³University of Southern Denmark (Denmark), ⁴Universidade Federal do Ceara (Brazil), ⁵Universidade Federal de Minas Gerais (Brazil), ⁶Centro Nacional de Pesquisa em Energia e Materiais (Brazil)

Using a quantum hydrodynamic model, we show that hyperbolic plasmon-polaritons in few-layer black phosphorus are strongly renormalized by nonlocal effects. We further demonstrate that nonlocal electrodynamic is essential to describe plasmon-phonon-polariton dispersion in twisted bilayer graphene on talc obtained from SNOM measurements.

11:20 INVITED TALK Nonlocal and Nonlinear Effects in Plasmonics from a Time-Dependent Density Functional Theory Perspective*Antton Babaze¹, Javier Aizpurua², Andrei G. Borisov³*

¹University of the Basque Country (Spain), ²Donostia International Physics Center DIPC (Spain), ³Université Paris-Saclay (France)

Using time-dependent density functional theory, we study electron dynamics in metallic nanostructures under different excitation conditions, including continuous-wave illumination, ultrashort pulses, quantum emitters, and fast electron beams, and investigate the role of nonlocality, nonlinearity, and other quantum phenomena in the excitation of plasmonic resonances, harmonic generation and nanoscale electron transport.

11:40 INVITED TALK High-field THz nonlinear nanophotonics at TELBE with Dirac metasurfaces and time-varying media*Thales de Oliveira*

Helmholtz-Zentrum Dresden-Rossendorf (Germany)

Intense terahertz fields combined with subwavelength confinement enable nonlinear nanophotonics in which ultrafast carrier relaxation and transport shape the response. I will review recent results obtained at the high-field THz facility TELBE on harmonic generation in grating-graphene metamaterials topological-insulator metasurfaces, and other plasmonic metasurfaces.

12:00 INVITED TALK Dynamic and Intelligent Plasmonics: Unveiling Molecular Transport, Optomechanical Control, and Deep Learning-Enhanced Sensing*Wen Chen¹, Haoran Liu¹, Tao He¹, Huatian Hu², Christophe Galland³, Hongxing Xu⁴*

¹East China Normal University (China), ²Center for Biomolecular Nanotechnologies (Italy), ³EPFL (Switzerland), ⁴Henan Academy of Sciences (China)

We report breakthroughs in functionalizing plasmonic nanocavities. Beyond static hotspots, we reveal ligand-capped nanogaps as open quasi-2D nanofluidic channels facilitating molecular exchange. We further demonstrate mid-infrared-to-visible optomechanical upconversion and introduce physics-guided deep learning to reconstruct broadband spectra from dark-field images, redefining the limits of nanophotonic interrogation.

12:20 INVITED TALK Controlling the optical response of 2D semiconductors with THz pulses

Tommaso Venanzi¹, Marzia Cuccu², Edith Wietek², Xiaoxiao Sun³, Raul Perea-Causin⁴, Samuel Brem⁵, Daniel Erkensten⁵, Takeshi Taniguchi⁶, Kenji Watanabe⁶, Ermin Malic⁵, Helm², Winner³, Chernikov²

¹Technical University of Dresden (TUD) (Germany), ²TUD Dresden University of Technology (Germany), ³Helmholtz-Zentrum Dresden-Rossendorf (Germany), ⁴Stockholm University (Sweden), ⁵Philipps-Universität Marburg (Germany), ⁶National Institute for Materials Science (NIMS) (Japan)

We use THz pulses to manipulate the optical response of MoSe₂ and WSe₂ monolayers, and MoSe₂/WSe₂ heterostructures. This method can be used to control excitonic populations on ultrafast time-scales, to access optical-driven nonlinear properties of matter and to design photonic devices with THz switches.

2-O12 | Room 4050A | 11:00 - 12:40

SYM3: Advanced passive and active metasurfaces and zero-index materials

Organized by: Howard Lee, Pin Chieh Wu, Wen-Hui (Sophia) Cheng

Chaired by: Howard Lee, Pin Chieh Wu, Wen-Hui (Sophia) Cheng

11:00 INVITED TALK Generalized Lorentz Framework for Active Semiconductor Plasmonics at the Deep Nanoscale

Xuewen Chen

Huazhong University of Science and Technology (China)

We report a generalized Lorentz framework to efficiently capture various nonclassical effects in multiscale three-dimensionally nanostructured semiconductors with arbitrary energy-momentum dispersion relations. The framework enables quantitative treatment of carrier nonlocality, surface accumulation and depletion, and Landau damping under electrical control and widely varying doping densities.

11:20 INVITED TALK Continuous-Wave Chiral Exciton-Polariton Lasers Across the Visible and Infrared

Siyang Peng

Westlake University (China)

By exploiting strong light-matter coupling in chiral 2D perovskites, we demonstrate room-temperature, continuous-wave circularly polarized lasing across visible and infrared spectra.

11:40 INVITED TALK Plasmonic Semiconductor Laser Particles Across Surface-Supported, Metal-Coated, and Metalattice Configurations

Sangyeon Cho

Harvard Medical School (USA)

We report plasmonic semiconductor laser particles across three configurations: surface-supported nanocavities enabling coherent emission from 130 nm particles, metal-coated geometries introducing hinge-localized plasmonic modes with enhanced emission, and metalattice-embedded particles supporting stable multimode lasing via internal scattering, all governed by cavity geometry and Purcell-enhanced interactions.

12:00 INVITED TALK Nanofocusing of Orbital Angular Momentum Beams for Chirality Imaging

Zhenrong Zhang

Baylor University (USA)

This talk presents a fiberintegrated plasmonic platform that nanofocuses fiberguided vortex modes. I will outline the design, simulation, fabrication, and characterization of plasmonic OAM probes and an integrated OAM-metasurface system that couples vortex beams into a Si-Ag helical metastructure for enhanced chirality sensing.

12:20 INVITED TALK **Cross-Shaped Metasurface for Advanced Spectral-Scanning LiDAR***Hongyan Fu, Yaqi Han*

Tsinghua University (China)

We present a reflective cross-shaped aluminum metasurface that enables polarization-controlled wide-angle beam steering for spectral-scanning LiDAR. The metasurface employs a metal-insulator-metal configuration and exploits the Pancharatnam-Berry (PB) geometric phase to achieve broadband phase modulation and circular polarization conversion within an ultrathin form factor.

2-O13 | Room 3071 | 11:00 - 12:40

SP21: New trends in light-matter interaction at the nanoscale*Organized by: Carlos Alberto Maciel Escudero, Jorge Olmos Trigo and Mario Zapata Herrera**Chaired by: Carlos Alberto Maciel Escudero, Jorge Olmos Trigo and Mario Zapata Herrera***11:00** INVITED TALK **The Impact of Dark Excitons on Polariton Spatiotemporal Dynamics in 2D Semiconductors***Jamie Fitzgerald, Roberto Rosati, Ermin Malic*

Philipps-University Marburg (Germany)

We investigate phonon-driven exciton polariton transport in monolayer MoSe₂ at ambient temperatures. Three distinct regimes are identified: initial sub-ps ballistic-like expansion, few-ps transient superdiffusion, and a slow exciton-limited diffusion after thermalization. This work will help trigger and guide future experimental studies on phonon-mediated polariton transport in 2D semiconductors.

11:20 INVITED TALK **Electrical excitation of surface plasmons and light***Elizabeth Boer-Duchemin*

Université Paris-Saclay (France)

We use the inelastic tunneling current from a biased tunneling junction to locally and electrically excited surface plasmons on gold nanostructures.

11:40 INVITED TALK **Organic Hyperbolic Metamaterials and Nanostructures for Light-Matter Interactions***Sara Núñez Sánchez*

Instituto de Ciencia de Materiales de Madris - CSIC (Spain)

We present allorganic excitonic nanostructures and hyperbolic metamaterials based on Jagggregates, enabling tunable permittivity, ENZ behaviour, and polaritonic coupling. These organic platforms and nanostructures can establish the playground for flexible, metal-free photonics and metamaterials.

12:00 INVITED TALK **Brewster Quasi-BICs in Out-of-Plane Symmetry Broken Nanodisk Metasurfaces***Beatriz Castillo¹, Lucia Hidalgo-Ortega¹, Antonio García-Martín¹, Diego Romero Abujetas², José Antonio Sánchez-Gil¹*¹CSIC (Spain), ²Universidad de Castilla-La Mancha (Spain)

While traditional BICs are symmetry-protected at normal incidence, breaking out-of-plane symmetry by tilting meta-atoms give rise to Brewster quasi-BICs. These states achieve a profound mirror asymmetry due to dipolar hybridization. Depending on the angle, the metasurface exhibits either total transparency or strong excitation while remaining cloaked from far-field reflection.

12:20 INVITED TALK Electron-beam spectroscopy simulations using the T-matrix method*Elli Stamatopoulou, Carsten Rockstuhl*

Karlsruhe Institute of Technology (Germany)

Advanced computational tools describing electron interactions with nanostructured materials are crucial for designing and interpreting experiments. Here, we report a generalized T-matrix scattering formalism to study observables in electron-beam spectroscopy. This method is implemented in the Python package `treams_ebeam`, and demonstrated while studying different nanophotonic materials of contemporary interest.

2-O14 | Dargan Auditorium | 11:00 - 12:50

SYM2: New trends in nanophotonics and advanced materials*Organized by: Junsuk Rho, Hakjoo Lee, Namkyoo Park, Seong Ok Han**Chaired by: Junsuk Rho, Hakjoo Lee, Namkyoo Park, Seong Ok Han***11:00 KEYNOTE TALK Keynote Lecture by Eli Yablonovitch***Eli Yablonovitch*

University of California, Berkeley (USA)

Keynote lecture by Eli Yablonovitch (University of California, Berkeley). Title and abstract to be confirmed.

11:30 INVITED TALK Breakdown of the Kirchhoff's law of thermal radiation by a spatiotemporally modulated nonreciprocal metasurface*Diego Dalvit¹, Anatoly Efimov², Chun-Chieh Chang², Simo Pajovic¹, Wilton Kort-Kamp¹, Dongsung Kim¹, Hou-Tong Chen², Abul Azad²*¹Los Alamos National Laboratory (USA), ²Center for Integrated Nanotechnologies (USA)

Kirchhoff's law of thermal radiation fundamentally limits the efficiency of photonic systems. We report the demonstration of spatiotemporally modulated nonreciprocal mid-infrared metasurfaces enabling the violation of the Kirchhoff's law at room temperature. We develop a theoretical framework to relate nonreciprocal scattering under spatiotemporal modulation with unequal absorptivity and emissivity.

11:50 INVITED TALK Theory of Dispersive Space-Time Interfaces*Alessandra Contestabile¹, Maria Antonietta Vincenti², Giuseppe Castaldi³, Michael Scalora², Marcello Ferrera⁴, Vincenzo Galdi³, Carlo Rizza¹*¹University of L'Aquila (Italy), ²University of Brescia (Italy), ³University of Sannio (Italy), ⁴Heriot-Watt University (United Kingdom)

We study the scattering of waves at an interface characterized by Lorentzian-dispersion and an abrupt change in its parameters. Novel frequency components are generated at the system's eigenmodes. This enables coupling between propagating and evanescent waves, allowing surface-wave modes to be excited from the far field without spatially structured media.

12:10 INVITED TALK Programmable Broadband Nonlinear Infrared Imaging with Dielectric Metasurfaces*Ze Zheng*

Nottingham Trent University (United Kingdom)

We demonstrate broadband infrared imaging enabled by nonlinear wave mixing in a resonant dielectric metasurface. A pump beam at the resonant wavelength can enhance infrared-to-visible conversion, allowing detection with a conventional visible camera. Dynamic phase modulation of the pump via a spatial light modulator enables programmable, multifunctional, and reconfigurable imaging.

12:30

INVITED TALK

Silicon Nitride Photonics for High-Performance Systems

Frederic Gardes¹, Ilias Skandalos¹, Yaonan Hou¹, Dun Qiao², Huiwen Deng³, X. Yu³, Jaeseong Park³, Chong Chen³, Mingchu Tang³, Michelle Paparella¹, Bao¹, Sandell¹, Dominguez Bucio¹, Moeyaert⁴, Baron⁴, Smowton², Liu³, Seeds³, Simos⁵, Moschos⁵, Moralis-Pegios⁵

¹University of Southampton (United Kingdom), ²Cardiff University (United Kingdom), ³University College London (United Kingdom), ⁴LTM CNRS (France), ⁵AUTH (Greece)

We report the first QD SOA grown on silicon coupled to silicon nitride waveguides using a monolithic integration scheme. We also report complex photonic circuit programming using UV light trimming. These developments underscore significant strides in the field, paving the way for enhanced photonic device functionality and integration.

Lunch Break

12:40 - 14:00

2-O15 | Room 5052 | 14:00 - 16:00

SYM2: New trends in nanophotonics and advanced materials

Organized by: Junsuk Rho, Hakjoo Lee, Namkyoo Park, Seong Ok Han

Chaired by: Junsuk Rho, Hakjoo Lee, Namkyoo Park, Seong Ok Han

14:00

INVITED TALK

Dirac-Polariton Bose-Einstein Condensation at Room Temperature via Bound States in the Continuum in a WS₂ Monolayer

Bruno Miranda¹, Silvia Romano¹, Scott Duhey², Aidar Kemelbay², Arian Gashfi², Vito Mocella¹, Ivo Rendina¹, Adam M. Schwartzberg², Gianluigi Zito¹

¹National Research Council (Italy), ²Lawrence Berkeley National Laboratory (USA)

Room-temperature exciton-polariton Bose-Einstein condensation is demonstrated in a WS₂ monolayer using BIC-enabled Dirac-mode confinement. Strong coupling with 60 meV Rabi splitting persists above threshold. Topological polariton superfluids, negative-mass self-trapping, discrete Dirac-gap condensates, and pump-tunable spectra enable reconfigurable, integrable quantum photonic platforms at ambient conditions.

14:20

INVITED TALK

Janus Vortex Meta-Laser

Lili Gui, Yiyuan Xu, Hao Chen, Kun Xu

Beijing University of Posts and Telecommunications (China)

We demonstrate a Janus vortex meta-laser, which enables simultaneous asymmetric and full 2π phase modulation of two counter-propagating beams, owing to the asymmetric-symmetric hybrid configuration of the intracavity Janus metasurface.

14:40

INVITED TALK

SPDC in Thin-Film LN: From Tunable Polarization Entanglement to Doubly-Resonant Metasurfaces

Maximilian Weissflog¹, Saniya Shinde¹, Shaun Lung¹, Jinyong Ma², Sina Saravi³, Thomas Pertsch¹, Andrey Sukhorukov², Frank Setzpfandt¹

¹Friedrich Schiller University Jena (Germany), ²The Australian National University (Australia), ³Paderborn University (Germany)

We experimentally show a new mechanism for directly generating and tuning polarization entanglement for spontaneous parametric down-conversion (SPDC) in thin-film lithium niobate (TFLN), which relies on its three-fold rotational crystal symmetry. Furthermore, we demonstrate a nonlocal LN metasurface that supports frequency-tunable, degenerate and non-degenerate SPDC with doubly-resonant enhancement.

15:00 INVITED TALK Engineering Second-Harmonic Generation in a Lithium Niobate Metasurface*Mengxin Ren, Lun Qu, Lu Bai, Lin Li, Wei Wu, Jingjun Xu*

Nankai University (China)

Metasurfaces have emerged as promising platforms for enhancing second-harmonic generation (SHG). Lithium niobate, particularly crystalline thin-film lithium niobate on insulator (LNOI), has recently gained considerable attention as an enabling material for metasurface-based nonlinear devices. In this talk, we will present our recent works on engineering SHG from lithium niobate metasurfaces.

15:20 INVITED TALK Closed-form conditions for parametric amplification in open photonic time crystals*Adrià Canós Valero¹, Sergei Gladyshev¹, David Globosits², Stefan Rotter², Egor A. Muljarov³, Thomas Weiss¹*¹University of Graz (Austria), ²Vienna University of Technology (TU Wien) (Austria), ³Cardiff University (United Kingdom)

We develop an exact theory of photonic modes in 'open photonic time crystals', radiative nanoresonators with periodically time-modulated material properties. Our framework allows deriving analytical conditions for realizing parametric amplification in systems of arbitrary shape and size. We leverage our insights to design micro- and nanoscale parametric amplifiers.

15:40 INVITED TALK Controlling Quantum Light with Engineered Nanophotonic Structures*Hamidreza Siampour*

Queen's University Belfast (United Kingdom)

This talk presents recent advances in engineered nanophotonic structures for controlling quantum light from solid-state emitters. Topics include enhanced spontaneous emission, directional coupling, and chip-scale light-matter interfaces in plasmonic and semiconductor photonic architectures, with applications in integrated quantum communication, sensing, and scalable on-chip quantum photonic technologies.

2-O16 | Room 4050B | 14:00 - 16:00

SP15: Plasmonic Nanomaterials for Bio-diagnostics, Environmental Monitoring and Food Safety*Organized by: Lucia Petti and Massimo Rippa**Chaired by: Lucia Petti and Massimo Rippa***14:00 INVITED TALK Engineering FRET mechanism via plasmonic systems for ultra-sensitive biosensing***Vincenzo Caligiuri¹, Olga Favale¹, Ferdinanda Annes², Angela Candreva², Massimo La Deda², Marco Filice³, Marzia Marciello³, Antonio De Luca⁴*¹University of Calabria (Italy), ²CNR Nanotec UOS Rende (Italy), ³Complutense University of Madrid (Spain), ⁴Università della Calabria (Italy)

We report a biological FRET platform based on engineered bacteria enabling direct spectro temporal mapping of donor and acceptor dynamics. By tuning protein spacing and coupling to plasmonic systems, we modulate energy transfer efficiency and excited state kinetics, establishing a route toward plasmon assisted biointegrated optical sensing.

14:20 INVITED TALK Low-Cost Flexible SERS Platforms for On-Site Detection of Bacterial and Viral Pathogens in Wastewater*Amalia D'Avino, Alessia Milano, Valentina Marchesano, Bryan Guilcapi, Domenico Sagnelli, Massimo Rippa, Lucia Petti*

ISASI-CNR (Italy)

We present low-cost flexible SERS platforms for label-free detection of Escherichia coli and rotavirus in wastewater. The platforms combine high plasmonic performance with mechanical conformability and system integrability, enabling portable and on-site pathogen monitoring. The approach offers a scalable alternative to rigid and highly engineered sensors for environmental surveillance applications.

14:40 INVITED TALK Pesticide Recognition in Water Using Silver Plasmonic SERS Nanostructures Assisted by PCA

Massimo Rippra¹, Alessia Milano¹, Valentina Marchesano¹, Domenico Sagnelli¹, Bryan Guilcapi¹, Amalia D'Avino¹, Anna De Girolamo Del Mauro², Lucia Petti¹

¹Institute of Applied Sciences and Intelligent Systems "E. Caianiello" CNR (Italy), ²Italian National Agency for New Technologies (Italy)

A silver plasmonic SERS nanostructure is presented for the recognition of pesticides in water. Fingerprint spectra of fipronil, imidacloprid, and thiram are acquired and analyzed using principal component analysis, enabling clear label-free discrimination and demonstrating the potential of the platform for water quality monitoring.

15:00 INVITED TALK On-chip biosensing by Surface Plasmon Resonance of antibiotic and insecticide residues in real samples

Salvatore Moschetto¹, Kelment Zahoaliaj¹, Mario Prosa¹, Andrea Lorenzoni¹, Jeroen Peters², Stefano Toffanin¹, Erik Bejř², Margherita Bolognesi¹

¹National Research Council (Italy), ²Wageningen University and Research (The Netherlands)

We demonstrate a Surface Plasmon Resonance biosensor chip, based on organic optoelectronics and a biofunctionalized nanoplasmonic grating, capable of being used as a reusable, semi-automated and semi-quantitative screening test for sulfonamide antibiotics in milk and neonicotinoid-class insecticides in soil, at concentrations down to the maximum residue levels.

15:20 INVITED TALK Topological Bound States in the Continuum in Photonic Crystal Slabs for Label-Free Biosensing

Karen Caicedo¹, Silvia Romano¹, Gianluigi Zito¹, Ivo Rendina¹, Vito Mocella²

¹National Research Council (CNR) (Italy), ²CNR-ISASI (Italy)

We exploit bound states in the continuum in silicon nitride photonic crystal slabs for ultra-sensitive label-free biosensing and food safety applications. Dispersion engineering and topological analysis of high-Q resonances enable trace detection of biomolecules and mycotoxins, including ochratoxin A, with record limits of detection.

15:40 INVITED TALK Hybrid Plasmonic-Photonic Platforms for Enhanced Biosensing and Optical Information Processing

Alessio Buzzin, Nicolas Hanine, Lorenzo Giannini, Michela Baiocchi, Angelica Focardi, Ahmadreza Alaeddini, Badrul Alam, Rita Asquini

Sapienza Università di Roma (Italy)

Plasmonic nanomaterials, metasurfaces and integrated photonic circuits enable compact biosensing platforms. Recent advances in waveguide-integrated sensors, plasmonic nanoarrays and metasurface-based architectures are discussed, highlighting their potential for lab-on-chip diagnostics and sensing applications in environmental monitoring, food safety and biomedical analysis.

2-O17 | Room 3126 | 14:00 - 16:00

SYM5: Phononics and acoustic metamaterials

Organized by: Marco Miniaci, Jensen Li, Jean-Philippe Groby, Vincent Pagneux, Noé Jiménez

Chaired by: Marco Miniaci, Jensen Li, Jean-Philippe Groby, Vincent Pagneux, Noé Jiménez

14:00 INVITED TALK Coupled Inertial Amplification and Local Resonance Band Gaps

Cetin Yilmaz

Bogazici University (Turkey)

Band gaps below the Bragg limit can be generated through local resonance and inertial amplification methods. A lever-type inertial amplification mechanism with a local resonator at its tip is analyzed. Due to their coupling, a single band gap is formed below what could be achieved by the individual mechanisms.

14:20

INVITED TALK

Verification of a two-fold topological phase transition ruled by third-nearest-neighbor hoppings*Rafael Mendez-Sanchez¹, Yonatan Betancur-Ocampo¹, Bryan Manjarrez-Montañez¹, Angel Martínez-Argüello², Alejandro Franco-Medrano³, Enrique Flores-Olmedo³, Gabriela Báez³*

¹Universidad Nacional Autónoma de México (Mexico), ²Benemerita Universidad Autónoma de Puebla (Mexico), ³Universidad Autónoma Metropolitana-Azcapotzalco (Mexico)

A coupled-resonator phononic cis-polyacetylene, presenting a two-fold topological transition is studied experimentally. The artificial molecule is governed by a tight-binding model similar to that of condensed matter. The design was done through numerical simulations using finite elements. The machined molecule was characterized using acoustic resonant spectroscopy.

14:40

INVITED TALK

Transient Growth Boundaries in Nonnormal Lattices*Ioannis Kiorpelidis, Konstantinos G. Makris*

University of Crete (Greece)

We investigate transient growth in the Hatano-Nelson model with uniform loss. By analyzing the nonnormality of the Hamiltonian, we identify a boundary separating the regions of transient amplification and monotonic decay. Notably, increasing only the system size N can trigger a transition between the two regions.

15:00

INVITED TALK

Non-reciprocal communication with signal amplification*Xinxin Guo¹, Zhenwei Xu¹, Ulrich Kuhf², Nicolas Noiray¹*

¹ETH Zurich (Switzerland), ²Université Côte d'Azur (France)

In this work, we present a compact acoustic circulator that enables signal-amplified non-reciprocal transmission of time-varying information via binary encoding. The nonlinear synchronization between the input wave and a spinning limit cycle is leveraged, leading to strong non-reciprocity not only in transmitted energy but also in information accuracy.

15:20

INVITED TALK

From Acoustic Spin, Elastic Spin to Phonon Spin*Jie Ren*

Tongji University (China)

Spin angular momentum was once limited to transverse waves. We build a unified framework for acoustic, elastic and phonon spin. We demonstrate intrinsic spin, hybrid spin, locking effects and chiral transport, and reveal phonon spin selectivity and circular dichroism, laying the foundation for spin physics in metamaterials and structured waves.

15:40

INVITED TALK

When acoustic artificial structures meet artificial intelligence: AI-empowered acoustic metamaterials*Bin Liang*

Nanjing University (China)

In this talk, I will introduce some of our recent advances obtained by coalescing acoustic artificial structures and artificial intelligence, including on-demand design of versatile acoustic metamaterials and realization of acoustic passive neural networks and single-signal imaging. I will also mention the applications of acoustic metamaterials in several important scenarios.

2-O18 | Room 3074 | 14:00 - 16:00

SYM1: Hybrid Nanomaterials and Metastructures for Photonics, Sensing and Energy

Organized by: Jérôme Plain, Alexander Govorov, Davy Gérard, Pedro Hernandez Martinez

Chaired by: Jérôme Plain, Alexander Govorov, Davy Gérard, Pedro Hernandez Martinez

14:00 INVITED TALK Chemical Reactions Driven by Plasmonic Hot Carriers*Seunghoon Lee*

Dong-A University (Korea)

Plasmonic hotspots generate hot carriers that drive chemical transformations, while enhanced fields enable in situ SERS readout. We demonstrate visible-light degradation of polyethylene microplastics by Au nanoparticle clusters and CPL-driven chiral growth from achiral Au nanocubes, arising from asymmetric hot-electron distributions and validated by CDS and SEM.

14:20 INVITED TALK Locally asymmetric plasmonic photocatalysis driven by light's polarization*Lucas Vazquez Besteiro*

CINBIO - Universidade de Vigo (Spain)

Light-to-matter chirality transfer can modify achiral plasmonic structures illuminated with circularly polarized light, inducing chiral growth on achiral plasmonic seeds by photocatalytically imprinting the reduced symmetry of the local fields onto the nanoparticle. We will discuss how different energy-transfer mechanisms can drive such asymmetric geometric transformations, discussing recent experimental demonstrations.

14:40 INVITED TALK Circular Dichroism Enhancement via CPL-Induced Chiral Growth of Core-Shell Plasmonic Particles*Koichiro Saito, Yoshie Ishikawa*

National Institute of Advanced Industrial Science and Technology (AIST) (Japan)

Synthesizing chiral plasmonic nanoparticles under circularly polarized light avoids the need for chiral molecules. However, their g-factors have remained low. Here, we achieve an approximately eightfold enhancement of the g-factor by inducing chiral Ag growth on MnO₂-coated gold nanorods.

15:00 INVITED TALK Single-Particle Spectroscopy on Chiral Plasmonic Nanostructures*Wei-Shun Chang¹, Angel Thomas¹, Vidhi Singla¹, Oscar Avalos Ovando¹, Manita Khatri¹, Misbah ul Ain¹, Trang Nguyen¹, Tamie Vo¹, Alexander Govorov²*¹University of Massachusetts Dartmouth (USA), ²Ohio University (USA)

We present a novel approach for a chiral dark-field spectromicroscopy that enables high-throughput, artifact-free measurements of plasmonic nanostructures at the single-particle level. This method reliably quantifies the intrinsic chirality of nanoparticles and elucidates plasmon-coupled circular dichroism in hybrid plasmonic systems.

15:20 INVITED TALK Plasmonic Nanosensor for Force Sensing in Live Cells*Won Park*

University of Colorado Boulder (USA)

This paper presents a novel force sensor based on plasmonic modulation of upconverted luminescence. The short-range nature of plasmonic interaction enables high sensitivity. The nanosensor was used to monitor the cell-substrate interaction in live cell culture. It reveals mechanical forces in sub-cellular resolution.

15:40 INVITED TALK Optical Activity Modulation in Chiral Metasurfaces using Structured Light

Paula Laborda Lalaguna¹, Shun Hashiyada², Nikolaj Gadegaard¹, Jörg B. Götte¹, Stephen M. Barnett¹, Kayn A. Forbes³, Yoshito Y. Tanaka², Malcolm Kadodwala¹

¹University of Glasgow (United Kingdom), ²Hokkaido University (Japan), ³University of East Anglia (United Kingdom)

We demonstrate a real-time, all-optical method for tuning optical activity in chiral metasurfaces without altering the metasurface geometry. By employing tightly focused circularly polarized Laguerre–Gaussian beams carrying different combinations of spin and orbital angular momentum, we achieve dynamic control of the dichroism through selective excitation of optically dark multipolar modes.

2–O19 | Room 3051 | 14:00 - 15:35

SP11: Nano-Lasers, Spasers, and Nanostructures with Quantum Elements

Organized by: Alessandro Veltri and Ashod Aradian

Chaired by: Alessandro Veltri and Ashod Aradian

14:00 INVITED TALK Vortex nanolaser based on a photonic disclination cavity

Hong-Gyu Park

Seoul National University (Korea)

We demonstrate wavelength-scale, low-threshold, vortex and anti-vortex nanolasers in an optical cavity formed by a topological disclination. The optical vortices of the lasing modes are identified by measuring polarization-resolved images, Stokes parameters, and self-interference patterns. We measure topological charges of 1 and 2 in C5 and C6 disclination cavities, respectively.

14:20 INVITED TALK Optical Response of Active Plasmonic Nanoshells with Retardation and Gain Saturation Effects

Luis Cerdán

Instituto de Química Física Blas Cabrera (CSIC) (Spain)

In this communication, we report a semianalytical model to analyze plasmonic nanoshells with gain including retardation (radiative and dynamic depolarization corrections), that is valid for any strength of the pump and probe fields. We analyze the retardation effects on both in its laser performance and its nonlinear optical response.

14:40 INVITED TALK Fast Modulation in Plasmonic Nanolasers: Gain-Switched Dynamics

Mateo Perez¹, Karen Gabriela Caicedo Santamaria², Melissa Infusino³, Ashod Aradian⁴, Alessandro Veltri⁵

¹Universidad San Francisco de Quito (Ecuador), ²ISASI - CNR (Italy), ³Istituto per i Processi Chimico-Fisici (Italy), ⁴University of Bordeaux (France), ⁵University of Calabria (Italy)

Plasmonic nanoshell spasers enable nanoscale coherent emission via gain-assisted compensation of metal losses. Here we map turn-on and gain switching: turn-on becomes nearly universal in saturation, spectral dynamics are asymmetric with a “shark-tail” intensity signature, and sinusoidal pump modulation induces synchronized inversion-emission oscillations near threshold that broaden with increasing gain.

15:00 INVITED TALK Controlling light-matter interactions with engineered nanolaser patterns

Dávid Vass, Miklós Waldhauser, Virág Szűnstein, András Szenes, Balázs Bánhelyi, Mária Csete

University of Szeged (Hungary)

Control of light-matter interaction is demonstrated in 3D arrays of nanoresonators (i) filled with, (ii) randomly arranged and embedded into, (iii) composing multilayer complex metamaterials and coated by appropriate gain medium. Spectral engineering of passive nanoresonator configurations and optimization of dye-concentration - pump-E-field parameters enables to tailor complete lasing characteristics.

15:20

Design for a qBIC laser based on a TiO₂ metasurface*Justin Schulz, Jack Dobie, Yongliang Zhang, A. Louise Bradley*

Trinity College Dublin (Ireland)

We propose a design for a linear polarizable laser in the visible wavelength range. Consisting of a TiO₂ metasurface with a pronounced quasi-bound state in the continuum (qBIC) and utilising high quantum yield colloidal quantum dots as gain material.

2-O20 | Room 4047 | 14:00 - 16:00

SYM4: Chirality, magnetism, and magnetoelectricity: Separate phenomena and joint effects in metamaterial structures*Organized by: Eugene Kamenetskii**Chaired by: Eugene Kamenetskii*

14:00

INVITED TALK

Chiral Metamaterials with Twisted Metallic Wire Structures*Ming-Li Chang, Che Ting Chan*

The Hong Kong University of Science and Technology (China)

Some chiral metallic photonic crystal exhibits unusual band structures. We show that chiral metallic twisted wire bundle structures can host zero frequency solutions at off-

14:20

INVITED TALK

When Chirality Protection Fails: Bulk-Mediated Reflection of Surface Spin Waves*Oleksandr Serha*

University of Kaiserslautern-Landau (Germany)

Chirality protects Damon-Eshbach surface spin waves against direct backscattering, yet this protection breaks down in thick magnetic films. We show that reflection proceeds via bulk-mode conversion, producing localized energy deposition. Thermal imaging, Brillouin light scattering, and simulations directly resolve this bulk-mediated reflection pathway.

14:40

INVITED TALK

Symmetry Behavior of Chiral Disorder Metamaterials*Simone Zanotto*

Istituto Nanoscienze - CNR (Italy)

Metamaterials properties are strongly determined by symmetry. In particular, chiroptical effects are expected in systems that lack any mirror plane. Less is known about systems that are locally asymmetric but globally symmetric, due to randomization. Here we show data about chiral metamaterials with rotational, positional, and racemic disorder.

15:00

INVITED TALK

Chiral Resonant Metasurfaces for Directional Lasing and Nonlinear Polarization Control*Kirill Koshelev*

Australian National University (Australia)

We review the physics of chiral resonant metasurfaces made of conventional semiconductor materials or van der Waals materials as a platform for directional lasing and nonlinear polarization control in harmonic generation regime.

15:20

INVITED TALK

Pushing micro-focused BLS to the Nanoscale: Modeling and Nanophotonic Enhancement for Magnon Detection*Ondřej Wojewoda¹, Michal Urbánek²*¹Massachusetts Institute of Technology (USA), ²Brno University of Technology (Czech Republic)

Magnonics studies spin waves and their quasiparticles, magnons, often with use of micro-focused Brillouin light scattering (BLS). We develop a model describing BLS signal formation and use it to design dielectric nanoresonators, which enabled detection of nanoscale spin waves and allowed mapping of the dispersion relation across unprecedented ranges.

15:40

INVITED TALK

Momentum Space Enabled Functionalities in Chiral Metasurfaces*Alexander Antonov¹, Connor Heimig¹, Tao Jiang¹, Dmytro Gryb¹, Leonardo de S Menezes¹, Maxim Gorkunov², Andreas Tittl¹*¹Ludwig-Maximilians-Universität München (Germany), ²National University of Science and Technology 'MISIS' (Russia)

We study metasurfaces with quasi-bound state in the continuum with gutter-like dispersion remaining maximum chiral over broad areas of the momentum space. We employ them across different material platforms - van der Waals and polymer-based nanostructures - to demonstrate the formation of chiral exciton-polaritons and to engineer maximally chiral flatbands.

2-O21 | Room 5025 | 14:00 - 16:00

SP20: Nonlocal and nonlinear nanophotonics*Organized by: Gonzalo Álvarez-Pérez and Huatian Hu**Chaired by: Gonzalo Álvarez-Pérez and Huatian Hu*

14:00

INVITED TALK

Phonon-Enhanced Sum-Frequency Generation Spectro-Microscopy of Hexagonal Boron Nitride*Niclas S. Mueller¹, Alexander P. Fellows², Nasim Mirzajan², Purbita Kole¹, Mira Kreßler¹, Kyoungpyo Lee³, Ben John², Andrew E. Naclerio⁴, Tao Yang², Christian Carbone², Gharagozloo-Hubmann¹, Baláz², Kowalski⁴, Heener², Scheurer², Reuter², Caldwell⁴, Wolf², Kusch¹, Li³, Kidambi⁴*¹Freie Universität Berlin (Germany), ²Fritz Haber Institute of the Max Planck Society (Germany), ³University of Texas at Austin (USA), ⁴Vanderbilt University (USA)

We demonstrate 800-fold enhancement of the second-order nonlinear response of hexagonal boron nitride (hBN) monolayers by a mid-IR phonon. This enables rapid imaging of the usually invisible monolayers with sum-frequency generation microscopy, revealing their crystal orientation. Furthermore, we characterize the nonlinear response of buried hBN interfaces with artificial stacking.

14:20

INVITED TALK

Remote Nonlinear Imaging of Hyperbolic Phonon Polaritons using Sum-Frequency Microscopy*Richarda Niemann¹, Gonzalo Álvarez-Pérez², Ana-Izabel Tresguerres-Mata³, Enrique Teran-Garcia³, Dorotheé Mader⁴, Niclas Sven Mueller⁴, Sören Wasserroth⁴, Martin Wolf⁴, Aitana Tarazaga Martín-Luengo³, Javier Martín-Sánchez³, Alonso-González³, Paarmann⁴*¹Fritz-Haber Institut der Max-Planck-Gesellschaft (USA), ²Istituto Italiano di Tecnologia (Italy), ³University of Oviedo (Spain), ⁴Fritz-Haber Institut der Max-Planck-Gesellschaft (Germany)

Sum-frequency generation (SFG) wide-field spectro-microscopy of thin flakes of the biaxial van der Waals crystal α -MoO₃ placed on an AlN substrate is used to remotely image hyperbolic phonon polaritons propagating within SFG-inactive α -MoO₃, through their fields leaking into the inversion-broken AlN substrate.

14:40 INVITED TALK Nonlinear Self-Action Driven by Quasi-Bound States in the Continuum

Alfonso Nardi¹, Sonia Fredd², Michael Scalora³, Agostino Di Francescantonio¹, Johann Osmond⁴, Attilio Zilli¹, Marco Finazzi¹, Michele Celebrano¹, Monica Bollan², Maria Antonietta Vincenti³

¹Politecnico di Milano (Italy), ²Consiglio Nazionale delle Ricerche (Italy), ³Università degli Studi di Brescia (Italy), ⁴ICFO-Institut de Ciencies Fotoniques (Spain)

We experimentally study nonlinear self-action in nonlocal metasurfaces supporting quasi-bound states in the continuum. Comparing picosecond and femtosecond excitation, we observe resonance-enhanced third-harmonic generation, sub-cubic scaling, and power-dependent spectral reshaping. Full-wave simulations attribute these effects to ultrafast resonance shifts from nonlinear refractive index modulation, highlighting high-Q confinement in nonlinear dynamics.

15:00 INVITED TALK A Hybrid Finite Element - Wave Expansion Approach for the Quantum Hydrodynamic Response of 2D Structures

Xuezhi Zheng

Nanjing University of Aeronautics and Astronautics (Switzerland)

We present a hybrid framework for linear optical response of 2D metallic nanostructures governed by the quantum hydrodynamic model. The method couples finite elements inside a circular fictitious boundary with cylindrical wave expansion externally, enforcing interface conditions. Results agree well with analytical benchmarks.

15:20 INVITED TALK Nonreciprocal plasmons in nanostructured graphene

Joel Cox

University of Southern Denmark (Denmark)

We investigate nonreciprocal plasmon polaritons in electrically and magnetically biased graphene nanoribbons and carbon nanotubes. Quantum confinement and edge-termination effects strongly modify drift-induced nonreciprocity, while magnetoplasmons enable propagation-dependent coupling to circularly polarized emitters. These results establish one dimensional graphene platforms for actively controlled and chiral nanoscale light-matter interactions.

15:40 INVITED TALK Quantum Plasmonics in Metals and Emerging Applications of Graphene Plasmons

P. André Gonçalves

University of Southern Denmark (Denmark)

We review progress in quantum plasmonics and present analytical expressions for mesoscopic scattering coefficients of metallic cylinders, discussing how quantum nonlocal effects influence plasmon resonances and light-matter interactions. We then show that graphene plasmons can be leveraged to probe ultrafast thermoelectric phenomena and control donor-acceptor energy-transfer rates in nanoribbon structures.

2-O22 | Room 3071 | 14:00 - 16:00

SP21: New trends in light-matter interaction at the nanoscale

Organized by: Carlos Alberto Maciel Escudero, Jorge Olmos Trigo and Mario Zapata Herrera

Chaired by: Carlos Alberto Maciel Escudero, Jorge Olmos Trigo and Mario Zapata Herrera

14:00 INVITED TALK Within and Beyond the Photon Beam: 3D Electrokinetic Mapping to Manipulation of Optical Matter

Roger Bresoli Obach¹, B. Louis², J. Hofkens², H. Masuhara³, M. I. Marques⁴, J. Olmos⁴, R. Delgado-Buscalioni⁴

¹Universitat Ramon Llull (Spain), ²KU Leuven (Belgium), ³NYCU (Taiwan), ⁴Universidad Autonoma de Madrid (Spain)

We present a mapping to manipulation framework for optical matter that couples fast 3D imaging with electrokinetic control. Using dielectrophoresis and tailored electrodes, we map particle trajectories, quantify flows, and then program selective assembly, transport, and sorting beyond the photon beam. The approach enables species selective patterning, sequence writing, and reconfigurable colloidal devices

14:20 INVITED TALK **Quantitative Analytical Model for Scattering-type Scanning Near-field Optical Spectroscopy***Kirill Voronin¹, Rainer Hillenbrand², Alexey Nikitin¹*¹Donostia International Physics Center (Spain), ²CIC nanoGUNE (Spain)

We present an accurate analytical solution for the prolate spheroid model of the scattering-type scanning near-field optical microscopy in the quasi-electrostatic limit. The model is developed and experimentally validated for calculating near-field spectra of bulk and layered samples, and can be extended to more complex nanostructures.

14:40 INVITED TALK **Tailoring the Optical Properties of Random Metasurfaces for Multifunctional Applications***Alejandro Reyes-Coronado, Jonathan A. Urrutia-Anguiano, Isabel Y. Rojas-Martinez*

Universidad Nacional Autonoma (Mexico)

We demonstrate versatile light control using random metasurfaces modeled via the Coherent Scattering Model. By exploiting multipolar interference in disordered metallic and dielectric nanostructures, we achieve angle-independent structural colors, broadband reflection suppression, and phase-sensitive sensing. Our results establish random metasurfaces as robust, scalable alternatives to periodic systems.

15:00 INVITED TALK **Active light steering with electron beams***Eduardo Dias¹, Álvaro Rodríguez-Echarr², Theis Rasmussen¹, F. Javier García de Abajo³, Joel D. Cox¹*¹University of Southern Denmark (Denmark), ²AMOLF - Center for Nanophotonics (The Netherlands), ³ICFO - The Institute of Photonic Sciences (Spain)

By engineering a periodic non-uniform 1D array, we are able to steer the cathodoluminescence generated by a passing electron beam. We further demonstrate how to control such emission actively using disks of fluence-controlled phase-changing materials or electrostatically tunable graphene ribbons.

15:20 INVITED TALK **Multi-Electron Effects in Free-Electron Beams: Light Generation and Electron-Electron Correlations***Valerio Di Giulio, Rudolf Haindl, Armin Feist, Claus Ropers*

Max Planck Institute for Multidisciplinary Sciences (Germany)

We predict and experimentally demonstrate Coulomb-driven crystallization in few-electron pulses and explore how discrete symmetry can emerge even in continuous beams. This reveals crystal-like ordering and enables new regimes for electron microscopy. We further study the quantum statistics of light emitted by such beams also modulated by a laser field.

15:40 INVITED TALK **Free electrons shape light, light shapes free electrons***Alvaro Rodriguez Echarr*

AMOLF (The Netherlands)

Swift electrons enable nanoscale light-matter interaction beyond optical diffraction. In electron energy-loss spectroscopy and cathodoluminescence, electrons generate optical excitations, whereas in photon-induced near-field electron microscopy incoming light reshapes electronic states. We present a wave-based perspective highlighting the reciprocal roles of light and free electrons in nanophotonic systems.

2-O23 | Dargan Auditorium | 14:00 - 15:50

SYM2: New trends in nanophotonics and advanced materials

Organized by: Junsuk Rho, Hakjoo Lee, Namkyoo Park, Seong Ok Han

Chaired by: Junsuk Rho, Hakjoo Lee, Namkyoo Park, Seong Ok Han

14:00 KEYNOTE TALK Metamaterials at Crossroads: from Quantum to Space-Time Photonics

Vladimir Shalaev

Purdue University (USA)

We discuss quantum photonics based on the recently discovered single-photon emitters in silicon nitride and the avalanche-enhanced optical modulation in silicon at single-photon intensities. Then, we show that transparent conducting oxides (TCOs) operating in the near-zero index (NZI) regime can enable extreme time-varying media.

14:30 INVITED TALK Exciton Polarons in 2D semiconductors

Carlos Alberto Maciel Escudero, Giuseppe Meneghini, Jamie Fitzgerald, Ermin Malic

Philipps-Universität Marburg (Germany)

We investigate exciton polaron formation in 2D semiconductors. By solving the Dyson equation, we obtain polaron energies and identify the regime where polaronic effects, such as renormalized group velocity, effective masses and transport, become significant. Our work provides a systematic microscopy and material specific theory to investigate polaron physics.

14:50 INVITED TALK Shining Light on 2D Antiferromagnets

Viktoria Radovskaia, Mengxing Na, Theo H. Rasing, Alexey V. Kimel, Dmytro Afanasiev

Radboud University (The Netherlands)

Ultrafast resonant orbital excitation of transition-metal (TM) ions offers a powerful approach to drive spin dynamics in 2D van der Waals (vdW) materials. In this work, we investigate mixed 2D systems containing different TM ions. Our findings demonstrate the mixing of TM species as a versatile strategy for engineering photomagnetism.

15:10 INVITED TALK Chiral Photonic Environments for Coherent Control of Valley ExcitonsHassan Lamsaadi¹, Aurélien Cuche², Hugo Lourenço Martins², Vincent Paillard³, Sébastien Weber², Jean Marie Pomirol⁴, Gonzague Agez³¹INSA Toulouse (France), ²CEMES CNRS (France), ³Toulouse University (France), ⁴CEMES - CNRS (France)

Valley coherence encodes quantum information in the relative phase of inequivalent momentum valleys, yet controlled intervalley coupling at room temperature remains challenging in monolayer semiconductors. We demonstrate that chiral liquid crystals enable nearfield coupling between excitons via helicityselective Bragg reflection accompanied by spinflip, offering a scalable route toward valleytronic functionalities.

15:30 INVITED TALK Optical Properties Tuning of Quantum Emitters in WSe₂ Monolayers

Javier Martín-Sánchez

Universidad de Oviedo (Spain)

We demonstrate strain control of quantum emitters in WSe₂ monolayers using piezoelectric actuators. Applied voltage enables reversible tuning of emission energy and brightness while preserving single photon purity. Strain modifies the excitonic potential landscape, enabling exciton redistribution. These results establish strain engineering as a tool for tunable photonic devices.

2-O24 | McNabb Theatre | 14:00 - 15:50

SYM3: Advanced passive and active metasurfaces and zero-index materials

Organized by: Howard Lee, Pin Chieh Wu, Wen-Hui (Sophia) Cheng

Chaired by: Howard Lee, Pin Chieh Wu, Wen-Hui (Sophia) Cheng

14:00 INVITED TALK Broadband Metamaterial Absorbers for Highly Sensitive Molecular Detection*Takuo Tanaka*

RIKEN (Japan)

Broadband metamaterial absorbers were applied to ultra-sensitive molecular sensing applications. 3D coaxial metamaterial absorber was developed and applied for the multiple gas sensing with a zepto-molar sensitivity.

14:20 INVITED TALK Timetronics vs Electronics*Venugopal Raskatla¹, Jinxiang Li², Giorgio Adamo¹, Kevin MacDonald¹, Nikolay Zheludev¹*¹University of Southampton (United Kingdom), ²Nanyang Technological University (Singapore)

Can nano-mechanical computers be scaled to the nanoscale and compete with electronic architectures? We report the timetron as a central building block for mechanical computation based on the concept of a time crystal, which can be switched with femtojoule-scale energies and sustained with only a few femtowatts of optical power.

14:40 KEYNOTE TALK Wavefront Shaping and Harnessing Coherence with Guided Mode Metastructures*Julie Belleville, Martin Thomaschewski, Komron Shayegan, Yae-Chan Lim, Gloria Halka, Arun Nagpal, Nimisha Ramprasad, Lior Michaeli, Harry Atwater*

California Institute of Technology (USA)

Guided mode metastructures are key building blocks for design of electro-optic active metasurfaces for wavefront shaping, and in metasurfaces that enable spatial coherence in the far field radiation emitted from thermal radiation sources and luminescent emitters.

15:10 INVITED TALK Topological metasurface for wavefront manipulation*Qinghua Song*

Tsinghua Shenzhen International Graduate School (China)

In this talk, we will present topological metasurface based on exceptional points and their applications in wavefront manipulation. Unconventional arbitrary polarized exceptional point and zero-eigenvalue exceptional point are demonstrated.

15:30 INVITED TALK Metasurface-Enabled Solid-State Photon Sources*Fei Ding*

University of Southern Denmark (Denmark)

We propose general approaches to designing versatile solid-state photon sources using on-chip quantum-emitter-coupled metasurfaces. This platform enables us to generate spatially propagating photon streams with arbitrary directionality, polarization, and wavefronts via designed metasurfaces.

2-O25 | Maharry Theatre | 14:00 - 15:50

SYM6: Advanced Techniques for Computational Electromagnetics

Organized by: Maha Ben Rhouma

Chaired by: Maha Ben Rhouma

14:00 INVITED TALK High-Speed Chemical Identification Enabled by Terahertz Parametric Wavelength Conversion*Kosuke Murate¹, Sota Mine², Kodo Kawase¹*¹Nagoya University (Japan), ²RIKEN (Japan)

We demonstrate simultaneous generation of more than ten terahertz (THz) wavelengths using parametric generation and detection. Spectroscopic information is acquired in real time as camera images, enabling instantaneous sample identification via image recognition. The system allows rapid chemical sensing with strong potential for practical THz applications.

14:20 INVITED TALK Theory and experiments on GaN waveguide polariton lasers*Olha Bahrova¹, Valentin Develay², I. Septembre³, D. Bobylev³, Christelle Brimont², L. Doyennette⁴, B. Alloing⁵, H. Souissi⁶, E. Cambri⁶, S. Bouchoule⁶, Ackemann⁷, Zuniga Perez⁸, Guillet², Malpuech⁹, Solnyshkov¹*¹Institut Pascal (France), ²University of Montpellier (France), ³Université Clermont Auvergne (France), ⁴Université de Montpellier (France), ⁵Université Cote d'Azur (France), ⁶Université Paris-Saclay (France), ⁷University of Strathclyde (United Kingdom), ⁸Université Cote d'Azur (France), ⁹Université Clermont Auvergne (France)

GaN waveguide polariton lasers are very promising for applications. We discuss recent experimental results and their theoretical description, including cw and pulsed mode-locked polariton lasing, the formation of single and multiple solitons in ridge waveguides, and also bound states in the continuum (BIC) and associated solitons in modulated waveguides.

14:40 INVITED TALK Information and inference in photonic sensors*Zin Lin*

Virginia Tech (USA)

We will present our recent efforts on analyzing and optimizing information and inference in various photonics sensors, imagers, and processors.

15:00 INVITED TALK Modeling Nanoplasmonics with a Fully Atomistic Approach*Tommaso Giovannini*

University of Rome Tor Vergata (Italy)

We present a classical electromagnetic model to simulate the plasmonic response of realistic nanostructures. The approach accounts for intraband and interband effects and includes a description of quantum tunneling. Its coupling with a quantum mechanical (QM) description of molecular adsorbates allows for a cost-effective, yet accurate modeling of plasmon-mediated chemistry.

15:20 KEYNOTE TALK Inverse designed, densely integrated classical and quantum photonics*Jelena Vuckovic*

Stanford University (USA)

Recent breakthroughs in photonics design, along with new nanofabrication approaches and heterogeneous integration play crucial roles in building photonics for applications including optical interconnects and quantum technologies. This design breakthrough is named photonic inverse design, and refers to efficiently searching through the space of all possible photonic device geometries.

2-O26 | Room 4050A | 14:00 - 16:00

SP13: Commercialization of Metasurface and Nanophotonic DevicesOrganized by: *Matthew Singer*Chaired by: *Matthew Singer***14:00 INVITED TALK Agentic photonic simulation with Tidy3D***Zongfu Yu*

Flexcompute Inc. (USA)

We integrate agentic AI with Tidy3D to automate photonic design. LLM-based agents manage geometry and convergence, optimizing high-dimensional spaces autonomously. This framework minimizes engineering overhead and maximizes performance, utilizing cloud-based FDTD for rapid, self-evolving workflows. We demonstrate efficacy through autonomous, multi-functional gradient metasurface optimization

14:20 INVITED TALK A Scalable Structural-Color Nanocavity Platform for Stain-Free Digital Pathology*Qizhe Chen, Qiaoqiang Gan*

KAUST (Saudi Arabia)

We introduce a scalable structural-color nanocavity platform for stain-free digital pathology. The planar nanocavities-on-silicon design avoids nanopatterning, enables wafer-scale manufacturing, and operates with standard optical microscopes. By minimizing system modification and cost, this platform supports large-scale deployment and AI-compatible histological imaging.

14:40 INVITED TALK Compact multi-functional imaging systems using meta-optics*Arka Majumdar*

University of Washington (USA)

I will present our research effort on meta-optical computational imaging, with particular focus on broadband imaging and low power/ latency computer vision. Additionally, I will discuss the opportunities and challenges of creating sub-wavelength spatial light modulators for imaging exploiting meta-optics.

15:00 INVITED TALK Inverse Designed Flat Optics for Extended Depth of Focus Laser Beam Shaping*Rajesh Menon¹, Apratim Majumder¹, Tina M. Hayward¹, Nicole Brimhall², Vishwa Pal³, Kamal P. Singh⁴*

¹University of Utah (USA), ²Oblate Optics, Inc. (USA), ³Indian Institute of Technology Ropar (India), ⁴Indian Institute of Science Education and Research Mohali (India)

Inverse designed flat optics enable compact generation of long depth of focus laser beams for micromachining and structured light. We report multilevel diffractive lenses that maintain focused femtosecond spots over twenty millimeters, extend plasma channels to fifty five millimeters, and generate nondiffracting bottle beams over more than five centimeters.

15:20 INVITED TALK Twenty Years of Research in Subwavelength Grating Metamaterial Integrated Photonics: From Fundamentals to Real-World Impact*J. Gonzalo Wanguemert Perez¹, Alejandro Ortega-Moñux², Robert Halir², Pavel Cheben³, Jens H. Schmid³, José Dario Sarmiento-Merenguel¹, Alejandro Maese-Novo¹, Pablo Ginel-Moreno¹, Iñigo Molina-Fernández²*

¹University of Málaga (Spain), ²Universidad de Malaga (Spain), ³National Research Council Canada (Canada)

This invited talk reviews some of the joint contributions from the University of Málaga and the National Research Council of Canada to subwavelength grating metamaterial waveguides. Particular emphasis is placed on how this research led to AGPhotonics, a University spin-off focused on integrated-photonics solutions for free-space optical wireless communications.

15:40 INVITED TALK Photonic Band Gap Robustness of Stealthy Hyperuniform Metamaterials*Manuel Gallego¹, Uzair Malik¹, Yezhezi Zhang¹, Michael A. Klatt², Claire F. Gmachl¹*¹Princeton University (USA), ²German Aerospace Center (Germany)

We design, simulate, and fabricate stealthy hyperuniform metasurfaces of variably shaped silicon pillars for the mid-IR. Simulations reveal large photonic band-gaps (PBG) approximately 37% in width. Measurements show enhanced reflection regions around 950-1020 cm⁻¹ corresponding to the PBG location for all geometries, confirming band-gap robustness to variations in pillar cross-section.

2-O27 | Room 5039 | 14:00 - 15:20

META Quantum Nanophotonics Workshop*Organized by: Ortwin Hess**Chaired by: Ortwin Hess***14:00 INVITED TALK Ultrasensitive nanothermometry with single organic dye molecules***Mohammad Musavinezhad, Jan Renger, Stephan Gotzinger, Alexey Shkarin, Vahid Sandoghdar*

Max Planck Institute for the Science of Light (Germany)

We use single organic dye molecule at cryogenic temperatures as a readout of the state of a nearby two-level system (TLS). The temperature dependence of the TLS behavior allows us to perform nanoscale thermometry with sub-millikelvin sensitivity. We report on the detection of sub-picowatt heat generation from a single molecule.

14:20 INVITED TALK Thermalization of photons in disordered scattering media*Valentina Krachmalnicoff, L. Soncin, Y. De Wilde, R. Pierrat, R. Carminati*

ESPCI - Paris PSL (France)

We show the first demonstration of photon thermalization in a scattering medium interacting with Rhodamine molecules. Scattering and fluorophores' absorption and emission cycles drive dramatic changes of the emission spectrum. A delicate balance between these phenomena leads to an emission spectrum following a Bose-Einstein distribution with a non-vanishing chemical potential.

14:40 INVITED TALK Enhanced Plasmon-Emitter Coupling and Emission at the Single-Molecule Level*R. Margoth Cordova Castro*

University of Ottawa (Canada)

We show that using Purcell enhanced emitters coupled to high LDOS metamaterials and detected at the single-molecule level, can serve to translate very minute changes in the electromagnetic environment and in nanopositions impossible to detected, to measurable signals such as bright point sources.

15:00 INVITED TALK Quantum optical metasurfaces for photon pair generation*Igal Brener*

Sandia National Labs (USA)

Resonant dielectric metasurfaces with multiple engineered modes, especially high-Q qBICs, enable efficient nonlinear conversion and quantum-light generation without bulk phase matching. They provide control of biphoton polarization, allow two-photon interference between overlapping SPDC channels, and, via symmetry-designed nonlocal quadromer lattices, yield orders-of-magnitude enhancement of four-wave mixing.

2-O28 | Room 5039 | 15:20 - 15:50

GEN22: Chiral and Hyperbolic Metamaterials

15:20

Inverse Faraday Effect and Gyrotropy in Time-Varying ENZ Films*Domenico de Ceglia¹, Carlo Rizza², Michael Scalora¹, Maria Antonietta Vincenti¹, Wallace Jaffray³, Sven Stengel³, Marcello Ferrera³*¹University of Brescia (Italy), ²University of L'Aquila (Italy), ³Heriot-Watt University (United Kingdom)

We investigate the origin of inverse Faraday effect and gyrotropy in epsilon-near-zero films under circularly polarized excitation. We compare four theoretical frameworks: isotropic third-order nonlinearity; Hertel's plasma model with time-averaged charge-velocity interaction; nonlinear free-electron hydrodynamics; mass-varying Drude theory. Common mechanisms and key differences are discussed.

15:35

Carrier Drift Modulation and Hyperbolic Time Crystals*Evgeniy Narimanov¹, Boris Shapiro²*¹Purdue University (USA), ²Technion (Israel)

Carrier Drift Modulation imparts a transient drift momentum to free carriers using fewcycle optical excitation, producing strong anisotropy in nominally isotropic conductors. This ultrafast mechanism enables hyperbolic dispersion and supports timeperiodic amplification, offering a practical route to lowloss hyperbolic media in standard semiconductor platforms.

Coffee Break

16:00 - 16:40

2-P2 | Business School Concourse | 16:00 - 16:30

Poster Session IV

P1

Resonant dielectric metasurfaces in Silicon Nitride for enhanced third harmonic generation in the UV*Shroddha Mukhopadhyay¹, Maria Antonietta Vincenti², Radu Malureanu³, Crina Cojocaru¹, Michael Scalora², Jose Trull¹*¹Universitat Politècnica de Catalunya (Spain), ²University of Brescia (Italy), ³DTU Nanolab (Denmark)

We present a combined experimental-theoretical study of third harmonic generation (THG) in plasma-etched silicon nitride metasurface gratings. Compared to a planar membrane, the resonant structures exhibit polarization-selective TE and TM responses. Under ultrafast near-infrared excitation, strong electromagnetic field localization enables two orders of magnitude THG enhancement, enabling efficient visible-to-UV upconversion.

P2

Transfer Learning for Data-Efficient Modeling of Composite Metasurface Unit Cells*Alexander Wolff, Lukas Mueller, Steffen Klingel, Marco Rahm*

RPTU Kaiserslautern-Landau (Germany)

Training data is scarce when developing neural networks to model geometry-dependent scattering parameters of metamaterials. By applying transfer learning, we reduced the training data required for a neural surrogate model of a tunable composite metasurface more than twentyfold and demonstrate the approach's generalizability across different composite and fundamental structures.

P3

Quantum Nanophotonic Control in Non-Perturbative Light-Matter Coupling Regimes*Erika Cortese¹, Johannes Bürger², Simone Di Muzio², Dario Ballarín², Simone De Liberato²*¹University of Southampton (United Kingdom), ²CNR Nanotec (Italy)

Non-perturbative light-matter coupling in quantum nanophotonic platforms enables control of decay, dissociation, and electromagnetic confinement beyond geometry. We illustrate this across atomic, molecular, and nanophotonic systems, highlighting how structured multi-mode coupling provides new handles for controlling quantum optical functionality and spatial field distributions.

P4

Effects of TE-TM splitting on bistability and nonlinear spin dynamics in resonantly driven spinor exciton-polaritons*Ting Wei Chen¹, Szu-Cheng Cheng²*¹National Pingtung University (Taiwan), ²Chinese Culture University (Taiwan)

We study TE-TM splitting effects on resonantly driven spinor exciton-polariton bistability. TE-TM coupling modifies thresholds, hysteresis, and spin composition, suppressing circular polarization under elliptical pumping. Pump momentum and dispersion curvature govern nonlinear regimes. The intermediate branch is unstable but can show slow growth, enabling long-lived transient switching dynamics.

P5

Spatial Electric-Field-Induced Chiral Discrimination in Planar Plasmonic Nanostructures*Chung-Kai Tseng¹, Tang-Chun Liu¹, Almudena Marti-Morant², Chao-Yi Tai¹*¹National Central University (Taiwan), ²Universite de Lorraine (France)

In this work, we investigate the relationship between chiral dependent forces on chiral particles and the spatial distribution of electric fields that generate optical chiral field. Through analysis on planar plasmonic structures, we identify specific electric field distributions that significantly enhance the contrast between chiral dependent and independent forces.

P6

Parity-Time Symmetric Waveguide Coupler*Indre Meskelaite¹, Darius Gailevicius¹, Kestutis Staliunas²*¹Vilnius University (Lithuania), ²Universitat Politècnica de Catalunya (Spain)

A parity-time symmetric waveguide coupler, enabling nonreciprocal coupling between the propagating modes of the waveguides, is proposed. The optical system is studied numerically via coupled-mode theory analysis and finite-difference time-domain simulations, revealing multiple different regimes of light coupling.

P7

Acoustic Spin Skyrmion Molecule Lattices Enabling Stable Transport and Flexible Manipulation*Lei Liu, Xiujuan Zhang, Ming-Hui Lu, Yan-Feng Chen*

Nanjing University (China)

We introduce a skyrmion molecule lattice, where pairs of skyrmions with opposite polarizability are symmetry locked into stable molecule configurations. Using a boundary engineering technique, we also achieve deterministic control over skyrmion creation, deformation, annihilation, and polarizability inversion.

P8

Towards Tunable Nanophotonics Filters using Quantum Confined Stark Effect*Tanneguy Blandin¹, Mathieu Arribat¹, Antoine Monmayrant¹, Aurélie Lescestre¹, Jean-Yves Duboz², Olivier Gauthier-Lafaye¹*¹LAAS-CNRS (France), ²CNRS-CRHEA (France)

We experimentally demonstrate the refractive index modulation of a n-i-n doped GaAs/AlGaAs Quantum Confined Stark Effect based structure. Usage of a similar structure for the fabrication of Cavity Resonator Integrated Guided-Mode Resonance Filter (CRIGF) is demonstrated. The loss induced by the GaAs contact layers are evaluated.

P9

Near-field observation of energy transfer in nonlocal metasurfaces*Jie Ji, Wouter Holman, Djero Peeters, Jaime Gomez Rivas*

Eindhoven University of Technology (The Netherlands)

We demonstrate dipole-dipole energy transfer mediated by nonradiative bound states in the continuum in a terahertz metasurface. Using a custom THz near-field microscope, highly anisotropic long-range spatiotemporal coherence is revealed, enabling directional energy transfer and opening new pathways for controlling light-matter interactions at the mesoscale.

P10

Enhanced Strong Coupling in Two-Dimensional Dichalcogenide Materials and a Bowtie Nanoantenna Plasmonic Array*Na Jia¹, Bhera Ram Tak¹, Luke Doolan¹, Yongliang Zhang¹, Riley Gatensby², Jonathan N. Coleman¹, Richard Hobbs¹, A. Louise Bradley¹*¹Trinity College Dublin (Ireland), ²The University of Dublin (Ireland)

We demonstrate large strong coupling between a Au bowtie nanoantenna array enabling and monolayer WS₂. Using a PMMA layer to engineer the dielectric environment enhances local fields and increases the Rabi splitting from 84 to 135 meV, visible in both scattering and emission spectra. Experimental results agree well with simulations.

P11

Non-Local Non-Abelian pumping on Photonic Chips*Qingyang Mo¹, Wange Song¹, Zhongfu Li², Jiajun Li¹, Tao Li², Shuang Zhang¹*¹The University of Hong Kong (Hong Kong), ²Nanjing University (China)

We report the observation of non-local non-Abelian pumping, achieving non-commutative transfer among three topological edge states across opposite boundaries on silicon photonic chips.

P12

Optical detection of single sub-15 nm objects using elastic scattering strong coupling*MohammadReza Aghadae, Melissa J. Goodwin, Oluwafemi S. Ojambati*

University of Twente (The Netherlands)

Nano-objects smaller than 15 nm exhibit extremely low scattering cross-sections, posing a significant challenge for optical detection. Here we demonstrate a strong coupling of elastic scattering between a nano-object and a plasmonic nanocavity. This approach allows us to detect individual objects with diameters down to 1.8 nm inside the nanocavity.

P13

Structural diversity of pentatwinned plasmonic nanoparticles*Ana Sánchez-Iglesias, Marek Grzelczak*

Centro de Fisica de Materiales CSIC-EHU (Spain)

We report a universal approach to the colloidal synthesis of high-quality pentatwinned plasmonic nanoparticles with tailored optical properties.

P14

Inducing anisotropy in time via spacetime interfaces*Andrew Naylor, Victor Pacheco-Peña*

Newcastle University (United Kingdom)

Four-dimensional media have become an interesting paradigm for the manipulation of wave propagation in multiple dimensions. Here, we present a mechanism to induce isotropic-to-anisotropic time interfaces from entirely isotropic spacetime modulations.

P15

Efficient and predictive photon-pair emission from a lithium niobate nano-resonator*Alberto Paniate¹, Michael Poloczek², Attilio Zilli³, Vitaly Sultanov², Yigong Luan³, Tomas Santiago-Cruz², Luca Carletti⁴, Marco Finazzi³, Marco Genovese¹, Ivano Ruo-Berchera¹, Ferrera⁵, Toma⁵, Monticone⁶, Celebrano¹, Chekhova²*¹Max Planck Institute for the Science of Light (Germany), ²Friedrich-Alexander-Universität (Germany), ³Politecnico di Milano (Italy), ⁴University of Brescia (Italy), ⁵Istituto Italiano di Tecnologia (Italy), ⁶Cornell University (USA)

Subwavelength-nonlinear nanostructures enable compact SPDC-based quantum light sources, but progress has been limited by missing predictive models. This work extends a quasi-normal-mode framework to realistic conditions and validates it experimentally on a lithium-niobate bullseye nano-resonator, demonstrating predictive design through record photon-pair rates and accurate spatial and spectral characterization.

P16

Spatial Dispersion in Optical Properties of Planar Lattices of Plasmonic Nanoparticles Revealed by Müller Matrix Ellipsometry*Eugene Bortchagovsky¹, Dai Fang², Monika Fleischer², Dietrich R. T. Zahn³*¹V. Lashkaryov Institute of Semiconductor Physics of NAS (Ukraine), ²Eberhard Karls Universität Tübingen (Germany), ³Chemnitz University of Technology (Germany)

We demonstrate the vital role of spatial dispersion in the optical properties of planar ordered lattices of plasmonic nanoparticles, which cannot be described by any standard dielectric tensor, and demonstrate the orientational dependence of the optical properties opening a new way for tuning their optical response by the orientation.

P17

Tunable photonic supercrystals on a mirror using template-assisted self-assembly*Afroditi Koutsogianni, Xiaoyu Qi, Jose Mendoza-Carreño, Pedro Moronta Cambero, David Brian Amabilino, Antonio Agustín Mihi Cervelló*

ICMAB-CSIC (Spain)

We report a scalable hybrid plasmonic metasurface combining surface lattice resonances and nanoparticle-on-mirror gap modes. Using template-assisted self-assembly, we fabricate a nanoparticle array on mirror and we independently tune diffractive and localized resonances via angle, geometry, and spacer thickness, achieving spectral overlap, mode hybridization, and enhanced nanogap field confinement.

P18

Fundamental Study on Lamb Wave Control Using Resonator-Based Acoustic Metasurfaces*Kent Hora, Toshihiko Sugiura*

Keio University (Japan)

Previous studies numerically demonstrated that lamb-wave propagation can be suppressed by controlling boundary conditions using resonator-based acoustic metasurfaces. This study aims to experimentally verify this effect and explore its application to a pseudo band-pass filter, demonstrating attenuation characteristics and the feasibility of such filtering using resonator-based metasurfaces.

P19

Waveguide-Driven Nanoparticle-on-Mirror Nanocavities for Integrated On-Chip Raman Spectroscopy*Daniel Arenas Ortega, Elena Pinilla Cienfuegos, Alejandro Martínez*

Universidad Politécnica de Valencia (Spain)

We demonstrate integrated Raman spectroscopy using a nanoparticle-on-mirror (NPOM) on top of a silicon nitride waveguide. TM modes efficiently excite the NPOM, producing strong nanogap-enhanced signals. Nanoparticles significantly enhance molecular Raman peaks, enabling sensitive, on-chip detection and potential chiral sensing. Guided measurements show with TM polarization 1.5× stronger than TE.

P20

Inverse-Designed Ultra-Compact 1 x 3 Beam Splitter on a Cladding-Free Photonic Crystal Platform*Jinseong Bae¹, Donghyun Park¹, Minjin Kim¹, Sejeong Kim², Haejun Chung¹*¹Hanyang University (Korea), ²Sungkyunkwan University (Korea)

We demonstrate the first inverse-designed multi-port splitter for cladding-free photonic crystal waveguides, achieving 99.99% transmittance with 30:39:30% power splitting across three outputs within a 1.4×4.2 footprint. Adjoint-based topology optimization with fabrication-aware projection filtering maintains 50 nm minimum feature size, enabling ultra-high density photonic integration without cladding layers.

P21

Tunable nonlinearities of nonlocal free-electron gas in plasmonic heavily doped semiconductors*Huatian Hu¹, Gonzalo Alvarez-Perez², Antonio Valletta³, Marialilia Pea³, Michele Ortolani³, Cristian Cirac²*¹University of Southern Denmark (Denmark), ²Center for Biomolecular Nanotechnologies (Italy), ³Consiglio Nazionale delle Ricerche (Italy)

Nonlocal free-electron dynamics have a substantial contribution to the optical nonlinearity in heavily doped semiconductor systems, and is very tunable. We applied hydrodynamic method to explore the tunability of third-harmonic generation and optical Kerr bistability.

P22

Thermally Addressable Au/PDLC Multilayer metamaterial: A Platform for Tunable Epsilon-Near-Zero Response*Vimala Sridurai¹, Geetha G. Nair²*¹The University of Manchester (United Kingdom), ²Centre for Nano and Soft Matter Sciences (India)

We report a five-layer gold and polymer dispersed liquid crystal multilayer metamaterial exhibiting sub-unity permittivity in the optical regime. Using spectroscopic ellipsometry and effective medium theory, we characterize this epsilon near zero phenomenon. This architecture serves as a foundational platform for thermally switching the system toward hyperbolic dispersion.

P23

Wrinkle-Mediated Plasmonic Metasurfaces for Large-Area Photoresponsive Devices*Swagato Sarkar, Tobias A. F. Koenig, Andreas Fery*

Leibniz Institute of Polymer Research Dresden (Germany)

Wrinkle-mediated plasmonic metasurfaces provide a scalable route to anisotropic light-matter interaction without complex lithography. Here, large-area 1D plasmonic gratings fabricated via mechanical instabilities and oblique-angle metal deposition are presented. Surface plasmon polaritons and localized plasmon modes enable deformation-stable optical sensing and photoresponsive device functionalities.

P24

Enhancing Plasmonic Metasurface Performance via Nanogap Engineering*Aleksandra Szymańska, Andrzej Kudelski, Agata Królikowska*

University of Warsaw (Poland)

A plasmonic metasurface based on Core-Shell-Like Nanostructures (CSLNs) enables precise nanogap engineering over macroscopic areas. CSLN arrays with single-nanometer gaps were fabricated, exhibiting tunable plasmonic resonances from the ultraviolet to the near-infrared. Nanogap-induced field enhancement governs optical and sensing performance, enabling sensitive, reproducible molecular detection validated by SERS spectroscopy.

P25

Leveraging Stochastic Textures in Chiral Nematics for multi-modal Physical Unclonable Functions (PUFs)

Mauro Daniel Luigi Bruno¹, Giuseppe Nicoletta¹, Roberto Caputo¹, Maria Penelope De Santo¹, Riccardo Cristoforo Barberi¹, Antonio Ferraro²

¹Università della Calabria (Italy), ²Consiglio Nazionale delle Ricerche - Istituto di Nanotecnologia (Italy)

These studies explore the potential of Liquid Crystals (LCs) for the realization of security system based on the paradigm of Physical Unclonable Functions (PUFs). By exploiting the nature of LCs and their sensitivity to external stimuli, we generate unique optical "feature" through different pathways.

P26

Synergistic Multi-loss Mechanisms in a Nested Metastructure for Low-frequency Broadband Absorption

Kai Cui, Xian Wang

Huazhong University of Science and Technology (China)

To address the challenge of low-frequency broadband microwave absorption, this study proposes a composite nested honeycomb metastructure. By integrating dielectric loss units with a magnetic loss gradient framework, ultra-wideband absorption from 1.2 to 18 GHz is achieved within only 10mm thickness, providing an effective approach for advanced absorbers.

P27

Genetic Algorithm-based 3D-Metamaterials for Radar Range Extension

Dmytro Vovchuk¹, Dmitry Dobrykh¹, Konstantin Grotov¹, Anna Mikhailovskaya¹, Mykola Khobze², Vladyslav Tkach², Anton Kharchevskii¹, Toms Salgals², Vjaceslavs Bobrovs², Pavel Ginzburg¹

¹Tel Aviv University (Israel), ²Riga Technical University (Latvia)

Drone utilization increases air traffic and complicates detection of low-RCS UAVs. We propose evolutionarily designed multilayer metamaterial structure of coupled electric and magnetic resonators that produce broadband end-fire backscattering. The compact structure achieves 1 m² RCS at 10 GHz with >10% bandwidth, improving radar detection range by 1.5-5-fold range detectability.

P28

Noble Metal Nanostructures On Chip For SERS Based Sensing Applications Fabricated Via Electrochemical Deposition

Mohd Asif, Merbin John, Vaibhav Chaturvedi, Anuj Dhawan

Indian Institute of Technology (IIT) Delhi (India)

We fabricated noble-metal nanostructures on chip for SERS-based sensing applications using electrochemical-deposition. The chips are analyzed using a SERS-active chemical pMBA. The nanostructures were fabricated using gold and silver precursor solutions and a mixture of these solutions. A large improvement in SERS-enhancement was observed when a mixed solution was used.

P29

Exploring the coupling of TPMSs: What utility can they provide?

Alonso Cuartero Mondoño¹, Andrea Bergamin²

¹EMPA - Federal Institute of Technology Zurich (ETHZ) (Switzerland), ²EMPA (Italy)

Triply Periodic Minimal Surfaces offer lightweight, high-symmetry architectures with tunable mechanical properties. This study computationally investigates deformation coupling in TPMS-based beams under static and dynamic loading. Results reveal morphology-dependent behaviors. Coupling can be tailored via geometric modifications, enabling multifunctional, shape adaptive structural design.

P30

High-Index Plasmonic Metamaterials for Mid-Infrared Upconversion*Caleb Todd¹, Nicolas Spiesshofer¹, Zoltan Sztranyovszky², Rakesh Arul¹, Angela Demetriadou², Jeremy Baumberg¹*¹University of Cambridge (United Kingdom), ²University of Birmingham (United Kingdom)

A self-assembled plasmonic metamaterial composed of aggregated gold nanoparticles promotes nonlinear mixing between mid-infrared and visible light. By enhancing and co-localizing the fields in nanometer gaps containing $\chi(2)$ -active molecules, sum-frequency generation is observable even from low-power CW illumination. This offers an avenue for broadband, room-temperature mid-infrared detection.

2-O29 | Room 5052 | 16:40 - 19:20

SYM2: New trends in nanophotonics and advanced materials*Organized by: Junsuk Rho, Hakjoo Lee, Namkyoo Park, Seong Ok Han**Chaired by: Junsuk Rho, Hakjoo Lee, Namkyoo Park, Seong Ok Han*

16:40

INVITED TALK

Cavity-Enhanced Superfluorescence and Lasing Transitions in Two-Dimensional Single-Crystal Perovskite Superlattices*Jae Yong Suh*

Michigan Technological University (USA)

We report cavity-enhanced superfluorescence in pure two-dimensional (2D) perovskite single crystals. Unlike disordered thin films, these superlattices enable clean collective emission. Using Maxwell Bloch equations, we analyze the superfluorescence lasing phase transition and Burnham Chiao ringing within a microcavity, providing a framework for room temperature quantum optoelectronic devices.

17:00

INVITED TALK

Towards Realization of Ideal Anapole Excitations*Radoslaw Kolkowski, Matti Kaivola, Sagar Sehwat, Andriy Shevchenko*

Aalto University (Finland)

We present an alternative approach based on the scattering-current multipole expansion to describe anapole excitations in photonic nanostructures. Using the method, we derive the exact anapole condition, opening the way towards design and realization of perfect anapoles.

17:20

INVITED TALK

Material and Device Optimizations for Wavelength-Selective Infrared Devices*Tadaaki Nagao¹, Keisuke Watanabe², Thien Duc Ngo²*¹National Institute for Materials Science (Japan), ²International Center for Materials Nanoarchitectonics (MANA) (Japan)

We introduce our research on the development of infrared devices with high wavelength-selectivity. The strategy for selecting appropriate materials as well as optimizing device geometries are presented based on electronic band structure calculation and electromagnetic simulations. The devices can be applied to narrowband photothermal converters and ultrahigh Q value biosensors.

17:40

INVITED TALK

Hybrid Photonic Crystal Platforms: Enabling High-Efficiency Photonic Devices and Novel Functionalities*Tae-Yun Lee, Hansol Lee, Lakjong Jeong, Heonsu Jeon*

Seoul National University (Korea)

By combining passive backbones with active materials, hybrid photonic crystal (PhC) platforms facilitate devices with superior performance and novel functionalities. Planar resonant cavities provide similar physical effects but offer a simpler alternative in terms of design and manufacturing.

18:00 INVITED TALK Spatio-Temporal Metalattices in ENZ Transparent Conductors

Sven Stengel¹, Wallace Jaffray¹, Farhan Al², Mustafa Ozlu³, Colton B. Fruhling³, Maria A. Vincenti⁴, Domenico de Ceglia⁴, Michael Scalora⁴, Alexandra Boltasseva³, Vladimir M. Shalaev³, di Falco², Ferrera¹

¹Heriot-Watt University (United Kingdom), ²University of St. Andrews (United Kingdom), ³Purdue University (USA), ⁴University of Brescia (Italy)

We demonstrate a spatio-temporal photonic metalattice formed by combining a static metagrating with a transient lattice written by two-beam interference in a low-index transparent conductor. The structure is revealed via internally generated third-harmonic diffraction.

18:20 INVITED TALK Subwavelength metamaterials for modal and thermo-optic control in silicon interferometers

Aitor Villafranca Velasco¹, Irene Olivares¹, Irena Stolic¹, Raquel Fernández de Cabo², Alejandro Sánchez-Sánchez³, Daniele Melati⁴, Carlos Alonso-Ramos⁴, David González-Andrade³

¹CSIC (Spain), ²ICFO (Spain), ³Universidad de Málaga (Spain), ⁴Université Paris-Saclay (France)

Subwavelength metamaterials are becoming essential building blocks for the next generation of photonic integrated circuits. In this work, we explore their potential for loss reduction and thermo-optic control in advanced interferometers for the silicon-on-insulator platform.

18:40 INVITED TALK Competing Lattice and Defect Dynamics Govern Terahertz-Driven Ferroelectricity in Quantum Paraelectric SrTiO₃

Jingbo Qi

University of Electronic Science and Technology of China (China)

Our work unravels that the quantum paraelectric SrTiO₃ upon excitation of intense terahertz pulses is governed by previously unrecognized competition between lattice distortions, defect pinning, and dipolar ordering. Coherent antiferrodistortive modes can suppress symmetry breaking on picosecond scales, while defects frustrate long-range order, allowing ferroelectricity only in pristine regions.

19:00 INVITED TALK Thermalization Speed of Highly Multimode Nonlinear Systems

Emmanouil Theodoros Kokkinakis¹, Konstantinos G. Makris², Demetrios N. Christodoulides³

¹University of Crete/FORTH (Greece), ²University of Crete (Greece), ³University of Southern California (USA)

Within the field of optical thermodynamics, weakly nonlinear multimode optical systems evolve toward a Rayleigh Jeans distribution. We show that identical conserved power and internal energy do not uniquely determine thermalization. Initial states with the same equilibrium distribution can thermalize at very different distances, in correlation to their short-distance chaotic response.

2-O30 | Room 4050B | 16:40 - 19:15

SP15: Plasmonic Nanomaterials for Bio-diagnostics, Environmental Monitoring and Food Safety

Organized by: Lucia Petti and Massimo Rippa

Chaired by: Lucia Petti and Massimo Rippa

16:40 INVITED TALK DNA identification using surface-enhanced Raman spectroscopy and surface plasmon resonance

Andrzej Kudelski

University of Warsaw (Poland)

Surface plasmon resonance and surface-enhanced Raman scattering spectroscopy are promising methods for detection of specific DNA fragments. Example applications of these two techniques in DNA analysis is presented. Sensitivity of both methods in the identification of six the most popular in Poland variants of BRCA1 gene mutations is compared.

17:00 INVITED TALK Single plasmonic nanoparticles and colloidal metasurfaces for (single-molecule) biosensing*Peter Zijlstra*

Eindhoven University of Technology (The Netherlands)

Biomolecular sensing is fundamental to understand disease mechanisms, and to develop platforms toward diagnostics. Detection of low concentrations remains extremely challenging, particularly in complex biological fluids. In this presentation I will show recent results on the use of single-plasmonic nanoparticles and colloidal metasurfaces for single-molecule biosensing in biological fluids.

17:20 INVITED TALK Electronic precursors to bond formation and controller reaction pathways in single-molecule junctions*Kristina Rusimova*

University of Bath (United Kingdom)

We investigate how probe proximity modifies interfacial electronic structure in single-molecule junctions on Si(111)-(7×7). Building on equilibrium interface-state measurements and controlled single-molecule reactivity, we integrate optical and electronic probes to examine how hybridized junction states influence energy redistribution and competing reaction pathways at room temperature.

17:40 INVITED TALK Photonics on multimode optical fibers*Linda Piscopo¹, Di Zheng², Muhammad Fayyaz Kashif², Annabella La Grasta², Tadele Orbula Otomalo², Liam Collard³, Alessandra Corrado², Antonio Balena⁴, Cinzia Montinaro², Massimo De Vittorio², Pisanello²*

¹Italian Institute of Technology (Italy), ²Center for Biomolecular Nanotechnologies (Italy), ³King's College London (United Kingdom), ⁴Sorbonne University (France)

We describe a platform that optimizes coupling between guided modes in multimode fibers and photonic structures on the facet, either metalenses or plasmonic nanoparticles. Using wavefront shaping, we control light propagation to enhance imaging, SERS, and thermoplasmonic heating, demonstrating the potential of compact fiber-based probes for minimally invasive biological interfacing.

18:00 INVITED TALK Plasmonic nanofibers for neurochemical monitoring*Jean-Francois Masson, Maryam Hojjat Jodaylami, Ailsa Geddis*

Université de Montréal (Canada)

The use of plasmonic optical fibers allows to design sensors for many neurochemicals and neuroproteins. These fibers combine enhancement from the fiber acting as an optical element (resonator and microlens) and from the plasmonic materials. The presentation will show their application for the detection of neuroproteins and neurotransmitters

18:20 INVITED TALK Towards Point-of-Care and Food Safety Applications of SERS for Shiga Toxin Detection*Alessia Milano¹, Amalia D'Avino¹, Valentina Marchesano¹, Domenico Sagnelli¹, Massimo Rippa¹, Bryan Guilcapì¹, Lu Zhou², Maurizio Brigotti³, Gianluigi Ardissino⁴, Stefano Morabito⁵, Petti¹*

¹Institute of Applied Sciences and Intelligent Systems "E. Caianiello" CNR (Italy), ²Shandong First Medical University (China), ³Università di Bologna (Italy), ⁴Fondazione IRCCS Ca' Granda Ospedale Maggiore Policlinico (Italy), ⁵Istituto Superiore di Sanità (Italy)

We present a low-cost SERS-based sensing platform for the detection and discrimination of Shiga toxins in clinical and food-related matrices. The approach enables label-free toxin typing with clinically relevant sensitivity and shows potential for translational applications ranging from patient diagnostics to food safety monitoring.

18:40

INVITED TALK

Self-Assembly Nanostructures for Highly Sensitive SERS Platforms

Maria Alessandra Cutolo¹, Francesco Galeotti², Sara Spaziani³, Giuseppe Quero⁴, Mohammed Janneh³, Alberto Micco¹, Andrea Irace⁵, Giovanni Breglio⁵, Marco Pisco³, Andrea Cusano³

¹Centro Regionale Information Communication Technology (Italy), ²Istituto di Scienze e Tecnologie Chimiche "G. Natta" (Italy), ³University of Sannio (Italy), ⁴University of Molise (Italy), ⁵University of Naples Federico II (Italy)

Self-assembly Plasmonic nanostructures provide a scalable bottom-up approach for engineering surfaces with controlled localized surface plasmon resonances. Techniques such as nanosphere lithography and hierarchical sphere assembly enable ordered arrays and dense nanogaps, generating intense and reproducible electromagnetic hot spots for SERS and biosensing applications.

19:00

Tunable Achiral Metamaterial Substrates for Enantiomer Detection

Maryam Mirahmadi¹, Ali Douaki¹, Vincenzo Caligiuri², Denis Garoli¹, Roman Krahne¹

¹Italian Institute of Technology (Italy), ²Università della Calabria (Italy)

We use tilted achiral metal-dielectric-metal nanocavities in which the top metal layer is patterned into a nanohole array as spectrally tunable metamaterial substrates for enantiomer detection. By combining circular dichroism experiments with simulations, we elucidate the different contributions to the chirality enhancement.

2-O31 | Room 3074 | 16:40 - 19:20

SYM1: Hybrid Nanomaterials and Metastructures for Photonics, Sensing and Energy

Organized by: Jérôme Plain, Alexander Govorov, Davy Gérard, Pedro Hernandez Martinez

Chaired by: Jérôme Plain, Alexander Govorov, Davy Gérard, Pedro Hernandez Martinez

16:40

INVITED TALK

Enhanced Photoluminescence through Excitation - Surface Lattice Resonance Coupling in Aluminum Metasurfaces

Ali Sraj¹, Eloise Garcelon¹, Jerome Martin¹, Davy Gérard¹, Liudmila Trotsiuk¹, Alexandre Chevillot-Biraud², Stephanie Lau-Truong², Nordin Felidj², Anne-Laure Buadrion¹

¹UTT (France), ²ITODYS (France)

We demonstrate high photoluminescence (PL) enhancement from colloidal quantum dots (QDs) using aluminum (Al) metasurfaces by matching excitation wavelengths to Surface Lattice Resonances (SLR). By tuning lattice periods, we prove excitation-SLR coupling is the dominant mechanism. These findings provide a robust framework for designing high-efficiency QD-based nanophotonic devices.

17:00

INVITED TALK

Van der Waals metasurfaces from strong coupling to topology

Andreas Tittl

LMU Munich (Germany)

Van der Waals metasurfaces have redefined nanoscale light-matter interactions by merging structural design flexibility with deterministic atomic-layer assembly. Leveraging quasi-bound states in the continuum, we demonstrate a progression from high-Q visible resonators and intrinsic strong coupling to nonlinearities in heterostructure metasurfaces and topological charge splitting for robust polaritonic flatband formation.

17:20

INVITED TALK

Colloidal Photonic Crystal Slabs for Hybrid Plasmon Photon Mode Engineering in Sensing and Energy Applications

Swagata Sarkar¹, Tobias A. F. Koenig¹, Larysa Baraban², Andreas Fery³

¹Leibniz Institute of Polymer Research Dresden (Germany), ²Helmholtz-Zentrum Dresden-Rossendorf (Germany), ³Leibniz Institute of Polymer Research Dresden (IPF) (Germany)

Hybrid plasmonic photonic metasurfaces enable strong field confinement with reduced optical losses, but scalable implementations remain challenging. This work presents colloidal photonic crystal slabs as a versatile platform for engineering hybrid modes. Applications ranging from charge transfer and photocatalysis to surface-enhanced Raman scattering and biosensing are demonstrated.

17:40 **INVITED TALK** **Permittivity-Engineered Dielectric Media of Hybrid Nanomaterials and Tunable Micro-cavity Metastructures for Enhanced Exciton-Light Interactions**

Pedro Ludwig Hernandez-Martinez, Hilmi Volkan Demir

Nanyang Technological University (NTU) (Singapore)

We present hybrid nanomaterial platforms that combine permittivity engineered dielectric media with tunable photonic metastructures to control excitonic interactions. Near-zero epsilon environments enable dramatic enhancement of nonradiative energy transfer between quantum emitters, while multiresonant microcavity arrays support room-temperature exciton polaritons in colloidal nanoemitters with strong coupling and tunable light-matter interactions

18:00 **INVITED TALK** **Hybrid Oxide-Phase-Change Heterostructures for Thermally Tunable Mid-Infrared Photonics**

Daniele Ceneda¹, Martina Mercurio¹, Roberto Macaluso², Nunzio Timpanaro², Marco Centini¹, Maria Cristina Larciprete¹

¹Sapienza Universita di Roma (Italy), ²University of Palermo (Italy)

We present our research activity on hybrid oxide heterostructures, in particular combining strongly anisotropic molybdenum trioxide, MoO₃, with thermochromic vanadium dioxide, VO₂.

18:20 **INVITED TALK** **When Grain Boundaries Create Plasmons: Localized Resonances in Hyperdoped polysilicon films**

Mohamad Bahoun¹, Jesse Groenen¹, Sebastien Joulié¹, Cecile Marcelot¹, Robin Cours¹, Sebastien Kerdiles², Mathieu Opprecht², Caroline Bonafos¹, Jean-marie Poumirol³, Jean-marie Poumirol³

¹University Toulouse (France), ²University of Grenoble-Alpes (France), ³CEMES (France)

We report an innovative approach for fabricating large-area, silicon-based plasmonic metasurfaces without engineered nanostructures. We show that hyperdoped polysilicon layers annealed under out-of-equilibrium conditions, exhibit enhanced light-matter tunable interactions. These remarkable optical properties originate from naturally formed metal-dielectric interfaces at grain boundaries, which support localized surface plasmon resonances.

18:40 **INVITED TALK** **Ultrafast switching from strong to weak coupling in hybrid plasmonic-photonic micro-cavities**

Benedict Morris¹, Sergei Kostcheev², Luis Dos Santos¹, Khanh-Van Do¹, Anna Rumyantseva², Shuwen Zeng², Renaud Bachelot², Bruno Palpant¹

¹LuMIn - Université Paris-Saclay (France), ²Université de Technologie de Troyes (France)

Ultrafast optical absorption can modify the optical properties of gold nanoparticles. We exploit this subpicosecond reversible change to explore strong coupling physics in a plasmonic-photonic microcavity. We show that our hybrid system can be tuned from strong to weak coupling by all optical pumping, opening new pathways for sensing applications.

19:00 **INVITED TALK** **In-plane Directed Power Flow in Anisotropic Hyperbolic Materials**

Eric Seabron¹, Eric Jackson¹, Michael Meeker¹, Andrew Lang¹, Rhonda Stroud¹, Daniel C. Ratchford¹, Brandon K. Durant¹, Xitlali G. Suarez¹, Chase Ellis¹, Joseph Tischler²

¹Naval Research Laboratory (USA), ²University of Oklahoma (USA)

We harness the anisotropic nature of Calcite to modify and control the light-matter interactions in the mid-IR. We introduce hyperbolic Calcite as a polar dielectric with in-plane anisotropic permittivity as a platform that supports cavity-like volume phonon polaritons with significant modal volume compression due to the Calcite's hyperbolic dispersion.

2-O32 | Room 5025 | 16:40 - 19:15

SP20: Nonlocal and nonlinear nanophotonics

Organized by: Gonzalo Álvarez-Pérez and Huatian Hu

Chaired by: Gonzalo Álvarez-Pérez and Huatian Hu

16:40 INVITED TALK Quantum Hydrodynamic Theory with a frequency-dependent kinetic-energy kernel in real-spaceLucian A. Constantin¹, Fabio Della Sala²¹CNR-IMM (Italy), ²Institute for Microelectronics and Microsystems (CNR-IMM) (Italy)

We have developed a frequency-dependent kinetic-energy functional for the Quantum Hydrodynamic Theory (QHT), which is non-empirical and can be implemented in a real-space framework. We show results for metallic nanoparticles and compare to full Time-Dependent Density Functional Theory (TD-DFT).

17:00 INVITED TALK Shaping Light and Matter in Non-Perturbative Light-Matter Coupling RegimesErika Cortese¹, Johannes Bürger², Simone Di Muzio², Dario Ballarín², Simone De Liberato²¹University of Southampton (United Kingdom), ²CNR Nanotec (Italy)

Non-perturbative multi-mode light-matter coupling modifies physical properties beyond those set by geometry. We demonstrate this across three platforms: resonant laser fields stabilize ionizing atomic transitions against continuum decay; cavity coupling suppresses photodissociation in molecular cations; and co-localized superstrong coupling in visible nanophotonic waveguides enables in-situ spatial control of electromagnetic field distributions.

17:20 INVITED TALK Geometric Phase Wavefront Shaping in Nonlinear Meta-Optics: From Tensor-Driven Phase to Nonlocal Metasurfaces

Luca Carletti

University of Brescia (Italy)

Nonlinear metasurfaces enable compact frequency conversion while shaping the generated wavefront. We outline two complementary routes: tensor driven phase control in AlGaAs metasurfaces for second-harmonic beam steering and structured light, and nonlocal resonant Silicon metasurfaces for third-harmonic generation that combine high quality factors with efficient beam steering.

17:40 INVITED TALK Quantum and emitter-size effects in emitter-plasmon interactionsTadele Orbula Otomalo¹, Gabriel Gil², Gonzalo A-Perez¹, Huatian Hu¹, Ferruccio Pisanello¹, Stefano Corni², Fabio Della Sala¹, Cristian Ciraci¹¹Istituto Italiano di Tecnologia - IIT (Italy), ²Institute for Microelectronics and Microsystems (CNR-IMM) (Italy)

We combine density functional and quantum hydrodynamic theories to study how molecular size and quantum tunnelling jointly affect the emitter-plasmon interaction in a plasmonic dimer. Compared with a point-dipole-based model, pronounced deviations arise at sub-nanometer separations, and the onset gap for tunnelling-induced quenching is over three times larger.

18:00 INVITED TALK Tunability of nonlinear plasmonics in nanostructured 2D materials

Line Jelver, Joel D. Cox

University of Southern Denmark (Denmark)

We employ first-principles simulations to investigate how localized plasmons in nanostructured 2D materials can be leveraged to drive strong nonlinear optical processes, spanning both perturbative frequency conversion and high-harmonic generation. We identify multiple pathways to enhance nonlinear light-matter interactions through either electrostatic doping, heterostructure engineering, or ultrafast photothermal activation.

18:20 INVITED TALK Excitation of Dark Modes and Multipole Plasmons via Surface-Response Function*Fan Yang*

Sichuan University (China)

The dark mode can be excited by far-field illumination when surface electronic quantum effects are considered, which are modeled by the Feibelman d-parameter. On the other hand, multipole plasmons can be excited and engineered via surface nonlinearity.

18:40 INVITED TALK Electro-Optic Phonon Polaritons*Michael Spencer¹, Olga Minakova², Maximilian Frenzel², Joanna M. Urban², Martin Wolf², Sebastian F. Maehrlein²*¹Fritz Haber Institute (Germany), ²Fritz Haber Institute of the Max Planck Society (Germany)

We report on local electro-optic sampling of phase-resolved phonon-polariton electrodynamics inside of cryogenically cooled, high-quality terahertz (THz) quartz cavities. With our novel detection scheme, we isolate the light and matter components of the polariton signal, thereby measuring the full eigenvector of the phonon-polariton, in contrast to conventional THz transmission measurements.

19:00 Nonlocal Optical Response of Phonon-Polaritonic Nanoparticles*Yina Wu¹, Fadiil Iyikanat¹, Vahagn Mkhitaryan², Eduardo J. C. Dias¹, Andrea Konečná³, Jordan A. Hachte⁴, F. Javier García de Abajo¹*¹ICFO-Institut de Ciències Fòniques (Spain), ²Purdue University (USA), ³Brno University of Technology (Czech Republic), ⁴Oak Ridge National Laboratory (USA)

We report dramatic nonlocal optical effects in hexagonal boron nitride nanoparticles using electron energy-loss spectroscopy. Local dielectric theories fail to describe observed bulk modes and surface-mode splitting. Atomistic simulations incorporating long-range dipole-dipole interactions successfully reproduce experimental spectra, highlighting the critical role of nonlocality at the nanoscale.

2-O33 | Room 3071 | 16:40 - 18:40

SP21: New trends in light-matter interaction at the nanoscale*Organized by: Carlos Alberto Maciel Escudero, Jorge Olmos Trigo and Mario Zapata Herrera**Chaired by: Carlos Alberto Maciel Escudero, Jorge Olmos Trigo and Mario Zapata Herrera***16:40 INVITED TALK Scaling Up Light-Matter Interactions - Challenges in Fabrication***Rijil Thomas*

AMO GmbH (Germany)

Advances in microscale-to-nanoscale light-matter interactions redefine the limits of photonics, leading to a paradigm-shift in photonic technologies. However, bridging the gap between laboratory breakthroughs and scalable real-world systems remains a challenge. At AMO GmbH, we address these challenges by developing fabrication processes that enable scalable realization of these emerging technologies.

17:00 INVITED TALK Directional Energy Delivery at the Nanoscale: The Iris-Gated Approach for Photothermal Applications*Javier González-Colsa¹, Jose M. Saiz¹, Alfredo Franco¹, Dolores Ortiz¹, Francisco González¹, Fernando Bresme², Pablo Albella¹*¹University of Cantabria (Spain), ²Imperial College London (United Kingdom)

We present an IrisGated Core-Double-Shell nanostructure, capable to generating directional thermal asymmetry operating in the first biological window. It redirects up to 67% of the conductive heat flux and enhances local surface power density by 50%. Transient analyses confirm persistent asymmetry, enabling controlled anisotropic heating for photothermal therapies.

17:20 INVITED TALK Chiral Cavities Made from Lattices of Highly Electromagnetically-Chiral Scatterers*Lukas Rebholz, Carsten Rockstuhl, Ivan Fernandez-Corbaton*

Karlsruhe Institute of Technology (Germany)

Chiral cavities are required to harness light-matter interactions for the optical control of chirality, especially in molecular processes. We computationally study chiral cavities assembled from metasurface mirrors featuring optimized electromagnetically-chiral scatterers. Our aim is to provide the necessary environment for applications such as maximizing enantioselective effects for chiral molecules.

17:40 INVITED TALK Novel quantum effects in (Surface-Enhanced) Raman Scattering from molecular systems*Adrian Juan-Delgado¹, Ruben Esteban², Lukas A. Jakob³, Jean-Baptiste Trebbia⁴, Shu Hu³, Rakesh Arul⁵, Roberto A. Boto⁵, Quentin Deplano⁴, Philippe Tamarat⁴, Rémi Avriller⁶, Mueller⁷, Martín-Cano¹, Huidobro¹, Baumberg³, Lounis⁴, Aizpurua⁸*

¹Universidad Autonoma de Madrid (Spain), ²Centro de Fisica de Materiales (CSIC-UPV/EHU) (ES), ³University of Cambridge (United Kingdom), ⁴Université de Bordeaux (France), ⁵Donostia International Physics Center (Spain), ⁶Université de Strasbourg (France), ⁷Fritz-Haber-Institute of the Max-Planck-Society (Germany), ⁸DIPC - University of the Basque Country (Spain)

We discuss novel effects in molecular Raman scattering unveiled using quantum-mechanical frameworks. For example, we demonstrate that quantum coherence can influence Stokes emission from two molecules interacting via dipole-dipole coupling. We also identify collective effects in the Raman signal generated by many molecules confined within a plasmonic nanocavity.

18:00 INVITED TALK Light management in high-refractive index semiconductor nanowires*Nicklas Anttu*

Åbo Akademi University (Finland)

High refractive index nanowires find use for example for fluorescence-based biosensors and solar cells. In such biosensors, both excitation and emission properties can be enhanced, while in nanowire solar cells, different types of light-trapping can enhance absorption. We present recent results from both types of applications.

18:20 INVITED TALK Enhanced and Helicity-Preserved Raman Scattering with Mie-Resonant Silicon Nanospheres*Mojtaba Karimi Habil, Hiroshi Sugimoto, Daisuke Shima, Hiroto Shinomiya, Minoru Fujii*

Kobe University (Japan)

We investigate Raman intensity and degree of circular polarization (DOCP) in few-layer MoS₂ coupled to Mie resonances of silicon nanospheres (Si NSs). The results show that, the helicity of OC vibrational mode in Si NS/MoS₂ is preserved at electric dipole (ED), magnetic dipole (MD), and magnetic quadrupole (MQ) resonances.

2-O34 | McNabb Theatre | 16:40 - 19:00

SYM3: Advanced passive and active metasurfaces and zero-index materials*Organized by: Howard Lee, Pin Chieh Wu, Wen-Hui (Sophia) Cheng**Chaired by: Howard Lee, Pin Chieh Wu, Wen-Hui (Sophia) Cheng***16:40 INVITED TALK Cryogenic Metalens Single-Element SNSPD for Quantum Technologies***Amir Targholizadeh, Grigoriy Nikulin, Pankaj Jha, Pankaj Jha*

Syracuse University (USA)

We introduce an all-dielectric metasurface flat-optics platform operating at cryogenic temperatures (~ 4 K) and integrated with superconducting nanowire single-photon detectors (SNSPDs). This integration enables miniaturization without sacrificing detection efficiency, thereby preserving the benefits of shorter pixels.

17:00 **INVITED TALK** **Octave-Spanning Terahertz Quarter-Wave Plates Based on Over-Coupled Fabry-Perot Resonances in Reflective Metal-Dielectric-Metal Metasurfaces**

Tae Gwan Park, Chun-Chieh Chang, Hou-Tong Chen

Los Alamos National Laboratory (USA)

We demonstrate metal-dielectric-metal reflective metasurfaces for high-performance broadband THz quarter-wave plates. Four complementary designs operating at 45 degree incidence collectively span 0.25-3 THz. Each device provides near-octave bandwidth with axial ratio below 3-dB and polarization conversion efficiency above 80%. Experiments agree with simulations, confirming scalable broadband THz polarization control.

17:20 **INVITED TALK** **Rigorous and approximate electromagnetic simulators for free-form light-emitting device optimization**

Min Seok Jang

KAIST (Korea)

This presentation discusses overcoming challenges in free-form light-emitting device optimization via three methods: the diffraction matrix method, differentiable RCWA, and neural operators. These tools enable efficient, robust design of next-generation, high-performance optical technologies.

17:40 **INVITED TALK** **Building Uncooled Infrared Camera based on One Atom Thick Graphene**

Debashis Chanda

University of Central Florida (USA)

The talk will outline a novel strategy for uncooled, tunable, multispectral infrared detection. One atom thick graphene offers an alternative mechanism bypassing material bandgap restriction. Further, the ability of carrier concentration modulation on graphene via external voltage offers dynamic spectral selectivity for "color" night vision/sensing.

18:00 **INVITED TALK** **Enhancing Light-Matter Coupling via Topology Optimized Cavities on 2D Excitonic Material**

Brandon Triplett¹, Davide Cassara², Morris M. Yang¹, Karthik Pagadala¹, Federico Capasso², Vladimir M Shalaev¹, Alexandra Boltasseva¹

¹Purdue University (USA), ²Harvard University (USA)

We design and fabricate dielectric cavities with extreme subwavelength transverse mode sizes of 30-40 nm and couple them to excitonic material WSe₂. We show tenfold photoluminescence enhancement, which corresponds to 103 normalized enhancement when accounting for deeply subwavelength mode volumes. The approach offers increased far-field collection efficiency and scalable integration.

18:20 **INVITED TALK** **Engineering spontaneous emission with metasurfaces**

Benjamin Vest

Institut d'Optique (France)

Light-emitting metasurfaces enable direct control of emission from incoherent sources without bulky filtering. We design and realize photoluminescent metasurfaces where emitters couple to engineered leaky modes using a Kirchhoff-based absorptivity approach seeking critical coupling condition. Experiments demonstrate directional beams below 20° FWHM and efficient structured light generation.

18:40 **INVITED TALK** **Out-of-equilibrium nonlinear optical dynamics in ultraviolet epsilon-near-zero materials**

Matteo Silvestri¹, Luca Assogna¹, Davide Tedeschi¹, Carino Ferrante², Andrea Marini¹

¹University of L'Aquila (Italy), ²Consiglio Nazionale delle Ricerche (Italy)

We theoretically model out-of-equilibrium nonlinear optical dynamics due to collision-driven nonlinearity in ultraviolet epsilon-near-zero materials, particularly sodium and aluminum, exploring their potential for the development of table-top extreme ultraviolet radiation sources and integrated spectroscopy schemes.

2-O35 | Maharry Theatre | 16:40 - 18:50

SYM6: Advanced Techniques for Computational Electromagnetics

Organized by: Maha Ben Rhouma

Chaired by: Maha Ben Rhouma

16:40 INVITED TALK Understanding and Designing High Harmonic Generation from Nanostructured Surfaces*Gavin Crowder, Jesse Thompson, Lora Ramunno*

University of Ottawa (Canada)

High harmonic generation from solids and nanostructured surfaces is of recent interest, including to harness and control light into the XUV. I will present our progress on simulating this complex nonlinear interaction within nanostructured environments, where propagation and near field effects are crucial to device design and understanding experiments.

17:00 INVITED TALK Inverse design frameworks towards realistic freeform flat optics*Joao Cunha, Filipe Camarneiro, Diogo Aguiam*

International Iberian Nanotechnology Laboratory (Portugal)

Inverse design of flat optics typically requires the simulation and optimization of systems described by over millions of parameters, which is computationally challenging. Addressing this, we introduce an open source inverse design framework and investigate its suitability in handling large parameter spaces and its most suitable optimization algorithm approaches.

17:20 KEYNOTE TALK Thermal Photonics in Nonreciprocal and Time-Modulated Many-Body Systems*Philippe Ben Abdallah*

CNRS (France)

This talk explores thermal photonics in nonreciprocal many-body systems, revealing novel heat-flow control via spin-caloritronic effects. I also present a phase-tunable Floquet approach to manipulate radiative heat transfer, enabling directional flow, reversible pumping and reconfigurable flux in time-modulated networks, paving the way for programmable thermal photonic devices.

17:50 INVITED TALK Nonlocal metasurfaces for Quantitative Phase Microscopy*Ann Roberts*

The University of Melbourne (Australia)

Metasurfaces offer significant promise in imaging applications where operations are performed on an optical field carrying information about a sample. In particular, they can facilitate phase contrast imaging of transparent objects in a compact platform. Here we discuss the application of nonlocal metasurfaces to the quantification of phase.

18:10 INVITED TALK Realization of Photonic Parallel Spaces and Overlapping Optical Devices*Yun Lai*

Nanjing University (China)

We demonstrate the realization of photonic parallel spaces, i.e. meta-structures that behave as distinct effective media-with different refractive indices, impedances, or anisotropy-within the same physical space. This mechanism enables physically overlapping optical devices that operate independently, as if they exist in different dimensions.

18:30

INVITED TALK

Adaptive Tapering Strategy for Waveguide Dielectric Laser Accelerators under Pulsed Operation*Davide Guarnera¹, Hatou Yvelin Donkeng², Roberta Palmeri³, Giorgio Sebastiano Mauro⁴, Nunzio Salerno¹, Alberto Bacci⁴, Santi Concetto Pavone¹, Giuseppe Torrisi⁵, Andrea Locatelli², Gino Sorbello¹*¹University of Catania (Italy), ²University of Brescia (Italy), ³University Mediterranea of Reggio Calabria (Italy), ⁴National Institute for Nuclear Physics (Italy), ⁵National Institute for Nuclear Physics-LNS (Italy)

We introduce a general time-domain adaptive approach that guarantees continuous synchronization between the pulsed accelerating field and particle motion in a tapered waveguide accelerator. Flexibility and accuracy of the methodology are illustrated through numerical examples with long and short pulses, as well as pulse trains.

2-O36 | Room 4050A | 16:40 - 19:00

SP13: Commercialization of Metasurface and Nanophotonic Devices*Organized by: Matthew Singer**Chaired by: Matthew Singer*

16:40

INVITED TALK

Application focused meta-surface design: workflow, methods & examples*Lieven Penninck, Chris Beckerleg, Bavo Robben*

PlanOpSim (Belgium)

Large volume metasurface applications are now a commercial reality. In this contribution we outline the engineering methods and workflows that enable design of metasurface products not demonstrators. This includes efficient design cycles, design-for-manufacture and system integration. Popularization of these methods will allow broad adaptation of metasurfaces in the optical industry.

17:00

INVITED TALK

Metal oxide metasurfaces elaborated by nanoimprint and derived methods*David Grosso¹, B. Kerzabi¹, M. Abbarchi¹, M. Putero², A. Gourdin¹, M. Bouabdellaoui¹, E. Daher¹, L. Weber¹*¹SOLNIL (France), ²Institut of Materials Microelectronics and Nanosciences of Provence (France)

Sol-gel chemistry combined to direct nanoimprint lithography was developed to elaborate robust metal-oxide metasurfaces. This presentation shows that such a combination enables the facile production of various types of metasurfaces with materials specifically developed to cover a wide span of refractive index and an exceptional transparency.

17:20

INVITED TALK

Moxtek's 25 Years of Commercializing Inorganic UV-VIS-NIR Meta-Optics: From Wire Grid Polarizers and Waveplates to Advanced Metasurfaces*Matthew George, Daniel Bacon-Brown, Jason Jex, Bradley Williams*

MOXTEK Inc. (USA)

Moxtek has a robust volume production line capable of supplying meta-optics across a broad spectral range. By leveraging E-beam Lithography for high-fidelity mastering and Nanoimprint Lithography for scalable replication, combined with proprietary high-aspect-ratio etching, we achieve critical dimensions and feature densities previously not available for mass production.

17:40

INVITED TALK

Applications of azopolymers in planar diffractive optics and dynamic microstructure lithography*David McGee, Christopher Baker, Coleman Huetz, Brielle Zemer*

The College of New Jersey (USA)

Structured light from a spatial light modulator can programmably drive a real-time photomechanical response in azopolymer films. This new platform can print a variety of planar diffractive optics, including linear, circular and chirped gratings, dynamic diffractive elements, and structured color elements.

18:00

INVITED TALK

Metasurface Electrodes for Enhanced Light-Matter Interactions in Organic Light-Emitting Materials and Devices*Deirdre O'Carroll, Sneha Sreekumar, Keshan Perera, Haydee Pacheco*

Rutgers University (USA)

For light-emitting applications, metasurfaces can be coupled to semiconductor films to increase luminescence quantum-yield, rate, and directionality of photon emission. In this presentation, our research on improving light extraction efficiency and photostability of organic semiconductor thin films using plasmonic metasurfaces will be presented.

18:20

INVITED TALK

Plasmonically powered organic light emitting devices for advanced display applications*Haridas Mundoor, Michael Fusella, Gearht VanVoorhis, Mathew Philippou, Renata Saramak, Vinod Menon, Nicholas Thompson, Mike Weaver, Julie Brown*

Universal Display Corporation (USA)

Plasmonic OLEDs, which utilize plasmonic effects to control light emission, demonstrate enhanced performance compared to traditional devices. Here, we present our recent results and discuss their potential applications in both current and future display technologies.

18:40

INVITED TALK

Metaoptics metrology using a wave front sensor*Matthieu Ansquer, Nolan Chan, Benoit Wattellier*

PHASICS (France)

We present a solution for metasurface optical metrology based on wave front sensing. We use quadriwave lateral shearing interferometry, on which all PHASICS products are based. This commercial solution is easily integrated in academic laboratories for upstream studies but also in industrial metrology labs or in production lines.

2-O37 | Room 3051 | 16:40 - 19:20

SYM2: New trends in nanophotonics and advanced materials*Organized by: Junsuk Rho, Hakjoo Lee, Namkyoo Park, Seong Ok Han**Chaired by: Junsuk Rho, Hakjoo Lee, Namkyoo Park, Seong Ok Han*

16:40

INVITED TALK

Khaled Mnaymneh

National Research Council Canada (Canada)

17:00

INVITED TALK

Marques Manuel

Universidad Autonoma de Madrid (Spain)

17:20

INVITED TALK

Yeshiahu (Shaya) Fainman

University of California San Diego (USA)

17:40 INVITED TALK Wide-angle Nonreciprocal Thermal Emitters with Strong Contrast Between Absorptivity and Emissivity*Georgios Veronis¹, Md Tanvir Emrose¹, Ming Zhou², Gabriel Nedelea¹, Roya Ebrahimi Meymand¹, Shanhui Fan²*¹Louisiana State University (USA), ²Stanford University (USA)

We present multilayer aperiodic structures based on Weyl semimetals that maximize the nonreciprocal contrast over broad spectral and angular ranges. The strong broadband and wide-angle nonreciprocal response of the proposed structures highlights their potential in thermal photonic applications, including directional thermal emission, radiative energy control, thermophotovoltaics, and thermal management.

18:00 INVITED TALK Compact High-Q Photonic Crystal Cavities with Improved Robustness to Disorder*Nicoletta Granchi¹, Camilla Gonzin², Matteo Lodde³, Gabriele Calusi¹, René P. J. van Veldhoven³, Andrea Fiore³, Guillermo Arregui⁴, Francesca Intonti¹*¹University of Florence (Italy), ²European Laboratory for Non-Linear Spectroscopy (LENS) (Italy), ³Eindhoven University of Technology (The Netherlands), ⁴Swiss Federal Institute of Technology Lausanne (EPFL) (Switzerland)

Compact photonic crystal cavities enable dense integration but typically require large footprints to achieve high Q-factors, increasing sensitivity to fabrication disorder. We present high-Q, small-footprint cavities optimized through a non-Hermitian perturbation theory framework, where periodicity breaking enhances resilience to fabrication-induced disorder as demonstrated by the near-field scanning optical microscopy experiment.

18:20 INVITED TALK Graded-index metamaterials for on-chip control over mode exchange*Raquel Fernández de Cabo¹, Alejandro Sánchez Sánchez², Daniele Melati³, Carlos Alonso Ramos³, Aitor Villafranca Velasco⁴, David González Andrade²*¹Institute of Photonic Sciences (ICFO) (Spain), ²Universidad de Málaga (Spain), ³Université Paris-Saclay (France), ⁴Consejo Superior de Investigaciones Científicas (Spain)

Conventional mode converters fully exchange optical power between two orthogonal modes, limiting multimode systems that require engineered modal power distributions. We present a passive silicon mode converter that enables geometrically defined conversion ratios using graded-index subwavelength metamaterials. Fifteen distinct and well-controlled conversion levels are demonstrated across the 1500-1600nm bandwidth.

18:40 INVITED TALK Mechanistically Guided Plasmonic Dendrites for Selective CO₂ Reduction*Anjalie Edirisooriya¹, Zelio Fusco¹, Ning Lyu², Christin David², Fiona Beck¹*¹Australian National University (Australia), ²Friedrich-Schiller-Universität Jena (Germany)

Dendritic plasmonic catalysts enable light-driven CO₂ reduction by co-localising optical hot-spots and active surface sites. This invited contribution presents a guided strategy progressing from model systems to scalable Au and Cu dendrites. Wavelength-resolved studies reveal how optical modes and near-fields control charge transfer, enabling wavelength- and material-selective multi-electron CO₂ reduction.

19:00 INVITED TALK Metaphotonic Convergence: Bridging Optics, Life Science, and Engineering*Inki Kim*

Sungkyunkwan University (South Korea)

This talk presents a comprehensive overview of breakthroughs in metasurfaces across hyperspectral imaging, ultrafast metaphotonic PCR, metalenses for single-molecule detection, scalable roll-to-roll manufacturing of visible metalenses, and metalenses for 3D photoacoustic imaging. Together, these advances demonstrate how metasurfaces are reshaping optics, bridging fundamental physics with biomedical applications and precision healthcare.

2-O38 | Room 3126 | 16:40 - 18:55

SP6: Quantum metaphotonics

Organized by: Fei Ding and Sergey Bozhevolnyi

Chaired by: Fei Ding and Sergey Bozhevolnyi

16:40

SRS-free surface-emitted hyper-entangled quantum states generation in metamaterial-coated silica tapered optical nanofibers for quantum computing and cryptography*Abderrahim Azzoune¹, Osama Mahfoudia¹, Hamza Hasnaoui², Hocine Medjadba¹, Hamza Gouasmia¹, Oussama Laouedj¹*¹Ecole Militaire Polytechnique (Algeria), ²University of Trento (Italy)

We propose a Raman-free, fiber-integrated source of hyper-entangled quantum states based on a metamaterial-coated tapered silica nanofiber. Enhanced surface nonlinearities enable efficient SPDC with polarization and frequency-bin entanglement at telecom wavelengths, offering a scalable platform for quantum computing and cryptography.

16:55

INVITED TALK

Scalable Quantum Information Platform Enabled by Metasurface*Lin Li*

East China Normal University (China)

We present an integrated nanophotonic approach to scale quantum information using metalens arrays across both discrete and continuous variable regimes. Our results establish metalens arrays as a robust, compact, and scalable foundation for future large-scale quantum communication and distributed computing.

17:15

INVITED TALK

Integrated Single-Photon Emitters with Plasmonic Nanostructure*Keyu Jin, Lian Shen*

Zhejiang University (China)

Integrated single-photon emitters (SPEs) face scalability hurdles due to intrinsic randomness in orientation and positioning. We propose V-shaped plasmonic nanoantennas, designed via transformation optics, to enhance emission and extraction. This approach overcomes stochastic bottlenecks, enabling deterministic, large-scale integration of SPEs essential for high-performance, reusable quantum communication and computing systems.

17:35

INVITED TALK

Metastructure with Quantum Emitter Enabled Compact Photon Source*Chunying Guan¹, Tianshuo Lyu², Jinhui Shi¹, Sergey I. Bozhevolnyi², Fei Ding³*¹Harbin Engineering University (China), ²University of Southern Denmark (Denmark), ³Eastern Institute of Technology (China)

We numerically and experimentally investigate a metastructure with quantum emitter to generate chip-scale orbital angular momentum photon source. The dependences of such photon source on polarization and orbital angular momentum value have been studied in details. This work opens promising avenues for realizing on-chip optical source.

17:55

INVITED TALK

Non-Reciprocal Photon-Pair Generation from Nonlinear Metasurfaces*Jinyong Ma¹, Xiwen Qiu², Tongmiao Fan², Tuomas Haggren², Hark Hoe Tan², Chennupati Jagadish², Andrey Sukhorukov²*¹Shenzhen University (China), ²Australian National University (Australia)

Photon-pair generation from ultra-thin nonlinear metasurfaces opens new possibilities for quantum technologies. We reveal that the quantum photon states can exhibit a strongly non-reciprocal behaviour, where the generation rate and quantum entanglement can dramatically vary depending on which side of the metasurface the pump light is incident from.

18:15 INVITED TALK **Advancements in high-power, quantum cascade lasers at room temperature***Chaofan Zhang, Ming Lv, Jun Wang*

National University of Defense Technology (China)

We reveal quantum cascade lasers (QCL) emitting at mid-infrared with high CW peak power up to 6.3 W at room temperature (298 K). High beam quality is achieved by single transverse mode with CW power of 4 W at 298 K.

18:35 INVITED TALK **Metamaterials with Varactors: Manipulating Spoof Surface Plasmon Polaritons***Jinhui Shi, Zhaoqi Jiang, Zheng Zhu, Wenjia Li, Chunying Guan*

Harbin Engineering University (China)

We experimentally demonstrate that a spin-dependent programmable plasmonic metamaterial can manipulate the propagation of surface spoof surface plasmon polaritons (SSPP) wave. The spin and coding information are used to independently control frequency and space routing, respectively. Our findings provide a surface EM wave platform for multi-channel signal communication systems.

2-O39 | Dargan Auditorium | 16:40 - 19:10

SYM4: Chirality, magnetism, and magnetoelectricity: Separate phenomena and joint effects in metamaterial structures*Organized by: Eugene Kamenetskii**Chaired by: Eugene Kamenetskii***16:40** KEYNOTE TALK **Advances in Ferronics***Gerrit Bauer*

Tohoku University (Japan)

Compared to magnetic materials, the dynamics of the ferroelectric order has received little attention from the scientific community. Here I review recent progress in understanding ferronics, the elementary excitations of the ferroelectric order.

17:10 INVITED TALK **Detection of spin polarized currents by spin-torque skyrmion resonance in a frustrated magnet***Amir Capua*

The Hebrew University of Jerusalem (Israel)

We present a current-driven skyrmion-resonance technique excited by self-induced spin-torque in Fe₃Sn₂. When a DC current is passed through the crystal, the skyrmion resonance linewidth is modulated. Planar Hall measurements suggest a small contribution of the real-space spin texture in the electronic transport in addition to a primary k-space contribution.

17:30 INVITED TALK **On the relation between local optical chirality and circular dichroism in enantiomeric sensing***Diana Shakirova¹, Adrià Canós Valero¹, Thomas Weiss²*¹University of Graz (Austria), ²University of Graz (Austria)

The local optical chirality provides information on how single molecules absorb left- and right-handed circularly polarized light. It might as well seem appropriate to optimize this quantity for enhancing the circular dichroism of chiral media in the vicinity of nanoresonators. We show that this is in general not correct.

17:50 **INVITED TALK** **Spin-Wave Amplification via Phase-Transition-Driven Temporal Interfaces***Pawel Gruszecki, Krzysztof Sobucki*

Adam Mickiewicz University (Poland)

We show that temporal modulation of magnetic field near phase transitions enables giant spin-wave amplification. Combining temporal-interface scattering with phase-transition-driven instability near an exceptional point, we achieve up to 175-fold gain. In this slow-instability regime, the growth rate scales linearly with Gilbert damping, so dissipation enhances rather than suppresses amplification.

18:10 **INVITED TALK** **Strong Coupling of Chiral Magnons in Altermagnets***Peng Yan*

UESTC (China)

We show that the dipole-dipole interaction can induce the strong coupling between exchange magnons with opposite chiralities in altermagnets, manifesting as a significant level repulsion in the magnon spectrum. Crucially, the predicted magnon-magnon coupling is highly anisotropic, and observable in practical experiments. These exotic features are absent in conventional antiferromagnets.

18:30 **INVITED TALK** **Relationship between Antiferromagnetic Spin Pumping and Magnetic Resonance***Masahiro Sato, Hogara Watanabe*

Chiba University (Japan)

We develop a microscopic theory for spin pumping in antiferromagnets, by using the nonequilibrium Green's function and spin-wave theory. We find the relationship between the pumped spin current and the spin precession of magnetic resonance. It enables us to explain fundamental natures of spin pumping in different phases of antiferromagnets.

18:50 **INVITED TALK** **Chiral structures nanofabrication with optical skyrmions***Takashige Omatsu*

Chiba University (Japan)

We herein demonstrate the nanofabrication of chiral surface structures with optical skyrmions which manifest Mobius strip shaped polarization textures with a circular polarization point defect at a focal plane.

2-O40 | Room 4047 | 16:40 - 18:00

SP14: Towards chiral and magnetoelectric quantum electrodynamics

Organized by: Eugene Kamenetskii

Chaired by: Eugene Kamenetskii

16:40 INVITED TALK Mechanisms of noise immunity in quantum nonlinear and nonreciprocal dynamics*Nicholas Rivera*

Cornell University (USA)

Noise immunity: observables weakly sensitive to dominant noise, can extend photonic devices ultimate quantum limits of sensitivity and performance. We present a new mechanism of noise immunity based on nonlinear nonreciprocal Kerr lattices that directionally route injected noise, preserving squeezing via non-Hermitian topology and a non-Hermitian skin effect.

17:00 INVITED TALK Triangular cross-section Möbius resonators: electromagnetic helicity and experimental observation of mode-dependent Berry phases*Jeremy Bourhill, Emma Paterson, Maxim Goryachev, Michael Tobar*

The University of Western Australia (Australia)

We experimentally demonstrate two distinct spin redirection Berry phases in a single triangular Möbius microwave resonator. Fractional azimuthal mode numbers and frequency shifts relative to symmetric cavities confirm geometric phase accumulation linked to electromagnetic helicity.

17:20 INVITED TALK Gyrotropic cavity-induced quantum phase transitions in a quantum ring.*Loic Remolif, Ivan Iorsh*

Queen's University (Canada)

If quantum ring is placed in gyrotropic cavity, total current in the ground state changes discontinuously with light-matter coupling even if there is no flux penetrating the ring. These discontinuities can be directly probed via the spectral and static properties of the radiation emitted by the system under coherent drive

17:40 INVITED TALK Spin-selective Structural Phase Transitions in Chiral Crystals Driven by Chiral Phonon Condensation*Shun Asano, Youichi Yanase*

Kyoto University (Japan)

We predict novel structural phase transitions unique to chiral crystals, where the renormalization of chiral phonon frequency by the electron-phonon coupling depends on their handedness. Consequently, soft mode encoding phonon angular momentum induces spin-selective Peierls gaps in the electronic band, entailing a helical spin density wave and chiral lattice distortion.

2-O41 | Room 5039 | 16:40 - 17:55

SYM5: Phononics and acoustic metamaterials

Organized by: Marco Miniaci, Jensen Li, Jean-Philippe Groby, Vincent Pagneux, Noé Jiménez

Chaired by: Marco Miniaci, Jensen Li, Jean-Philippe Groby, Vincent Pagneux, Noé Jiménez

16:40 INVITED TALK Wide-area Topological Higher-order Modes in Heterostructured Kagome Phononic Crystal*Yusuke Hata, Yuri Fukaya, Kenji Tsuruta*

Okayama University (Japan)

We designed wide-area elastic waveguides based on higher-order topological modes in a heterostructured Kagome lattices consisting of trivial and nontrivial domains. We numerically demonstrated that interface modes as well as corner modes are broadened leading to more efficient energy storage than at the corners of the conventional structure.

17:00 INVITED TALK Complex Topological Phases Driven by Beyond-Nearest-Neighbor Interactions*Amir Rajabpoor Alisepahi¹, Siddhartha Sarkar², Kai Sun², Jihong Ma¹*¹University of Vermont (USA), ²University of Michigan (USA)

We reveal unconventional topological states driven by beyondnearestneighbor interactions, inaccessible to conventional windingnumber methods. We introduce a local windingnumber characterization derived from Berry connections and validate it experimentally using laserassisted measurements on designed metamaterials, confirming the method's predictive power for complex topological phases.

17:20 INVITED TALK Space-multiplexing Metalens for Multiple Ultrasonic Bessel Vortex Beams*Jie Zhu, Qian Cheng*

Tongji University (China)

The fine fabrication of metalens allows the leverage of spatial multiplexing to manipulate multi-channel ultrasonic beams independently. We experimentally demonstrate four-channel ultrasonic Bessel vortex beams as examples, showcasing great agreement with simulation results on topological charge and radiation direction. Our work offers more possibilities in designing functional ultrasound devices.

17:40 Mode conversion for elastic waves via temporal interfaces*Cong Chen, Zhanyu Li, Xiaoming Zhou, Gengkai Hu*

Beijing Institute of Technology (China)

We demonstrate perfect mode conversion between longitudinal and transverse elastic waves using an isotropic-anisotropic-isotropic temporal interface. This phenomenon arises from distinct phase accumulation of the two eigenmodes. For physical realization, a piezoelectric lattice with shunting circuits is proposed. These findings provide a new route for wave control via temporal interfaces.

2-O42 | Room 4047 | 18:00 - 19:15

GEN26: Metamaterial-Based Devices**18:00 Monolithic integrated meta-mirror color filter for 5K PPI OLED pixel***Chi-Sun Hwang, Yong Hae Kim, Hyunsu Cho, Sunghoon Hong*

ETRI (Korea)

Reflective-type color filters based on meta-atoms were monolithically integrated into the OLED pixel structure. The meta-mirror was optically and electrically integrated with the OLED pixel cavity. The OLED pixel pitch was 4.8 μm , corresponding to 5,000 PPI.

18:15 Extreme field enhancement and anapoles in high-index tunable metamaterials*Zoltan Sztranyovszky¹, Nicolas Spiesshofer², Caleb Todd², Rakesh Arul², Jeremy J. Baumberg², Angela Demetriadou¹*¹University of Birmingham (United Kingdom), ²University of Cambridge (United Kingdom)

We show that metamaterials made from gold nanoparticles self-assembled in layered aggregates with nanometer-sized gaps, exhibit remarkably high refractive index. When the aggregate is shaped into a disc it forms a resonator that hosts an anapole, which combined with the field enhancementfrom the nanogaps results in extreme light-matter interactions.

18:30

Wavelength-insensitive Snapshot Stokes Polarimetric Imaging Based on Cascaded Metasurfaces*Xuanguang Wu, Peng Li*

Northwestern Polytechnical University (China)

A single-shot, wavelength-insensitive Stokes polarimetric imaging method using cascaded metasurfaces is proposed. Integrating two geometric-phase gratings in a 4f system enables broadband spin splitting and cross-interference. This method enables full-Stokes measurements under multi-wavelength, low-coherence light.

18:45

High-Efficiency Off-Grid-Positioned Metasurface Color Router for Sub-Micron CMOS Image Sensors*PoHan Fu, Chin-Chuan Hsieh*

Visera Technologies (Taiwan)

We propose off-grid-positioned metasurface replacing traditional microlenses in $540 \text{ nm} \times 540 \text{ nm}$ Bayer-pattern CMOS image sensors. By optimizing cylindrical meta-atom diameters and off-grid coordinates, our design efficiently routes visible light to corresponding color filters, mitigating severe diffraction and significantly enhancing overall optical efficiency.

19:00

Thermal information encryption based on composite metasurfaces comprising volatile and non-volatile phase-change materials*Jungwoo Pyo, Dongkyun Kang, Jaehyeong Kim, Hwajin An, Myeongkyu Lee*

Yonsei University (Korea)

This work presents thermal encryption using composite metasurfaces integrating VO_2 (volatile) and GST (nonvolatile) phase-change materials. The composite architecture combines high-density encoding via GST crystallization with temperature-driven VO_2 tuning, achieving sequential thermal cloaking. Demonstrations of multi-stage, temperature-key cloaking patterns highlight the potential of this platform for authentication and anti-counterfeiting applications.

3

Thursday, July 16, 2026

3-01 | Room 5039 | 08:30 - 10:10

SYM6: Advanced Techniques for Computational Electromagnetics

Organized by: Maha Ben Rhouma

Chaired by: Maha Ben Rhouma

08:30 INVITED TALK How many channels can a photonic device support?*Paul Virally¹, Pengning Chao², Alessio Amaolo³, Alejandro Rodriguez³, Sean Molesky¹*¹Polytechnique Montreal (Canada), ²Massachusetts Institute of Technology (USA), ³Princeton University (USA)

We develop a general method to bound the ordered singular values (channel amplitudes) of the electromagnetic Green function or \mathcal{W} -operator for arbitrarily structured linear photonic systems. The approach yields computable, quantitatively predictive, upper bounds on the n^{th} singular value that capture the complexity of multi-channel tradeoffs and competing scattering effects.

08:50 INVITED TALK The photonic gearbox: ultra-high local density of states via cylindrical-symmetry breaking*Alessio Amaolo*

Princeton University (USA)

We introduce the "Photonic Gearbox," a cavity design leveraging discrete rotational symmetry for potential super-exponential LDOS scaling. By computing fundamental limits for cylindrically symmetric structures, we empirically demonstrate the gearbox exceeds these bounds. This rigorously proves that symmetry breaking unlocks performance regimes strictly inaccessible to conventional cavity geometries.

09:10 INVITED TALK Multiscale simulations of electronic excitations of molecules coupled to plasmonic nanostructures*Stefano Corni*

University of Padua (Italy)

Multiscale models for coupling electronic excitations and localized surface plasmon excitations have been developed, based on boundary element methods approaches for the plasmonic nanostructures. Here such models will be presented and the latest developments discussed, particularly in relation to quantization of the nanoparticle response.

09:30 INVITED TALK Manipulating waves with metamaterials in multiple dimensions $(x,y,z)/(x,y,z,t)$ *Victor Pacheco-Peña*

Newcastle University (United Kingdom)

We exploit metamaterials to control wave propagation in multiple dimensions. Studies include the calculation of mathematical operations such as partial differential equations in space as well as the emulation of time refracted waves using metamaterials that are time dependent.

09:50 INVITED TALK Miexciton enhanced fluorescence in monolayer WS₂ /Si Huygens metasurface*Junichi Takahara*

The University of Osaka (Japan)

We demonstrate Miexciton enhanced fluorescence in monolayer WS₂ coupled with Silicon Huygens metasurface. We observed 18-fold enhancement of photoluminescence from A-exciton in monolayer WS₂ in intermediate coupling regime.

3-02 | Room 3051 | 08:30 - 10:05

SP10: Non-Hermitian Photonics - Topological, Disordered and Quantum systems

Organized by: Konstantinos Makris & Li Ge

Chaired by: Konstantinos Makris & Li Ge

08:30 INVITED TALK Non-Ergodic Extended Phase for Electromagnetic Waves in 3D Non-Hermitian Disordered MediaMarcus Prado¹, Romain Bachelard², Robin Kaiser³, Felipe Pinheiro⁴¹Institut Langevin (France), ²UFSCar (Brazil), ³Université Côte d'Azur (France), ⁴Universidade Federal do Rio de Janeiro (Brazil)

We demonstrate a Non-Ergodic Extended phase with fractal states for electromagnetic waves in 3D non-Hermitian disordered systems. Unlike scalar waves that localize, electromagnetic waves remain in the fractal phase due to their vector nature, enabling anomalous light transport without spatial correlations.

08:50 INVITED TALK Anomalous surface response in a non-Hermitian Weyl semimetalYidong Chong¹, Shuxin Lin¹, Rimi Banerjee¹, Zheyu Cheng¹, Kohei Kawabata², Baile Zhang¹¹Nanyang Technological University (Singapore), ²University of Tokyo (Japan)

The profound connection between band topology and field theoretic anomalies has recently been generalized to the non-Hermitian (NH) case. We show that the NH anomaly is mediated by exotic continuum Landau modes (CLMs), giving rise to a dramatically higher density of surface states scaling with the volume, not surface area.

09:10 Solitons Mediated by Skin-Mode Localization and Band Nonreciprocity

Kun Ding

Fudan University (China)

By clarifying a classification criterion intrinsic to the non-Hermitian skin effect, we distinguish two soliton families supported in non-Hermitian lattices and further construct the soliton threshold diagram as a function of nonreciprocity and dimensionality.

09:25 INVITED TALK Minimum energy and photon content in PT symmetric metamaterials

John Pendry

Imperial College London (United Kingdom)

We ask 'how much energy does it cost to break time reversal symmetry and transition to a PT symmetric state?' and 'can a PT symmetric system have a 'ground state with no photons present?' in a space-time crystal. The expectation of energy content is always increased on breaking symmetry.

09:45 INVITED TALK The spontaneous disentanglement hypothesis and causality

Eyal Buks

Technion (Israel)

The hypothesis that disentanglement spontaneously occurs in quantum systems is motivated by some outstanding issues in the foundations of quantum mechanics. However, for some cases, spontaneous disentanglement may violate causality by enabling superluminal signaling. A way to avoid this conflict with the causality principle is proposed.

3-03 | Maharry Theatre | 08:30 - 10:00

SYM1: Hybrid Nanomaterials and Metastructures for Photonics, Sensing and Energy: Celebrating the Contributions of Prof. Hiromi Okamoto to Nanoscale Chiro-Optics

08:30 **KEYNOTE TALK** **Chiro-Optical Micro-/Nano-Imaging and Near-Field Interaction***Hiroshi Okamoto*

Institute for Molecular Science (Japan)

We developed chiral photoinduced force microscopy (PiFM) to visualize nanoscale chiro-optical responses using circularly polarized light. Chiral and achiral plasmonic nanostructures were imaged, revealing local chiral fields and probe-induced chirality. This approach enables nanometer-scale chiro-optical imaging beyond conventional near-field techniques.

09:00 **INVITED TALK** **Chiral sensing with dielectric nanophotonics***Alberto G. Curto*

Ghent University - IMEC (Belgium)

Chiral molecules can have different biological functionalities depending on their handedness. Identifying chirality, however, is limited by low sensitivity, restricting detection to high concentrations and large volumes. We present several experimental and theoretical examples of dielectric metasurfaces and waveguides to enhance the sensitivity of chiral molecular detection.

09:20 **INVITED TALK** **Smart ways to achieve tunable chiral assemblies**

Ziwei Zhou¹, Ningwei Sun¹, Nina Tverdokhle¹, Artur Movsesyan², Anja Maria Steiner¹, Patrick T. Probst¹, Vaibhav Gupta¹, Bo Yin³, Nicolas Pazos-Perez⁴, Ramon A. Alvarez-Puebla⁴, Hofmaier¹, Müller¹, Merlitz¹, Guskova¹, Yingling⁵, Lissel¹, König¹, Wang², Govorov⁶, Kotov⁷, Fery¹

¹Leibniz-Institut für Polymerforschung Dresden (Germany), ²University of Electronic Science and Technology of China (China), ³Ansys Inc (USA), ⁴Universitat Rovira i Virgili (Spain), ⁵North Carolina State University (USA), ⁶Ohio University (USA), ⁷University of Michigan (USA)

Chiral nanomaterials enable advanced optics, sensing and catalysis, yet laboratory fabrication of non-mirror-symmetric structures often demands delicate, equipment-intensive steps. We present simple, efficient routes to tunable plasmonic chirality by assembling achiral nanoparticles with abundant chiral biomolecules. These bio-guided assemblies transfer and amplify chirality, yielding switchable chiral responses without complex lithography.

09:40 **INVITED TALK** **Near-Field Optical Chirality on Achiral Gold Nanoparticles under Linear Polarization**

Minyu Chen¹, Sylvie Marguet², Davy Gérard¹, Lucas Vázquez Besteiro³, Safi Jradi¹, Alexander Govorov⁴, Tao Xu⁵, Renaud Bachelot¹

¹University of Technology of Troyes (France), ²Universite Paris Saclay (France), ³Universidad de Vigo (Spain), ⁴Ohio University (USA), ⁵Shanghai University (China)

It is shown that linearly polarized light can generate and control chiral near fields in geometrically achiral gold nanotriangles. Using plasmon-assisted 2-photon polymerization, near fields are recorded as permanent polymer structures. Polarization and wavelength tuning reveal transitions between achiral and chiral configurations linked to different plasmonic modes and symmetry breaking.

3-04 | Room 5025 | 08:30 - 10:05

SP7: Enhanced light-matter interactions: fundamentals and sensing applicationsOrganized by: *Guillermo Acuna, Peter Zijlstra and Hiroshi Sugimoto*Chaired by: *Guillermo Acuna, Peter Zijlstra and Hiroshi Sugimoto***08:30** **INVITED TALK** **Nanomaterials and Nanostructures for Semi-Transparent and Color Photovoltaics***Ilya Sychugov*

KTH Royal Institute of Technology (Sweden)

Large-area luminescence solar concentrators with metal nanoclusters and Si quantum dots feature high visible light transparency (70-80%) and generate 1 W of electrical power under 1 sun. A sub-monolayer of silicon nanospheres, as selective Mie scatterers, improves device efficiency and color-neutrality, and can be used for color photovoltaics.

08:50

INVITED TALK

AI-driven Design and Synthesis of Plasmonic Nanoparticles*Jose Luis Montaña-Priede¹, Ana Sánchez-Iglesias¹, Anish Rao², Marek Grzelczak¹*¹CSIC-EHU (Spain), ²CSIC-EHU (India)

Here, we report the use of open- and closed-loop pipelines for the synthesis and in silico design of gold nanoparticles, using global optimization algorithms (Bayesian optimization) to identify optimal experimental conditions for nanoparticle synthesis and to determine optimal dimensions for enhanced plasmonic performance.

09:10

INVITED TALK

Engineering Optical Sensitivity in Plasmonic Metasurfaces: from LSPR to high-Q Surface Lattice Resonances*Kartikey Pandey, Mathias Dolci, Yun Luo, Stéphanie Lau-Truong, Sarra Gam-Derouich, Alexandre Chevillot-Biraud, Nordin Felidj, Claire Mangeney*

Université Paris Cité (France)

In this work, we design plasmonic metasurfaces supporting surface lattice resonances (SLRs) and tailor their design to control optical modes and achieve high quality factors. Refractive index sensing measurements are performed to assess the sensitivity associated with different resonance modes, highlighting the potential of engineered SLRs for efficient plasmonic detection.

09:30

INVITED TALK

Engineering High-Q Dielectric Metasurfaces for Enhanced Light-Matter Interaction and Multimodal Biosensing*Jose Francisco Algorri¹, Dimitris Zografopoulos², Luis Rodriguez-Cobo¹, Adolfo Cobo¹, Mohammed Janneh³, Patrizio Vaiano³, Marco Pisco³, Andrea Cusano³*¹Universidad de Cantabria (Spain), ²Aristotle University of Thessaloniki (Greece), ³University of Sannio (Italy)

To overcome fabrication vulnerabilities of traditional BICs in dielectric metasurfaces, we analyze robust high-Q resonances within fully symmetric unit cells. By comparing localized multipolar states in hollow nanocuboids against delocalized Surface Lattice Resonances in solid cuboids, we delineate fundamental fabrication and performance trade-offs to optimize real-world nanophotonic sensors.

09:50

Few-molecule nonlinear vibrational spectroscopy with dual-resonant plasmonic nanocavities*Christophe Galland¹, Zhiyuan Xie¹, Nobuaki Oyamada¹, Francesco Ciccarello¹, Wen Cher²*¹EPFL (Switzerland), ²East China Normal University (China)

We implement high-resolution coherent nonlinear vibrational sum- and difference-frequency spectroscopy from 860 to 1670 cm⁻¹ on dual-resonant antennas under ambient conditions, with commercial continuous-wave lasers. The spectra exhibit interference between resonant (vibrational) and nonresonant (electronic) contributions to the second-order nonlinear response, previously accessible only under pulsed excitation.

3-05 | Room 3126 | 08:30 - 09:50

SYM5: Phononics and acoustic metamaterials*Organized by: Marco Miniaci, Jensen Li, Jean-Philippe Groby, Vincent Pagneux, Noé Jiménez**Chaired by: Marco Miniaci, Jensen Li, Jean-Philippe Groby, Vincent Pagneux, Noé Jiménez*

08:30

INVITED TALK

Moiré Mechanical Metamaterials*Preethi Ramesh Narayan¹, Jingyi Zhang¹, Lianchao Wang², Johan Christensen¹*¹Universidad Carlos III de Madrid (Spain), ²IMDEA Materials Institute (Spain)

The moiré effect arising from superimposed periodic structures produces large-scale interference patterns widely used in photonic and acoustic metamaterials. We introduce a moiré superlattice model to explore mechanical behavior, using finite element simulations and uniaxial compression experiments to investigate the advanced controllability of instability and buckling responses.

08:50 INVITED TALK Nanocrystalline Silicon for Optomechanics

Gloria Conte¹, Omid R. Ranjbar-Naeini¹, Manjunath Balagopalan¹, Cristiana F. Alves¹, Oliver Schraidt¹, Oili Ylivaara², Jouni Ahopelto², Clivia M. Sotomayor-Torres¹

¹International Iberian Nanotechnology Laboratory (INL) (Portugal), ²VTT Technical Research Centre of Finland (Finland)

Nanocrystalline silicon is a promising material for nano-opto-electro-mechanical metamaterials to be integrated into information and communication technology platform. The preparation of nanocrystalline silicon has an impact on properties associated with grain sizes and grain boundaries, which influence the mechanical quality factor of one-dimensional nanoresonators, among others.

09:10 INVITED TALK On the Interpretation of Aeroacoustic Metadevice Performance in Terms of Spacetime Curvature

Giada Colombo, Umberto lemma

Roma Tre University (Italy)

Acoustic metamaterials enable tailored manipulation of sound waves, yet their extension to aeroacoustic environments remains challenging due to background flow effects. This work investigates spacetime curvature arising from non-uniform flows and spatially varying properties in phase-gradient metasurfaces, providing insight toward robust design of fully integrated aeroacoustic metamaterials.

09:30 INVITED TALK Tunable Manipulation of Acoustic/Elastic Waves by Metamaterials/Metasurfaces

Yan-Feng Wang, Yue-Sheng Wang

Tianjin University (China)

Tunable acoustic/elastic wave manipulation is of great essential to the practical application of metamaterials/metasurfaces. In this presentation, we will introduce our recent work on this topic.

3-06 | McNabb Theatre | 08:30 - 10:00

SP14: Towards chiral and magnetoelectric quantum electrodynamics

Organized by: Eugene Kamenetskii

Chaired by: Eugene Kamenetskii

08:30 KEYNOTE TALK QED of Chiral Waveguides Coupled to Quantum Emitters

Girish Agarwal

Texas A & M University (USA)

Waveguide QED is a quantum platform in which photons mediate long range interactions in a one dimensional channel. This talk highlights waveguide QED with quantum emitters, emphasizing quantum interference (Fano minima and transparency), chiral interactions, quantum nonreciprocity, and steady state entanglement, together with squeezed bath stabilization and dissipative phase transitions.

09:00 INVITED TALK Deterministic generation of a large-scale multi-photon GHZ state

David Gershoni

Technion - Israel Institute of Technology (Israel)

We present a novel device based on a semiconductor quantum dot embedded in a photonic microcavity, which deterministically generate at gigahertz rate, strings of indistinguishable single photons in a Greenberger-Horn-Zeilinger (GHZ) multiphoton entangled state with entanglement length surpassing a dozen photons, providing valuable resources for quantum communication and computing.

09:20 INVITED TALK Exponentially-enhanced sensing with a frequency-encoded bosonic Kitaev chain*Paul-Édouard Blanchard¹, Alexander McDonald², Philippe St-Jean¹*¹Université de Montréal (Canada), ²Université de Sherbrooke (Canada)

We experimentally realize a bosonic Kitaev chain by encoding the corresponding Hamiltonian in the resonant modes of a frequency comb. We harness the inherent nonreciprocal propagation of light in frequency space to detect a small microwave tone with a signal-to-noise ratio that scales exponentially with system size.

09:40 INVITED TALK Enhanced Microwave-to-Optical Quantum Transduction with Optomechanical Nanobeam Heterostructures*Akihiko Sekine, Ryo Murakami, Yoshiyasu Doi*

Fujitsu Limited (Japan)

Achieving a high transduction efficiency and a low added noise simultaneously is essential for the realization of quantum state transfer between distant superconducting qubits. We show theoretically that introducing optomechanical nanobeam heterostructures can improve the transduction efficiency and lower the added noise of the microwave-to-optical quantum transduction in optomechanical systems.

3-07 | Room 3071 | 08:30 - 10:05

SP22: Surface-Enhanced Raman Scattering: Integrating Theoretical and Experimental Perspectives*Organized by: Chiara Deriu, Tommaso Giovannini, Chiara Cappelli and Laura Fabris**Chaired by: Chiara Deriu, Tommaso Giovannini, Chiara Cappelli and Laura Fabris***08:30 INVITED TALK SERS Chemosensing of Metal Ions: Transduction Strategies and Interface Design***Luca Guerrini*

Universitat Rovira i Virgili (Spain)

Due to the intrinsic Raman silence of monoatomic species, SERS-based detection of metal ions necessarily relies on indirect strategies that translate coordination chemistry into a measurable spectroscopic response. This contribution presents a concise overview of key transduction mechanisms and interface design principles enabling effective SERS chemosensing of metal ions.

08:50 INVITED TALK SERS behavior of the antiepileptic drug cenobamate*Lydia Federica Gervasini¹, Annachiara D'Urso², Emilio Ciusan², Alessia Cutri¹, Sebastiano Trusso³, Paolo Maria Ossi⁴, Andrea Lucotti¹, Matteo Tommasini¹*¹Politecnico di Milano (Italy), ²Fondazione IRCCS Istituto Neurologico C. Besta (Italy), ³CNR (Italy), ⁴Università di Messina (Italy)

Surface-Enhanced Raman Spectroscopy (SERS) is a sensitive technique that has the potential to be implemented in Therapeutic Drug Monitoring protocols for anti-epileptic drugs, reducing the time and cost of High-Performance Liquid Chromatography (HPLC) methods.

09:10 INVITED TALK Time-Dependent Surface Enhanced Raman Scattering Simulations*Giulia Dall'Osto¹, Stefano Corn²*¹Elettra Sincrotrone Trieste (Italy), ²University of Padova (Italy)

We present a time-dependent theoretical approach to simulate plasmon-enhanced Raman spectra. By propagating the vibronic wave function of a molecule coupled to a plasmonic nanoparticle, we capture the real-time Raman response and field interactions, enabling quantitative modeling aligned with experimental setups.

09:30

Theoretical Investigation of Vibrational Imaging Induced by Electronically Forbidden Transitions in Tip-Enhanced Raman Scattering*Mamoru Tamura¹, Hiroyuki Ikagawa², Hajime Ishihara³*¹Kwansei Gakuin University (Japan), ²The University of Osaka (Japan), ³Ritsumeikan University (Japan)

We developed a theoretical framework for visualizing vibrational modes in tip-enhanced Raman scattering based on resonance Raman processes. In particular, by exploiting electronically forbidden excitations, we showed that the resulting spatial distribution of vibrational signals can differ fundamentally from that obtained via conventional allowed transitions.

09:45

INVITED TALK

Operando SERS: From Molecular Spectroscopy to Plasmon-Driven Photochemistry*Shashank Kumar Gahlaut, Ilko Bald, Radwan M. Sarhan, Biswajit Bhattacharyya*

University of Potsdam (Germany)

Operando SERS is a promising tool to investigate light-driven chemical transformations on plasmonic nanoparticles. Hybrid nanostructures are investigated to reveal structure-dependent catalytic behavior. In particular, chiral gold helicoids allow efficient control of reaction rates using circularly polarized light. Beyond noble metals, CuFeS₂ has been investigated as an emerging visible-light photocatalyst.

3-08 | Room 5052 | 08:30 - 10:10

SYM2: New trends in nanophotonics and advanced materials*Organized by: Junsuk Rho, Hakjoo Lee, Namkyoo Park, Seong Ok Han**Chaired by: Junsuk Rho, Hakjoo Lee, Namkyoo Park, Seong Ok Han*

08:30

INVITED TALK

From Simulation to Design: AI-Solvers and AI-Optimizers for Electromagnetics*Raphael Pestourie*

Georgia Tech (USA)

The integration of artificial intelligence with computational electromagnetics is shifting design from simulation-driven iteration toward knowledge-driven discovery. This summary categorizes AI-Solvers that accelerate physics simulation and AI-Optimizers that reduce design complexity through learned geometric representations, enabling trustworthy, scalable, and transferable electromagnetic device optimization across emerging engineering applications.

08:50

INVITED TALK

Topology Optimization on Weakly-confining InP Platform Enables Ultra-compact Low-loss Triplexer*Hao Jiang, Yijun Chen, Shuang Zheng, Minming Zhang*

Huazhong University of Science and Technology (China)

We demonstrate an ultra-compact InP triplexer for combo-PON using boundary adjoint optimization. The 92- μm device achieves <0.8 dB insertion loss across three bands, overcoming weak confinement limitations. Simulations confirm high fabrication tolerance, enabling high-density monolithic integration.

09:10

INVITED TALK

Topology Optimized High-Q Photonic Crystal Resonators for the THz Band*Stephen Hanham*

Imperial College London (United Kingdom)

This work presents a topology optimization framework for designing two-dimensional slab photonic crystal resonators for the terahertz band. The method generates manufacturable resonators with high Purcell factors and sub-diffraction-limited modal volumes, while explicitly enforcing fabrication constraints through minimum feature size control and geometric filtering.

09:30 INVITED TALK Intelligent Nanofabrication for Nanophotonics: Quantifying and Understanding Process Variability*Wenhan Zhang, Ben Mills, Kevin MacDonald*

University of Southampton (United Kingdom)

Fabrication variability is an inherent challenge in nano-manufacturing. We present a bi-directional variational autoencoder - a graphical generative model - that simulates a realistic distribution of process outcomes for a given input design, enabling quantitative analysis of principal deviation modes, and thus well-informed design and process parameter optimisation.

09:50 INVITED TALK Manipulating matter with vector twisted light*Mohamed Babiker*

University of York (United Kingdom)

Recent research on the influence of higher order (vector) twisted light on matter immersed in such light has led to a variety of novel effects involving dielectric and magnetic particles. This presentation describes the principles, methodology and the results that have recently emerged in a number of interesting scenarios.

3-09 | Room 4050B | 08:30 - 10:10

SYM2: New trends in nanophotonics and advanced materials*Organized by: Junsuk Rho, Hakjoo Lee, Namkyoo Park, Seong Ok Han**Chaired by: Junsuk Rho, Hakjoo Lee, Namkyoo Park, Seong Ok Han***08:30 INVITED TALK Generation of Quasi-Non-Diffracting Möbius Rings***Yueyi Yuan, Na Ri, Yuxiang Wang, Guohui Yang, Kuang Zhang*

Harbin Institute of Technology (China)

This paper presents a method for generating approximately non-diffracting polarized Möbius rings, which remain stable over a propagation distance from 1λ to 100λ , with a transmission efficiency exceeding 60%.

08:50 INVITED TALK Programmable Nanophotonics with the Plasmonic Phase-Change Material In₃SbTe₂*Lukas Conrads, Matthias Wuttig, Thomas Taubner*

RWTH Aachen University (Germany)

We summarize our current research in active nanophotonics using the plasmonic phase-change material In₃SbTe₂ (IST) which exhibits a non-volatile insulator-to-metal transition upon crystallization. We highlight optical programming of functional metasurfaces for emissivity-shaping and infrared beam-shaping including holography, as well as tailoring polaritons on polar crystals and doped semiconductors.

09:10 INVITED TALK Tailorable Light Driven Reaction with Phase-changing Material Metasurface*Ning Lyu¹, Anjalie Edirisooriya², Dawei Liu², Zelio Fusco², Shenyou Zhao³, Fiona Beck², Christin David¹*

¹Friedrich-Schiller-Universität Jena (Germany), ²Australian National University (Australia), ³Xi'an University of Posts and Telecommunications (China)

Phase-change metasurfaces are applied to manipulate light-driven reactions, enabling tunability using a Sb₂S₃ cavity. Plasmonic resonance supported by a Au nanodisk array determines the excited-electron population, and, when coupled with the tunable cavity, results in a 2.4-fold modulation of product yield, which illustrates the potential for reversible catalytic control.

09:30 INVITED TALK Non-Reciprocal Silicon Photonic Resonators with 2D CuCrP₂S₆*Mahmoud Rasras, Ghada Dushaq*

New York University Abu Dhabi (United Arab Emirates)

A compact non-reciprocal photonic device is demonstrated by integrating a two-dimensional magnetic material with silicon microring resonators. Magnetic ordering induces directional asymmetry with low loss and high isolation. The device operates in the transverse electric mode and supports broadband operation relevant to short-wavelength infrared photonic systems.

09:50 INVITED TALK Hot Carriers in Balance: Molecularly Functionalised Nanogaps Resolve Wavelength-Dependent Plasmonic Charge Generation*Ishaan Lohia¹, Santiago Rodríguez-Jiménez¹, Charlie Readman¹, Christine Joy Querebillo¹, Rowena Davies¹, Gregory Q. Wallace¹, Duncan Graham², Erwin Reisner¹, Bart de Nijs¹*¹University of Cambridge (United Kingdom), ²University of Strathclyde (United Kingdom)

Self-assembled, broadband absorbing nanoparticle films with 1 nm plasmonic nanogaps reveal wavelength-dependent hot carrier generation. Carriers are tracked at steady-state timescales using electrochemical photovoltage spectroscopy. Molecular control over carrier extraction is demonstrated through chemical functionalisation of nanogaps. Plasmon-enhanced hot electron generation extends from visible to near-infrared wavelengths (>800 nm).

3-O10 | Room 4047 | 08:30 - 10:10

SYM4: Chirality, magnetism, and magnetoelectricity: Separate phenomena and joint effects in metamaterial structures*Organized by: Eugene Kamenetskii**Chaired by: Eugene Kamenetskii***08:30 INVITED TALK Magnetoelectric effects in truly and falsely chiral media***Omar Jesus Franca Santiago, Stefan Yoshi Buhmann*

Universität Kassel (Germany)

Three magnetoelectric effects are presented here. Purcell effect is studied in chiral media, quantum friction in chiral media and topological insulators, and Vavilov-Cherenkov radiation in topological insulators. How parity and time-reversal symmetry breaking allow to understand their differences in the context of true and false chirality is investigated.

08:50 INVITED TALK Resonances and reversal in local and global chirality responses*Itamar Kimchi*

Georgia Tech (USA)

We theoretically study local chirality responses and discuss several surprising results. These include a chirality reversal generated by isolated chiral or magnetic defects. We also discuss diagnosis of local chirality through extensions of local marker and relation to spectral localizer, loop current patterns, orbital magnetization, and subspace chirality.

09:10 INVITED TALK Topological polarization textures and emergent chirality in ferroelectric materials*Svitlana Kondovych*

IFW Dresden (Germany)

Ferroelectric materials can host complex patterns of electric polarization, which arise from electrostatic interactions and nanoscale confinement and can exhibit switchable chirality. Understanding how these topological polar textures form and can be controlled opens new possibilities for designing functional materials and next-generation electronic devices.

09:30

INVITED TALK

From Skyrmions to Twistons to Hopfions: Topological Textures Beyond Homotopy Groups of Spheres*Maria Azhar¹, Sandra Shaju¹, Ross Knapman¹, Alessandro Pignedoli¹, Yijie Shen², Karin Everschor-Sitte¹*¹University of Duisburg-Essen (Germany), ²Nanyang Technological University (Singapore)

Topology provides a unifying language for structured fields across optics, magnetism, and metamaterials. We demonstrate that homotopy-based classifications are incomplete when backgrounds are non-uniform, and introduce a flux-tube linking framework that captures mixed and fractional topology. The approach enables systematic classification of three-dimensional textures across physical platforms.

09:50

INVITED TALK

Topology Optimized Aluminum Chiral Nanogap Antennas for DUV Circular Dichroism Enhancement*Atsushi Taguchi*

Hokkaido University (Japan)

We present topology optimized aluminum chiral nanogap antennas operating at 266 nm in the deep ultraviolet. A stable inverse design scheme for metallic structures was developed. The optimized antenna exhibits strong near-field dissymmetry and high enhancement, making it a promising platform for sensitive DUV circular dichroism spectroscopy.

3-O11 | Room 3074 | 08:30 - 10:10

SYM3: Advanced passive and active metasurfaces and zero-index materials*Organized by: Howard Lee, Pin Chieh Wu, Wen-Hui (Sophia) Cheng**Chaired by: Howard Lee, Pin Chieh Wu, Wen-Hui (Sophia) Cheng*

08:30

INVITED TALK

Dynamic Surface-Lattice Resonance Metasurface for Time-Varying Photonics*Jonathan Weber¹, Adam Ball¹, Dhruv Fomra¹, Sumit Goswami², Benjamin Diroll³, Thirumalai Venkatesan², Nathaniel Kinsey⁴*¹Virginia Commonwealth University (USA), ²Oklahoma University (USA), ³Argonne National Laboratory (USA), ⁴Saint Louis University (USA)

We realize and study the nonlinear response of a surface-lattice-resonance structure coupled to a TCO, illustrating a 30x reduction in saturation irradiance and the presence of spectral fringes of positive/negative extinction due to time varying effects.

08:50

INVITED TALK

Chalcogenide Metamaterials for High-Speed Tunable Photonics*Jesse Frantz¹, Arash Nemat², Jason Myers¹, Robel Bekele¹, Vinh Nguyen¹, Yajun Gao², Adam Overvig³, Andrea Alù²*¹U.S. Naval Research Laboratory (USA), ²City University of New York (USA), ³Stevens Institute of Technology (USA)

We describe the design, fabrication, and testing of a leaky-wave metasurface that is tunable at femtosecond speeds. The device incorporates an arsenic sulfide thin film, leveraging its Kerr nonlinearity to achieve tuning. It is designed to focus light to a point with a position that varies with pump power.

09:10

INVITED TALK

New Materials for Large Scale, Roll-to-Roll Metasurfaces*Vivian Ferry*

University of Minnesota (USA)

We have developed an additive, roll-to-roll printing method for large-area metamaterial fabrication, based on a combination of nanoimprint lithography and ink delivery, which selectively infills the patterned features. We use this method to pattern light emitters, including anisotropic quantum dots, and study the polarization state of the photoluminescence.

09:30 INVITED TALK Dual-layer metasurfaces supporting bound states in the continuum for torque sensing*Alexander Schossmann¹, Michael Tofferl¹, Maximilian Saiko¹, Alexander Bergmann¹, Peter Banzer²*¹Graz University of Technology (Austria), ²University of Graz (Austria)

Highly precise measurement on moving objects remains challenging, yet crucial for e-mobility, robotics, and related fields. In our work, we utilize resonant metasurfaces for telemetric torque sensing. We show that tunable dual-layer metasurfaces supporting (quasi-) bound states in the continuum offer unprecedented access to motion parameters, essential for developing robust next-generation sensors.

09:50 INVITED TALK Time Reflection of Guided Light in Optically Switched Metasurfaces: Generating Magnetic Field on the Nanoscale*Shivakh Rawat, Samyabrata Mukherjee, Gennady Shvets*

Cornell University (USA)

Time-varying dielectric metasurfaces supporting sharp optical resonances with non-trivial electromagnetic fields distribution is used for realizing temporal interfaces for metasurface-guided waves (MGWs). We demonstrate that such time-interfaces can be used to generate large, highly localized quasi-static magnetic fields inside the metasurfaces that persist after the departure of the time-scattered MGWs.

3-O12 | Room 4050A | 08:30 - 09:40

SP18: Inverse design, topology optimization, and machine learning*Organized by: Philippe Tassin**Chaired by: Philippe Tassin***08:30 INVITED TALK Algorithm-driven Design for Functionally Multiplexed Metasurfaces***Wei Ma, Yuhang Wang*

Zhejiang University (China)

We present an algorithm-driven strategy to automatically design metasurfaces for functionally multiplexed light manipulation. Our metasurface design pipeline comprises iterative optimization steps, integrating gradient-based optimization or heuristic algorithms enhanced by machine learning models. This approach has been experimentally validated using multi-channel holograms, focusing lenses, and wavelength routers.

08:50 INVITED TALK Large-Scale Photonic Inverse Design for Co-Optimized Photonic Systems*Geun Ho Ahn*

Stanford University (USA)

Scaling photonic inverse design from isolated components to deployable systems requires optimization frameworks that capture multi-block interactions, enforce foundry manufacturability, and remain computationally tractable at large design scale. I will describe a co-optimized inverse-design methodology that leads to performance improvements, and highlight inverse designs in foundry photonic systems.

09:10 Generative Design of Frequency Selective Surfaces with a Gradient-Guided Diffusion Model*Yiming Li, Yang Zhao*

University of Science and Technology (China)

We propose a Frequency Selective Surface (FSS) designer for the 4-18 GHz range based on a generative diffusion model that directly produces level-set parameters. By incorporating a gradient-guidance method, our approach significantly enhances design efficiency, ensures pattern manufacturability, and broadens the model's design exploration, all without compromising accuracy.

09:25

Resolution and Robustness Bounds for Reconstructive Spectrometers*Yidong Chong¹, Changyan Zhu¹, Hsuan Lo², Jianbo Yu¹, Qi Jie Wang¹*¹Nanyang Technological University (Singapore), ²Massachusetts Institute of Technology (USA)

Reconstructive spectrometers are devices that combine complex scattering with inference. We argue that their reconstruction error is governed by Fisher information, and can be expressed via the spectral correlation length, mean transmittance, and the number of frequency and measurement channels. This numerically-validated theory also predicts the conditions for superresolution.

Coffee Break

10:00 - 10:40

3-P1 | Business School Concourse | 10:00 - 10:30

Poster Session V

P1

Efficient bio-sensor based on terahertz metasurface*Pradeep Tiwari, Deepak Kala, Maciej Sakowicz*

Institute of High Pressure Physics PAS (Poland)

Terahertz metasurfaces enable safe, label-free biosensing with sensitivity to water and weak molecular interactions. Micrometer gaps concentrate fields, overcoming wavelength-biomatter mismatch. Simulations show that low-index PMP substrates maximize response. An H-split metasurface achieves 800 GHz/RIU, experimentally validated with BSA, delivering 31.25 ug/mL LOD via reduced mode volume.

P2

All-Dielectric Slotted-Disk Metasurface Sensor Based on quasi-Bound States in the Continuum*Jack Dobie, Oisin McCormack, Yongliang Zhang, Justin Schulz, Louise Bradley*

Trinity College Dublin (Ireland)

An all-dielectric slotted-disk metasurface sensor supporting quasi-bound states in the continuum is presented. Symmetry-breaking enables high-Q resonance with strong, external E-field confinement, producing high refractive index sensitivity and figure-of-merit while offering a scalable platform for nanophotonic sensing application.

P3

Single-Particle Study of Spin Crossover Compounds for Reconfigurable Photonic Integration*Lucas Mascaro Burguera¹, Ramón Torres Cavanillas², Alejandro Regueiro², J. Ignacio Echevarría³, Eugenio Coronado¹, Jorge Parra¹, Pablo Sanchis⁴, Javier Hernández Rueda³, Elena Pinilla Cienfuegos⁴*¹Universitat Politècnica de València (Spain), ²Universitat de València (Spain), ³Universidad Complutense de Madrid (Spain),⁴Universitat Politècnica de València (Spain)

We demonstrate single particle characterization of spin crossover nanoparticles using a quadrupole Paul trap combined with polarization resolved optical scattering. Laser and pressure control reveal reversible volumetric expansion and bistability. Integration into silicon micro ring resonators confirms their potential as active materials for reconfigurable integrated photonic devices.

P4

MidInfrared Metasurfaces for ExosomeBased Liquid Biopsy in Hepatocellular Carcinoma*Riccardo Di Santo¹, Benedetta Niccolini¹, Flavio Di Giacinto¹, Marco De Spirito¹, Raffaella Polito², Andrea Notargiacomo², Michele Ortolani³, Alessandra Di Gaspare⁴, Fabrizio Pizzolante¹, Gabriele Ciasca¹, Pea²*¹Università Cattolica del Sacro Cuore (Italy), ²Consiglio Nazionale delle Ricerche IFN-CNR (Italy), ³Sapienza University of Rome (Italy), ⁴CNR - Istituto Nanoscienze and Scuola Normale Superiore (Italy)

We propose a doubleresonant midinfrared plasmonic metasurface for labelfree spectroscopic analysis of circulating exosomes in hepatocellular carcinoma. The device is designed to enhance protein vibrational bands and to provide a refractiveindexinsensitive readout, as a candidate characterization module for a future exosomebased liquid biopsy platform.

P5

Transfer of optical angular momentum by free electrons*Javier García de Abajo*

ICFO-Institute of Photonics Sciences (Spain)

We discuss the generation and probing of confined optical modes with definite amounts of angular momentum, as well as the use of free electrons to mediate the transfer of optical angular momentum between different structures

P6

Polarization dynamics of waves propagating in complex media: application to moving media*Aymeric Braud, Renaud Gueroult*

Université de Toulouse (France)

We use an extended geometrical optics theory to derive an evolution equation for polarization in complex media. Considering moving media, we show that motion affects polarization via new spin-orbit mechanisms. Because they arise from properties bestowed to the medium by motion, these effects should also manifest in static complex media.

P7

Design of exotic plasmonic lattice dispersions*Joel Lehtikainen, Päivi Törmä*

Aalto University (Finland)

We use the empty lattice approximation to design plasmonic nanoparticle arrays with exotic dispersions. As a case example, we study the bullseye lattice made out of individual nanoparticles, and show analytically and numerically that it has similar beaming properties as plasmonic bullseye antennas.

P8

Parity Resolved Origin Optimization for Efficient Multipolar Modeling of Metasurfaces*Hossein Allahverdizadeh, Karim Achouri*

Ecole Polytechnique Federale de Lausanne (Switzerland)

Understanding and controlling metasurface scattering often relies on multipolar descriptions, but redundant higher-order moments can unnecessarily increase model complexity. Here, we identify optimal decomposition origins for even and odd parity components to suppress excess multipoles, enabling accurate reproduction of the full scattering response using a reduced, dipolar-level description.

P9

Colloidal lithography for correlated disorder light-trapping structures*Laura de Almeida¹, Jean-Baptiste Doucet¹, Guilhem Almuneau¹, Stephane Collin², Inès Revol¹*¹LAAS-CNRS (France), ²Universite Paris-Saclay (France)

We demonstrate that, using colloidal lithography with carboxyl-functionalized polystyrene particles, we can control the correlations in the particle arrangement and tune the pseudo-period between 260 and 980 nm. Such correlated disordered nanostructures show promise in enhancing light scattering outside the escape cone and effectively trapping light in solar cells.

P10

Hybrid Silica-Perovskite Microcavities for High Quality-Factor Whispering-Gallery Resonance*Luke Cording¹, Christian Johnson-Richards¹, Hei Chit Leo Tsui¹, Pablo Docampo², Noel Healy¹*¹Newcastle University (United Kingdom), ²Ikerbasque (Spain)

Current realisations of perovskite whispering-gallery mode resonators suffer from relatively low qualityfactor, restricted coupling geometries, and instability in air. We present a high-Q hybrid microcavity platform that addresses all three of the bottlenecks in state-of-the-art perovskite resonators, providing a route to accessing the promising optical properties of perovskites.

P11

Thermal optical and mechanical tuning in all-silicon and hybrid nanopillars*Víctor González Morote¹, David Alonso-Tomas¹, Nestor Eduardo Capuj², Albert Romano-Rodríguez¹, Daniel Navarro-Urrios¹*¹University of Barcelona (Spain), ²Universidad de La Laguna (Spain)

Nanopillar optomechanical cavities are sensitive to absorption driven heating. We compare monolithic silicon and hybrid pillars with a silicon dioxide base using optical tuning and pump probe readout. Thermal simulations, including full cavity models, identify dominant dissipation pathways and relate them to thermo-optic shifts and changes in transduced mechanical spectra.

P12

Thermo-Optical Spatial Light Modulators: Towards Imaging Through Scattering Media*Hasan Sawan¹, Hadrien Robert¹, Yannick Bertschy², Josep M Panades¹, Jose G. Guirado², Gilles Tessier¹, Romain Quidant², Pascal Berto¹*¹Sorbonne Université (France), ²ETH Zürich (Switzerland)

We report a compact transmission-mode wavefront shaping device based on thermo-optical actuators arrays. We propose a strategy to increase the actuator density, characterize and model their temporal dynamics and implement overdrive strategies to reduce response times. Finally, we demonstrate the devices potential for light focusing through scattering media

P13

Meta-devices based on liquid photonic devices*Yin Zhou¹, Zihan Geng², Mu Ku Chen¹*¹City University of Hong Kong (Hong Kong), ²Tsinghua University (China)

Metasurfaces demonstrate unprecedented advantages in multi-functional imaging, but their tunability is still severely limited in the visible band. Joint optimization of metasurfaces and liquid photonic devices can enable tunable, multifunctional imaging, opening new avenues for metasurface development.

P14

Breaking Reciprocity with Self-Oscillators*Alexander Stoychev, Ulrich Kuhl, Nicolas Noiray*

ETH Zürich (Switzerland)

We demonstrate nonreciprocal acoustic scattering by using weakly nonlinear self-oscillators whose internal synchronization state controls the system behavior, without bias, modulation, or strong nonlinearity. The meta-atom scattering is modeled by modified nonlinear coupled mode theory and validated experimentally. A two meta-atom unit cell yields directional transmission and reflection.

P15

Scattering properties of a cylindrical scatterer with time-modulated permittivity*Jiaruo Yan¹, Ioannis Katsantonis¹, Mohamed Mostafa², Viktor Asadchy², Maria Kafesaki¹*¹FORTH-IESL (Greece), ²Aalto University (Finland)

We investigate the scattering behavior of a cylinder, with infinite length, whose permittivity is periodically modulated in time. By exploiting the interference among scattering coefficients associated with different temporal harmonics and multipolar orders, the radiation pattern can be engineered through appropriate adjustment of the modulation parameters.

P16

Generalized Space-Time reconfigurable Metasurfaces in synthetic dimension*Yinglan Li, Chengzhi Qin, Bing Wang, Peixiang Lu*

Huazhong University of Science and Technology (China)

We implement a synthetic discrete photonic lattice based on a dual fiber loop system and construct reconfigurable temporal metasurface within this platform. By introducing linear phase modulation at temporal interfaces, we experimentally realize discrete-light temporal refraction and perfect imaging. We further observe refraction and reflection in spatial and spatiotemporal metasurfaces.

P17

Self-Assembled Aligned Carbon Nanotube Micropolarizer Array For Mid-Infrared*Zhiyu Chen¹, Yang Zhao²*¹University of Science and Technology (China), ²University of Science and Technology (USA)

We fabricated CNT films with controllable alignment by tuning the density of active catalyst particles and studied the relationship between self-assembled film polarization and alignment. We further developed a one-step strategy using asymmetric capillary forces induced by rational catalyst patterning to simultaneously assemble CNT films with orthogonal orientations.

P18

Ultrashort Bright Envelope Solitons in Ferromagnetic Metamaterials Placed in High-Intensity Magnetic Biased Fields*Feodor Yu. Ogrin¹, Alexandra V. Zhabova¹, Mariya D. Amel'chenko¹, Sergei V. Grishin², Sergei A. Nikitov¹*¹University of Exeter (United Kingdom), ²Saratov State University (Russia)

The paper presents numerical simulation results of the ultrashort bright envelope solitons in a normally magnetized parallel-plate waveguide completely filled with a nonlinear ferromagnetic metamaterial. It is shown that in high-intensity magnetic biased fields, the soliton width of an "extraordinary" slow forward electromagnetic wave reaches several hundreds of picoseconds.

P19

Robust Design of a Reconfigurable Linear-to-Circular Polarization Metasurface via LHS*Gregorio J. Molina-Cuberos¹, Ángel J. García-Collado², Ismael Barba³, José Margineda¹*¹Universidad Murcia (Spain), ²Universidad Católica de Murcia (Spain), ³Universidad de Valladolid (Spain)

A design-space exploration of a mechanically reconfigurable linear-to-circular polarization (LTC) metasurface is presented. Latin Hypercube Sampling with full-wave simulations is employed to map broadband LTC behavior beyond single-point optimization. Extended high-performance regions and a bandwidth–robustness trade-off are identified, enabling selection of tolerant and reliable metasurface designs.

P20

Designing high refractive index 2D photonic architectures for low threshold multiband lasing*Ana Conde-Rubio, Juan Ramón Deop Ruano, Luis Cerdán, Alejandro Manjavacas, Antonio Agustín Mihi Cervelló*

ICMAB-CSIC (Spain)

High-refractive-index (HRI) dielectrics are gaining interest for compact lasers as a low-loss alternative to plasmonics. We demonstrate a scalable low-cost method to fabricate HRI photonic architectures consisting of arrays of holes in polymer films coated with TiO₂. When the resonances overlap the dye emission, the system exhibits low-threshold multiband lasing.

P21

Misaligned Honeycomb Sandwich Structure for Broadband Sound Insulation*Yuzhen Yang, Jun Yang, Han Jia*

Institute of Acoustics CAS (China)

Misaligned honeycomb sandwich structures (MHSS) overcome mid-to-low frequency sound insulation limits of conventional designs by reducing shear stiffness while maintaining bending stiffness. This shifts or suppresses coincidence frequency, improving sound transmission loss without added mass or thickness. Analytical, numerical, and experimental results confirm MHSS effectiveness.

P22

Inverse Designed Metasurfaces for Spatially Isolated Optical Skyrmions*Donghyun Park¹, Jinseong Bae¹, Jiwoo Kim¹, Sejeong Kim², Haejun Chung¹*¹Hanyang University (Korea), ²Sungkyunkwan University (Korea)

Optical skyrmions exhibit structured polarization textures, but extended side lobes hinder spatial isolation. We design a compact silicon metasurface generating a spatially confined skyrmion using a truncated Bessel target and full-wave adjoint optimization. The device achieves field overlap above 88 percent and skyrmion number 0.97 at 1550 nm.

P23

Uniformity-Enhanced Gas-Phase Catalyst Etching of Silica Glass for Metalens Fabrication*Yusuke Kataoka, Kohei Sano, Yoshitaka Ono, Yasuo Hayashi*

AGC Inc. (Japan)

We investigate gas-phase catalyst etching of silica glass under reduced pressure for metalens fabrication. Vacuum conditions improve etching uniformity by enhancing reactive gas diffusion, while reducing etch rate. High-aspect-ratio, vertically etched nanoscale structures with excellent uniformity are demonstrated, indicating suitability for visible and ultraviolet metalens applications.

P24

Interparticle Spacing-Driven Ultrafast Dynamics in Gold Nanoparticle Superlattices*Pietro Castronovo¹, Cristian Gonzalez², Giuseppe Ammirati³, Shengsong Yang², Daniele Catone³, Alessandra Paladini³, Patrick O'Keefe³, Cherie K. Kagan², Christopher B. Murray², Antonio Emanuele¹, Marino¹, Messina¹, Sciortino¹, Sciortino¹*¹University of Palermo (Italy), ²University of Pennsylvania (USA), ³Istituto di Struttura della Materia - CNR (Italy)

The collective optical response of plasmonic nanoparticle assemblies is strongly governed by interparticle interactions. Here, we investigate gold nanoparticle superlattices with tunable interparticle spacing, demonstrating that reduced spacing induces a plasmon blueshift and slows electron-phonon relaxation due to enhanced near-field coupling and hot-carrier population.

P25

Optimization of Broadband Sound Absorber Consisting of Helmholtz Resonator Array*Jia-Hong Sun¹, Yu-Shao Chang², Jin-Chen Hsu²*¹Chang Gung University (Taiwan), ²National Yunlin University of Science and Technology (Taiwan)

This paper studied the optimization of Helmholtz resonator arrays to achieve broadband high absorption. The interaction between adjacent resonant cavities was studied using finite-element methods. Then genetic algorithm combined with the theoretical model helps optimize arrays of nine resonators. A 0.95 averaged absorption was observed in the 300-490 Hz range.

P26

Independent control of dispersion band and linewidth of guided-mode resonances by using dual-ridge unit-cell structures*Joong Hyeon Pyo¹, Yu Sung Choi¹, Robert Magnusson², Jae Woong Yoon¹*¹Hanyang University (Korea), ²University of Texas - Arlington (USA)

We present a dual-ridge unit cell enabling deterministic, independent tuning of guided-mode resonance frequency and linewidth. A closed-form parametric search space maps geometry to spectral metrics, removing trial-and-error. The framework supports multi-metric design and uncovers emergent non-Hermitian and topological features, including exceptional points and Fermi arcs.

P27

Causality and free-space propagation for the second quantization of radiative nanophotonic systems*Luke Hands, Ben Yuen, Angela Demetriadou*

University of Birmingham (United Kingdom)

We introduce a new framework for quantizing radiative nanophotonic systems with arbitrarily positioned quantum emitters. The framework produces free-space propagation and decay terms, enforcing causality. Applying our framework to spherical nanoparticles captures position-dependent, non-Markovian dynamics, providing a complete picture of near- and far-field interactions essential for designing quantum nanophotonic devices.

P28

Optically Transparent Metasurface Reflector for Radar Visibility Enhancement of Vehicles*Sergei Geiman¹, Dmytro Vovchuk¹, Denis Kolchanov¹, Mykola Khobze², Vlad Tkach², Vjaceslavs Bobrovs², Hagit Gilon³, Eyal Cohen³, Eran Yungar³, Pavel Ginzburg¹*¹Tel Aviv University (Israel), ²Riga Technical University (Latvia), ³DR Utilight Ltd (Israel)

Automotive radar detection depends on vehicle radar cross-section (RCS), yet modern vehicles lack dedicated reflectors. We propose an optically transparent metasurface integrated on the rear windshield, formed by conductive wires satisfying the first Bragg condition. A 10×10 cm² prototype achieves 90% optical transparency and an RCS of 8 m².

P29

Light emission from metals - photoluminescence and electroluminescence*Imon Kalyan¹, Ieng-Wai Un¹, Kaiqiang Lin², John M. Lupton², Sebastian Bange², Yonatan Sivan³*¹Ben-Gurion University of the Negev (Israel), ²Universitat Regensburg (Germany), ³Ben-Gurion University (Israel)

We provide a single line analytic theory for photoluminescence and electroluminescence from metal nanostructures under CW and pulsed illumination which allows us to explain a long series of seemingly contradicting experimental reports. We then describe the signature of our predictions in old and new measurements.

P30

Symmetry-Informed Deep Learning for Scattering Parameter Prediction*Viktor Aadland Lilja, Philippe Tassin*

Chalmers University of Technology (Sweden)

Deep learning surrogate models can accelerate modeling of electromagnetic devices by several orders of magnitude, but usually require very large amounts of training data. We show that neural networks can be made more data efficient by utilizing symmetries of Maxwell's equations.

3-O13 | Room 5039 | 10:40 - 12:40

SYM6: Advanced Techniques for Computational Electromagnetics*Organized by: Maha Ben Rhouma**Chaired by: Maha Ben Rhouma*

10:40

INVITED TALK

Radiative heat transfer measurements at small scales in systems involving several bodies*Victor Guillemot¹, Ana I. F. Tresguerres-Mata¹, Riccardo Messina², Valentina Krachmalnicoff¹, Remi Carminati¹, Philippe Ben-Abdallah², Wilfrid Poirier³, Yannick De Wilde⁴*¹Universite PSL (France), ²Université Paris-Saclay (France), ³Laboratoire National de Metrologie et d'Essais (LNE) (France),⁴Université PSL (France)

We present measurements of small-scale radiative heat transfer of a glass microsphere immersed in a thermal bath facing three different planar substrates (SiO₂, SiC, Au), or another microsphere, under vacuum, with different temperatures within the system. We reveal many-body contributions and a subtle competition between near-field and far-field heat transfer.

11:00

INVITED TALK

Scattering Symmetries in Metagratings*Karim Achouri*

EPFL (Switzerland)

We develop a simple formalism to connect the spatial symmetries of a metagrating unit cell and lattice to the shape of its scattering matrix. We use it to explain the emergence of extrinsic chirality in metagratings. And also to design metagratings exhibiting a step function response in momentum space.

11:20

INVITED TALK

Application of Spatial Symmetries in Plasmonic Lattice Design*Kristian Arjas¹, Grazia Salerno², Päivi Törmä³*¹Trinity College Dublin (Ireland), ²Università di Pisa (Italy), ³Aalto University (Finland)

We utilise mathematical group theory and symmetry analysis to develop a quasicrystal design method, which is used to realise lasing from bound states in the continuum with high topological charges. Additionally, we show how these tools can be used for generating momentum space Hamiltonians with interesting topological characteristics.

11:40

INVITED TALK

Enabling Meta-surface Design with Neural Network Technologies.*Denis Rideau, Mathys Le Grand, Damien Maitre, Loumi Tremas, Habib Mohamad, adam Fuchs, Pascal Urard, Valerie Serradeil, James Downing*

STMicroelectronics (France)

Meta-surfaces, made of subwavelength nanostructures, enable ultra-thin optical components but are challenging to design at millimeter scale using conventional FDTD. We propose an AI-driven framework based on convolutional neural network emulators that support gradient-descent and generative design, improving efficiency, accuracy, and scalability for large-scale meta-surface optics.

12:00

INVITED TALK

Machine Learning Optimization of Chiral Photonic Metasurface with Neural Network Pipeline and Evolutionary Strategies*Arash Rahimi-Iman*

Justus-Liebig-Universität Gießen (Germany)

To improve the design and performance of photonic metasurfaces with chiral reflection, we demonstrate an optimization framework that integrates deep learning with genetic algorithms. Our refined pipelines employ neural networks and evolutionary strategies to better balance chiral dichroism and reflectivity toward fast design exploration and high-performance results with hybrid methods.

12:20

INVITED TALK

Advanced electromagnetic simulations for free electrons and nanoscale optical fields*Javier García de Abajo*

ICFO-Institute of Photonics Sciences (Spain)

Free electrons enable mapping and controlling nanoscale optical fields, advancing spatiotemporal and spectral microscopy. While analytical methods suffice for simple geometries, complex structures require numerical simulations. We discuss advanced techniques to simulate electron-light interactions illustrated through phenomena such as the generation and probing of non-classical light states.

3-O14 | Room 3051 | 10:40 - 12:25

SP10: Non-Hermitian Photonics - Topological, Disordered and Quantum systems*Organized by: Konstantinos Makris & Li Ge**Chaired by: Konstantinos Makris & Li Ge*

10:40

Programmable Anisotropic Exceptional Points in Passive Multiport Scattering Networks*Kaiyuan Wang, Niall Byrnes, Matthew Foreman*

Nanyang Technological University (Singapore)

Exceptional points are spectral degeneracies of non-Hermitian operators. We show that a passive multiport network can be programmed to exhibit exceptional-point behaviour in a measured-port subspace, even though the full scattering matrix is unitary. By tuning internal phases, we engineer anisotropic eigenvalue splitting and prescribe sensitivity directions in parameter space.

10:55

INVITED TALK

Measurement-Induced Crossover of Quantum Jump Statistics in Postselection-Free Many-Body Dynamics*Kazuki Yamamoto¹, Ryusuke Hamazaki²*¹Institute of Science Tokyo (Japan), ²RIKEN (Japan)

We find a nontrivial crossover of subsystem fluctuations of quantum jumps in many-body systems under continuous measurement. Whereas the fluctuations exhibit the conventional volume law following Poissonian statistics for sufficiently weak measurement strength, anomalous yet universal scaling law exhibiting super-Poissonian statistics appears for strong measurement strength.

11:15

INVITED TALK

Topological insulator-based quantum optical sensor arrays*Harry Zheng, Arnab Banerjee, Peter Bermel*

Purdue University (USA)

Topological insulator (TI) materials like InBi₂Se₃ are highly sensitive to external electrical & magnetic fields, both at RF and optical frequencies, making for an emerging quantum sensing platform. In this work, we calculate the optical conductivity of TIs using Quantum Espresso, and design optical sensing devices and arrays.

11:35

Scattering Properties of non-Hermitian Resonant Systems Explored Through the Generalized Wigner-Smith Operator*Nadav Shaibe, Jared Erb, Thomas M. Antonsen, Steven Anlage*

University of Maryland (USA)

We explore uses of the generalized Wigner-Smith operator in understanding the scattering properties of non-Hermitian systems with many embedded parametric perturbations. We focus on the statistical properties of complex parametric derivatives of the scattering matrix and compare them to those of the Wigner-Smith time delay, both obtained from experiments.

11:50

Machine Learning for Drawing Phase Diagrams of Nonlinear Optical Resonators with 1D Su-Schrieffer-Heeger Lattice*Chukwunaedum Patrick Izediuno¹, Ghada Alharbi¹, Zeeshan Ahmad², Stephan Wong³, Sang Soon Oh¹*¹Cardiff University (United Kingdom), ²Bentham Instruments Ltd. (United Kingdom), ³Sandia National Laboratories (USA)

Identifying dynamical phases in nonlinear systems is a central challenge in nonlinear dynamics, particularly for complex nonlinear optical systems. Here, we propose two machine-learning approaches-augmented dynamic mode decomposition and a convolutional neural network-to construct phase diagrams of the Su-Schrieffer-Heeger model with Kerr nonlinearity.

12:05

INVITED TALK

Topological perfect transition in one-dimensional multi-orbital photonic lattices*Polette Parra-Palavecino, Diego Roman-Cortes, Rodrigo Vicencio*

Universidad de Chile (Chile)

We study one-dimensional (1D) photonic lattices on a topologically trivial phase for S mode excitation. We demonstrate how the excitation of dipolar P states together with the engineering of the coupling angle induce a zero dimerization regime on a SSH-like model, including the emergence of an all flat band regime.

3-O15 | Room 5025 | 10:40 - 12:40

SP7: Enhanced light-matter interactions: fundamentals and sensing applications*Organized by: Guillermo Acuna, Peter Zijlstra and Hiroshi Sugimoto**Chaired by: Guillermo Acuna, Peter Zijlstra and Hiroshi Sugimoto*

10:40

INVITED TALK

Nanoimprinted Chiral Photonic Architectures for Circularly Polarized Photoluminescence*Agustin Mihi, Jose Mendoza-Carreño, Xiaoyu Qi, Luis A. Pérez, Miquel Garriga, Isabel Alonso*

ICMAB-CSIC (Spain)

Soft nanoimprint lithography enables the scalable fabrication of nanophotonic architectures with high-resolution and over large areas. Here we demonstrate how the technique can be extended to create chiral metasurfaces (dielectric and metallic) exhibiting strong circular dichroism which can be transferred to nearby emitters to produce circularly polarized photoluminescence.

11:00

INVITED TALK

Photoelectrochemical Chiral Nanofabrication by Circularly Polarized Light*Takuya Ishida¹, Tetsu Tatsuma²*¹Utsunomiya University (Japan), ²The University of Tokyo (Japan)

We demonstrate bottom-up chiral nanofabrication driven by circularly polarized light (CPL). CPL-induced chiral near-field distribution around plasmonic nanoparticles enables site-selective growth via photoelectrochemical reactions, leading to chiral nanostructures. Extending this concept to magneto-chiral nanocomposites yields directional dichroism under static magnetic fields, providing a scalable route to nonreciprocal metamaterials.

11:20 INVITED TALK Mie Voids for Refractive Index Measurement of Unknown Water under High-Pressure

Hiromasa Niinomi¹, Hiroki Nada², Tetsuya Hama³, Kazuhiro Gotoh⁴, Yumiko Kodama¹, Tomoya Oshikiri¹, Masaru Nakagawa¹, Yuki Kimura⁵

¹Tohoku University (Japan), ²Tottori University (Japan), ³The University of Tokyo (Japan), ⁴Niigata University (Japan), ⁵Hokkaido University (Japan)

We developed a novel method for refractive index (RI) sensing of materials under high-pressure using Mie voids fabricated on a 4H-SiC anvil in an anvil cell, enabling in-situ local measurement of RI in materials under high-pressure inaccessible by conventional methods including unknown water at interfaces between water and high-pressure ices.

11:40 INVITED TALK Exploring the Origins of Circular Dichroic Optical Forces at the Nanoscale

Junsuke Yamanishi

The University of Osaka (Japan)

We investigate the microscopic origin of circular dichroic optical forces at the nanoscale using photoinduced force microscopy. We reveal three distinct contributions: intrinsic material chirality, local chirality in achiral assemblies, and probe-induced symmetry breaking. Our results establish a unified framework for interpreting circular dichroic optical forces in near-field measurements.

12:00 INVITED TALK Ultimate Magneto-Optical Bounds at the Nanoscale

Jorge Olmos

Universidad Autonoma de Madrid (Spain)

In this talk, we demonstrate the existence of an ultimate upper bound in magneto-optics. We derive a simple expression for this fundamental limit and show that it can be reached only by non-absorbing nanoparticles.

12:20 INVITED TALK A single photon source for the THz regime

Diego Martin Cano¹, Caspar Groiseau², Antonio Fernandez-Dominguez¹, Miguel Angel Martinez-Garcia¹, Carlos Sanchez Munoz³

¹Universidad Autónoma de Madrid (Spain), ²Chalmers University of Technology (Sweden), ³Institute of Fundamental Physics IFF-CSIC (Spain)

We propose a feasible single-photon source that performs over the THz frequency regime based on a single quantum polar emitter coupled to a nanocavity. We demonstrate nonclassical photon correlations showing the single photon nature of its emission as well as the nonlinear production of multiphoton pairs.

3-O16 | Room 3126 | 10:40 - 12:40

SYM5: Phononics and acoustic metamaterials

Organized by: Marco Miniaci, Jensen Li, Jean-Philippe Groby, Vincent Pagneux, Noé Jiménez

Chaired by: Marco Miniaci, Jensen Li, Jean-Philippe Groby, Vincent Pagneux, Noé Jiménez

10:40 INVITED TALK Acoustic Purcell effects in phase-transitioning nanodroplets

Chengzhi Shi

University of Michigan (USA)

We present a new strategy to achieve acoustic Purcell effect through perfluorocarbon nanodroplets (PFCnDs) to boost ultrasound emission. A theoretical framework for nanodroplet-enhanced Purcell effect is developed and experimentally confirmed. By tailoring the acoustic environment, we achieve an acoustic Purcell factor surpassing previous designs by two orders of magnitude.

11:00 INVITED TALK Generalization of exceptional point: high-dimensional coalescing non-Hermitian spaces*Guancong Ma*

Hong Kong Baptist University (China)

We present the generalization of exceptional point, called "exceptional deficiency," characterized by the coalescence of two high-dimensional non-Hermitian linear spaces. At this condition, exceptional physics appears over a spectral continuum without fundamental limitations on bandwidths. The exceptional deficiency is experimentally realized using an active phononic crystal.

11:20 INVITED TALK On the Quest of a Boundary Integral Formulation for Aeroacoustics of Metacontinua in Curved Spacetime*Umberto Lemma, Giada Colombo*

Roma Tre University (Italy)

Boundary Integral Equation (BIE) methods rely on the self-adjointness of the governing differential operator, which is lost in presence of a non-uniform mechanical properties. This contribution focuses on the challenges in the identification of a design-oriented strategy to derive an integral equation formulation valid for aeroacoustic analysis on curved spacetime.

11:40 INVITED TALK Band-structure calculations of phononic crystals in the hard-scatterer limit*Arkadii Krokhin, Dmitrii Shymkiv*

University of North Texas (USA)

It is well known that the hard-scatterer limit leads to the appearance of non-physical features in the band structure of phononic crystals when calculated numerically using the plane-wave expansion method. We show that these numerical difficulties arise from a mathematical singularity in the corresponding eigenvalue problem for sound waves.

12:00 INVITED TALK Optical imaging of sub-GHz acoustic waves in topological phononic crystals*Osamu Matsuda*

Hokkaido University (Japan)

The acoustic wave propagation in valley topological phononic crystal samples is studied using the time-resolved two-dimensional optical imaging technique. With the single frequency electronic excitation as well as the broad band optical excitation, the topologically protected robust wave-guiding is observed.

12:20 INVITED TALK Trapping GHz Rayleigh Waves with Phononic Crystals*Daniel Torrent¹, Liangshu He¹, Fernando Soldevila¹, Yabin Jin², Pawel Packo³, Agustín Mih⁴*

¹Universitat Jaume I (Spain), ²Fudan University (China), ³AGH University of Kraków (Poland), ⁴Institute of Materials Science of Barcelona (ICMAB-CSIC) (Spain)

We report optical pump probe measurements of surface acoustic waves in patterned silicon. Ordered hole arrays support long lived symmetry protected resonances, while disordered structures exhibit broadband trapping of acoustic waves in the gigahertz range. These results demonstrate complementary mechanisms for controlling phonon confinement using order and disorder.

3-O17 | Room 3071 | 10:40 - 12:55

SP22: Surface-Enhanced Raman Scattering: Integrating Theoretical and Experimental Perspectives

Organized by: Chiara Deriu, Tommaso Giovannini, Chiara Cappelli and Laura Fabris

Chaired by: Chiara Deriu, Tommaso Giovannini, Chiara Cappelli and Laura Fabris

10:40 INVITED TALK Triple-Coupled Unified Resonance-Driven SERS in Gold Nanoflower-WS₂ (AuWS₂) Complexes with DFT Insights into Charge-Transfer Mechanism

Ashwani Kumar Verma, Laura Fabris

Politecnico di Torino (Italy)

Synergistic analyte-substrate interactions govern charge-transfer (CT) resonance-driven chemical enhancement in surface-enhanced Raman spectroscopy (SERS). We demonstrate triple-coupled resonance in gold nanoflower-tungsten disulfide (AuWS₂) by integrating LSPR, CT, and molecular resonances. Combined experimental and DFT insights reveal CT complex excitation- and molecular resonance-facilitated CT, enabling superior two-dimensional (2D) SERS sensing platforms.

11:00 INVITED TALK Label-free SERS detection of biological analytes

Anastasiia Tukova, Yuling Wang

Macquarie University (Australia)

We investigate how plasmonic nanostructure geometry, surface chemistry, and measurement conditions affect label free Surface Enhanced Raman Scattering of biological targets. Standardized substrates and controlled experiments identified conditions that improve sensitivity, reproducibility, and molecular specificity. The study advances robust analytical frameworks for probing biomolecular structure and interactions.

11:20 INVITED TALK Materials for Surface-Enhanced Raman Spectroscopy Detection of Per- and Poly-fluoroalkyl Substances in Aqueous Film-Forming Foams

Chuntao Wang, Kushal Biswas, Sangmin Jeong, Anila Bello, Dhimiter Bello, Michael Ross

University of Massachusetts Lowell (USA)

Rapid identification of PFAS in complex mixtures is critical for environmental monitoring and remediation. We use concave cubic gold nanoparticles for SERS detection of six MassDEP-regulated PFAS at ppm levels. The platform enables quantitative analysis, chain-length differentiation, and identification in real AFFFs, validated by mass spectrometry for field-deployable screening applications.

11:40 INVITED TALK From AI Design to SERS Spectral Shaping and Nanoplastics Detection with Metal Film over Nanospheres

Cosmin Farcau, Ioana Cărdan, Ana Maria Mihaela Gherman, Fran Nekvapil

National Institute for Research and Development of Isotopic and Molecular Technologies (Romania)

Here, we present our recent results concerning the investigation and exploitation of metal film over nanosphere (MFoN) SERS substrates, spanning from rational, AI-driven plasmonic design to fundamental studies on spectral shaping induced by focusing / defocusing, and issues related to real-world analytical applications in nanoplastic detection.

12:00 Plasmonic Nanopore Geometry Effects in Flow-Through Single-Molecule SERSKirill Khabarov¹, Xinxin Liu², Ilaria Micol Baldi¹, Frank Niklaus², Francesco De Angelis¹¹Italian Institute of Technology (Italy), ²KTH Royal Institute of Technology (Sweden)

We investigate the influence of plasmonic nanopores geometry on flow-through single-molecule SERS during electrophoretic molecular delivery. Using microsecond-resolved SPAD detection, we compare circular, slit, and V-shaped nanopores. Experiments and simulations show enhanced SERS efficiency for the slit and V-shaped pores, highlighting geometry as a key parameter for SERS-based molecular sensing.

12:15 INVITED TALK Simulating Surface-Enhanced Spectroscopies: The ω FQF $_{\mu}$ Model*Pablo Grobas Illobre¹, Tommaso Giovannini², Chiara Cappelli³*¹Scuola Normale Superiore (Italy), ²University of Rome Tor Vergata (Italy), ³Scuola Normale Superiore di Pisa (Italy)

We present a multiscale quantum and classical framework for simulating surface enhanced spectroscopies of molecules near plasmonic substrates. The method combines quantum molecular response with an atomistic classical electromagnetic description of metals. We demonstrate accurate and efficient prediction of surface enhanced Raman signals of molecules on realistic plasmonic substrates.

12:35 INVITED TALK Zwitterionic polymeric coacervates as plasmonic boxes for one-pot SERS biomarkers detection in biofluids*Caterina Dallari¹, Francesca Torrini¹, Luisa Ponticelli², Silvia Bagnoli³, Benedetta Nacmias³, Valentina Bessi³, Francesco Saverio Pavone², Paolo Arosio⁴, Caterina Credi¹*¹National Research Council (Italy), ²European Laboratory for Non-Linear Spectroscopy (LENS) (Italy), ³University of Florence (Italy), ⁴ETH Zürich (Switzerland)

We develop zwitterionic polymeric coacervates as antifouling plasmonic boxes for one-pot SERS sensing in complex biofluids. Local enrichment of selected targets and Raman-active gold nanoparticles increase signal-to-noise ratio of at least 10-fold, enabling limits of detection below nM range in plasma and cerebrospinal fluid, as demonstrated with the amyloid-beta 1-42.

3-O18 | Room 5052 | 10:40 - 12:35

SYM2: New trends in nanophotonics and advanced materials*Organized by: Junsuk Rho, Hakjoo Lee, Namkyoo Park, Seong Ok Han**Chaired by: Junsuk Rho, Hakjoo Lee, Namkyoo Park, Seong Ok Han***10:40 INVITED TALK Optics of 3D Second-Harmonic Photonic Crystals from Colloidal Self-Assembly Templating***Thomas Kainz¹, Ülle-Linda Talts², Rachel Grange², Ullrich Steiner¹, Viola Vogler-Neuling¹*¹University of Fribourg (Switzerland), ²ETH Zürich (Switzerland)

We present optical measurements on inverse opals with controlled second-harmonic generation within a fabrication-tunable photonic stopband. We create scalable, 3D, second-order photonic crystals with unprecedented domain sizes (over 100 unit cells), overcoming previous limitations by combining colloidal self-assembly of polystyrene opals for templating and sol-gel barium titanate chemistry for replication.

11:00 INVITED TALK Nonlinear Quantum Photonics with Engineered Epsilon-Near-Media (ENZ) Nanostructures*Luca Dal Negro¹, Tornike Shubitidze¹, Smridhi Chawla¹, Riccardo Franchi¹, Marco Ornigott²*¹Boston University (USA), ²Tampere University (Finland)

Epsilon-near-zero materials and nanostructures feature highly nonlinear responses that enable novel metamaterials and devices with enhanced bandwidth and sensitivity. We present our work on the design and demonstration of hybrid plasmonic-photonic structures with enhanced optical nonlinearity driven by plasmon-polariton Tamm states and bound states in the continuum (BICs).

11:20 INVITED TALK Nonlinear Resonant Chiral Metasurfaces for All-Optically Tunable Generation of Classical and Quantum Light*Maxim Gorkunov, Alena Mamonova*

National University of Science and Technology "MISiS" (Russia)

Nonlinear-optical processes in dielectric metasurfaces are drastically enhanced by quasi-bound states in the continuum. Their exceptional spectral and polarization selectivity opens up broad prospects for all-optical control. We discuss nonlinear generation of classical harmonics and quantum-entangled photons continuously tunable by varying the pump wave characteristics.

11:40

Semiconductor Nanocrystal Optoelectronics for Classical and Quantum Light Generation*Hilmi Volkan Demir*

NTU Singapore (Singapore)

Here we will provide an integrated overview of our recent advances in colloidal quantum well (CQW) materials and devices, spanning their heterostructure designs and integration into metadevices. We will present examples of CQW-based photonic structures and devices for classical and quantum light generation.

11:55

INVITED TALK

III-Nitrides based Integrated Nonlinear Photonics*Changzheng Sun, Bing Xiong, Jian Wang, Lai Wang, Zhibiao Hao, Yanjun Han, Hongtao Li, Lin Gan, Yi Luo*

Tsinghua University (China)

III-nitrides, including AlN and GaN epitaxially grown on sapphire, are an attractive platform for integrated nonlinear photonics. We present our recent work on nonlinear optics in AlN/GaN microresonators and waveguides, including Kerr comb generation, optical parametric oscillation (OPO), stimulated Raman scattering (SRS), and supercontinuum generation (SCG).

12:15

INVITED TALK

Solution-Processed Quantum Light Sources Spanning the Visible to the Infrared*Jennifer Hollingsworth, Eric G Bowes, Han Htoon*

Los Alamos National Laboratory (USA)

By synthetically controlling colloidal semiconductor nanocrystal heterostructure we have made significant progress toward an ideal quantum emitter - on-demand (blinking- and bleaching-free), high-purity, room-temperature, spectrally tunable (blue-visible to telecommunications wavelengths) single-photon sources. More recently, we have engineered brightness (emission speed and directionality), chirality, polarization and photon indistinguishability through advanced nanointegration.

3-O19 | Room 4047 | 10:40 - 12:40

SYM4: Chirality, magnetism, and magnetoelectricity: Separate phenomena and joint effects in metamaterial structures*Organized by: Eugene Kamenetskii**Chaired by: Eugene Kamenetskii*

10:40

INVITED TALK

Local and non-local phenomena in curvilinear and 3D magnets*Oleksandr Pylypovskyi*

Helmholtz-Zentrum Dresden-Rossendorf e.V. (Germany)

The shape of a ferromagnet maps its geometric parameters (locally defined principal curvatures) and topologic features (connectivity and number of holes) to its magnetic state. The resulting phenomena include topological patterning and states with multiple chiral characteristics. We discuss reflections of local and nonlocal geometric features on global magnetic state.

11:00

INVITED TALK

Emergent Magnetoelectricity in Stacked vdW Magnets*Yong P. Chen*

Tohoku University (Japan)

We discuss our recent magneto-optical (MOKE) and magneto-transport (tunneling) experiments on stacked and/or twisted (Moire) structures (both homo and hetero) between vdW/2D layered antiferromagnets such as CrI₃ and CrCl₃, revealing novel magnetoelectric behaviors in new regimes of magnetism (e.g. non-collinear Moire magnetism), with potential spintronic/magnetic and optical/optoelectronic device applications.

11:20 INVITED TALK Chiral Polaritonics and Molecular Lasing: Concept, Challenges, and future Directions*Kai Mueller¹, Denis Baranov², Christian Schaefer³*¹Technische Universitat Dresden (Germany), ²Moscow Institute of Physics and Technology (Russia), ³TU Wien (Austria)

We present a theoretical framework for molecular light-matter interactions in chiral resonators and few-emitter nanolasing. Using analytical and first-principles approaches, we reveal how strong coupling, vibrational structure, and emitter number govern enantiomer discrimination and laser performance, providing design principles for chiral control and molecular-scale photonic devices.

11:40 INVITED TALK Persistent Energy Fluxes and Angular momentum in Non-reciprocal Electromagnetic Systems*Ivan Latella*

University of Barcelona (Spain)

We investigate persistent energy fluxes and electromagnetic angular momentum in non-reciprocal systems at thermal equilibrium. We show that a divergence-free mean Poynting vector arises from thermal and vacuum fluctuations, with vacuum contributions dominating. This flux persists even at zero temperature, so it does not necessarily represent flow of heat.

12:00 INVITED TALK Photonics for Thermal Management in Photovoltaics*George Perrakis¹, Anna Tasolamprou², Maria Kafesaki³*¹FORTH (Greece), ²University of Athens and FORTH (Greece), ³FORTH and University of Crete (Greece)

Effective heat mitigation remains a central challenge for photovoltaic (PV) technologies, directly influencing conversion efficiency, operational stability, and device lifetime. In this work, by exploiting radiative cooling and spectrally engineered optical responses, we demonstrate cooling coating structures providing significant temperature reductions and measurable efficiency gains across different PV architectures.

12:20 INVITED TALK On the efficiency of enantiomer separation using optical evanescent fields near waveguides*Sebastian Golat, Francisco J. Rodriguez-Fortuno*

King's College London (United Kingdom)

I will present analytical estimates for sorting time, throughput, and achievable purity in all-optical enantiomer separation driven by chiral dipolar forces near waveguides. By combining a symmetry-based force decomposition with drift-diffusion dynamics in liquids, I obtain closed-form performance limits applicable to arbitrary dipolar molecules and nanoparticles under realistic experimental conditions.

3-O20 | Room 4050A | 10:40 - 12:40

SP14: Towards chiral and magnetoelectric quantum electrodynamics*Organized by: Eugene Kamenetskii**Chaired by: Eugene Kamenetskii***10:40 INVITED TALK Cavity control of Kondo physics in two-dimensional materials***Jun Mochida, Yuto Ashida*

The University of Tokyo (Japan)

We theoretically investigate a cavity control of magnetic materials, including the Kondo effect in quantum impurities and heavy-fermion systems realized in two-dimensional materials. We show the possibility of enhancing Kondo effect and controlling quantum phases using vacuum fluctuations of quantized electromagnetic fields.

11:00 INVITED TALK Induced angular momentum from axion electrodynamics of metals and insulators*Flavio Nogueira¹, Anastasiia Chyzykova², Vira Shyta²*¹IFW Dresden (Germany), ²Institute for Theoretical Solid State Physics (Germany)

Axion electrodynamics describes the electromagnetic response of certain topological materials, including three-dimensional topological insulators and Weyl semimetals. Here we discuss the application to Weyl semimetals and a mechanical effect induced by the axion response in topological insulators.

11:20 INVITED TALK Large topological magneto-optical effect from atomic-scale skyrmion-like texture*Yoshihiro Okamura*

University of Tokyo (Japan)

We report the large spontaneous magneto-optical Kerr effect solely from scalar spin chirality of all-in-all-out state in quasi-two-dimensional triangular-lattice compound CoNb₃S₆. Over the entire measured energy region from 55 to 2000 meV, the topological effect dominates the optical response, whose figure of merit largely exceeds other magnets.

11:40 INVITED TALK Valley assisted Orbital angular momentum of light detection*Jiang Hao, Yan Zhang, Weibo Gao*

NTU (Singapore)

Here, we report the interaction between the orbital angular momentum of twisted light (beam) with the valley degree of freedom in monolayer WSe₂. We find that the DoP of 1L-WSe₂ can be tuned directly by the OAM number *l*. This direct DoP-tuning scheme successfully enables on-chip OAM detection.

12:00 INVITED TALK Extraction of Circularly Polarized Single Photons from Linearly Polarized Emitters*Sarah Lindner, Peter Banzer*

University of Graz (Austria)

We target direct extraction of single photons with controlled circular polarization from linearly polarized emitters. We exploit the near-field features of linear dipole emitters to couple the emitters to waveguides, establishing a foundation for efficient, orientation-controlled extraction of circularly polarized single photons at the nanoscale applications.

12:20 INVITED TALK Bulk-Edge Correspondence in Photonic Spacetime Insulators*João Câmara Serra¹, Rudin Kraja², Foster Sabatino², Alexander Khanikaev², Mário Silveirinha³*¹Instituto de Telecomunicações (Portugal), ²University of Central Florida (USA), ³University of Lisbon (Portugal)

Unlike general space-time crystals, periodic travelling-wave modulations possess a continuous translation symmetry and exhibit a truly insulating bulk response. This work analyzes the bulk-edge correspondence in such systems and reveals some unusual properties of the topological edge channels, such as a geometry-dependent Doppler effect and codirectional reflection mechanisms.

3-O21 | Maharry Theatre | 10:40 - 12:30

SYM3: Advanced passive and active metasurfaces and zero-index materials*Organized by: Howard Lee, Pin Chieh Wu, Wen-Hui (Sophia) Cheng**Chaired by: Howard Lee, Pin Chieh Wu, Wen-Hui (Sophia) Cheng***10:40 INVITED TALK All-glass metasurface laser optics based on self-generation of nano-particles***Eyal Feigenbaum*

Lawrence Livermore National Laboratory (USA)

Metasurface could advance high-power laser optics, by filamentation damage mitigation, throughput enhancement, and system complexity and price reduction. We present approach based on self-generation of sacrificial nano-particle mask followed by directional etching to pattern metasurfaces on fused-silica glass. We demonstrate an ultra-broadband spectrum antireflective layer, waveplate, and optical lens elements.

11:00 INVITED TALK Flat Optics with Computational Imaging for Biomedical Applications*Sunil Vyas, Cheng Hung Chu, J. Andrew Yeh, Yuan Luo*

National Taiwan University (Taiwan)

This talk presents advancements in structured light and meta-optics for biomedicine. Key topics include quantitative cell imaging, LSFM with metalenses, and computational resolution enhancement. We demonstrate how fusing meta-optical design with computational frameworks establishes a new frontier for high-fidelity, next-generation biomedical applications.

11:20 INVITED TALK Nonlocal Meta-Optics: Addressing Fundamental Scaling Constraints in Imaging Systems*Bohan Zhang, Yuanmu Yang*

Tsinghua University (China)

This talk explores nonlocal meta-optics to bypass traditional imaging size constraints. By engineering momentum-space (k-space), the researchers decoupled system thickness from resolution, achieved label-free super-resolution, and enabled high-dimensional sensing. These advancements pave the way for ultra-compact, wafer-scale photonic systems for 3D vision and metrology.

11:40 INVITED TALK Nanophotonic Devices and Metasurfaces using High Mobility Transparent Conductive Oxides*Sudipta Biswas, Saika Muntaha Bari, Sandra Achieng, Alan Wang*

Baylor University (USA)

High mobility transparent conductive oxides (HMTCOs) offer exclusive advantages compared with traditional indium-tin oxide in terms of lower optical loss, stronger plasma dispersion and more prominent epsilon-near-zero effect. We demonstrate high performance nanophotonic microring resonator modulators and metasurface-based optical filters gated by hydrogen-doped indium oxide with mobility above 100 cm²/V-s.

12:00 KEYNOTE TALK Semiconductor metasurfaces for enhanced nonlinearities and control of single photon emission*Igal Brener*

Sandia National Labs (USA)

We integrate epitaxial GaAs quantum dots into III-V semiconductor metasurfaces for efficient, position-tolerant light extraction and tunable functionality. Huygens designs boost collected photoluminescence tenfold and enable bunched and super-bunched emission. Symmetry-engineered quadromer lattices provide multiresonant qBIC control and greatly enhance four-wave mixing and nonlinear optical phenomena.

3-O22 | McNabb Theatre | 10:40 - 12:40

SYM2: New trends in nanophotonics and advanced materials*Organized by: Junsuk Rho, Hakjoo Lee, Namkyoo Park, Seong Ok Han**Chaired by: Junsuk Rho, Hakjoo Lee, Namkyoo Park, Seong Ok Han***10:40 KEYNOTE TALK Plasmonic HfN-Gated Monolayer MoS₂ for Giant Trion Modulation and Scalable Optoelectronic Devices***Yu-Jung Lu*

Academia Sinica (Taiwan)

We demonstrate a chip-scale, gate-tunable light-emitting platform that integrates scalable monolayer MoS₂ with a HfN plasmonic gate electrode. The favorable band alignment enables giant trion modulation, yielding a PL modulation depth of 24%.

11:10 **KEYNOTE TALK** **Nanorobots Steered by Light***Bert Hecht*

University of Würzburg (Germany)

Plasmonic nanoantennas can be used to redirect scattered light, causing momentum transfer via photon recoil. By exploiting different degrees of freedom of light, such as helicity and photon energy, several antennas can be driven selectively with minimal crosstalk to neighboring structures even at subwavelength distance.

11:40 **INVITED TALK** **Bound-State-in-the-Continuum Lasing Modes in InGaAs Nanowire Photonic Crystals***Bogdan-Petru Ratiu¹, Ji Tong Wang², Kyle S. Netherwood¹, Nicolae-Coriolan Panoiu², Li Qiang¹, Sang Soon Oh¹*¹Cardiff University (United Kingdom), ²University College London (United Kingdom)

We experimentally demonstrate bound-state-in-the-continuum lasing modes in deformed honeycomb-lattice nanowire photonic crystals. From the spatial distribution of local polarization, we extract and identify the associated topological charges of the lasing modes.

12:00 **INVITED TALK** **Self-powered refractory NIR plasmonic photodetectors with compact, broadband, and quantitative spectroscopy***Eslam Abubakr¹, Saito Saito², Hironori Suzuki², Tetsuo Kan¹*¹The University of Electrocommunications (Japan), ²IMRA JAPAN CO., LTD. (Japan)

This paper presents a self-powered, chip-scale near-infrared spectroscopic device with broadband, filter-free detection with high responsivity, spectral selectivity, and proportional intensity scaling. Broadband detection covering the NIR spectrum, surpassing conventional Si-bandgap limitations, operating at room temperature and zero bias, with high correlation when benchmarked against commercial FTIR measurements.

12:20 **INVITED TALK** **Circularly polarized Raman scattering for optical spin detection in silicon metasurfaces***Guillermo Serrera¹, Rasmus H. Godiksen², Lex M. Dedding², Tom T.C. Siermans³, Ershad Mohammadi², T. V. Razimar², Soren Raza⁴, Pablo Albella¹, Alberto G. Curto⁵*¹University of Cantabria (Spain), ²Eindhoven University of Technology (The Netherlands), ³Ghent University - IMEC (Belgium),⁴Technical University of Denmark (Denmark), ⁵Ghent University (Belgium)

We use polarization-resolved Raman scattering to probe optical spin in silicon metasurfaces under circular excitation. By tuning disk size and wavelength, we observe strong Raman enhancement with far field polarization losses. Simulations show that quadrupolar resonances spatially varying near fields that depolarize the emitted Raman signal.

3-O23 | Room 3074 | 10:40 - 12:40

SYM1: Hybrid Nanomaterials and Metastructures for Photonics, Sensing and Energy

Organized by: Jérôme Plain, Alexander Govorov, Davy Gérard, Pedro Hernandez Martinez

Chaired by: Jérôme Plain, Alexander Govorov, Davy Gérard, Pedro Hernandez Martinez

10:40 INVITED TALK The Interaction of Vortex Light with Chiral Assemblies*Thierry Verbiest, Weizhen Liu, Yovan de Coene*

KU Leuven (Belgium)

In this work we investigated the interaction of vortex light carrying orbital angular momentum with chiral nanomaterials.

11:00 INVITED TALK In situ plasmon-induced polymerization of chiral polymer thin films for enantioselective sensing in fM range*Amine Khitous¹, Céline Molinaro¹, Olivier Soppera²*¹Université de Haute Alsace (France), ²Université de Haute Alsace (France)

Harnessing plasmonic near-fields, we grow chiral molecularly imprinted nanolayers exactly where light probes matter. The resulting chiral plasmonic interfaces enable absolute enantioselective sensing with sub-femtomolar sensitivity.

11:20 INVITED TALK Surface Lattice Resonance Engineering via Plasmonic Nanoparticle Self-assembly, Transfer, and Laser Treatment*Tomas Tamulevičius¹, Gvidas Klyvis¹, Klaudijus Midveris¹, Muhammad Haris¹, Tomas Klinavičius¹, Asta Tamulevičienė¹, Mindaugas Juodėnas¹, Domantas Peckus¹, Joel Henzie², Sigitas Tamulevičius¹*¹Kaunas University of Technology (Lithuania), ²National Institute for Materials Science (Japan)

Broad LSPRs in noble-metal nanostructures are engineered by arranging nanoparticles into well-defined arrays, where scattered light couples into plasmonic lattices. Self-assembly, transfer, and laser treatment of chemically synthesized nanoparticles onto thin films enable wave-guided SLRs with multiple high-Q-factor modes, thereby enabling applications in photonics, sensing, and anticounterfeiting.

11:40 INVITED TALK Emission of Quantum Dots within Plasmonic Patch Arrays sustained by Surface Lattice Resonance*Agnes Maitre, Hugo Saint-Olive, Fengzhi Gu, Louis Agard, Willy Daney de Marcillac, Thomas Pons*

Sorbonne Université (France)

We study both experimentally and theoretically arrays of plasmonic patch antennas, exhibiting ultra thin surface lattice resonance modes. Those modes will be coupled to quantum dot in order to engineer their fluorescence.

12:00 INVITED TALK Thermoplasmonics-driven polymerization from the macroscale to the nanoscale*Céline Molinaro¹, Amine Khitous¹, Mathieu Bastide¹, Sylvie Marguet², Olivier Soppera¹*¹Université de Haute Alsace (France), ²Université Paris-Saclay (France)

We developed a thermopolymerizable formulation that polymerizes above 130°C. Using continuous wave and femtosecond laser illuminations, we generated millimetric polymer dots (collective heating) and nanometric shells (confined heating) on dense gold nanoparticles. Surprisingly, on colloidal nanotriangles, directional polymer lobes were formed, challenging the assumption of uniform temperature distribution within nanoparticles.

12:20 INVITED TALK Photothermal effects in metal layers*Benoit Rogez¹, Quanbo Jiang¹, Zakaria Marmr², Franck Thibaudau², Jerome Wenger², Guillaume Baffou²*¹UTT (France), ²Aix Marseille University (France)

Photothermal heating of gold layers is often neglected given its low absorption and good thermal conductivity. This picture is, however, not always true, and we have recently shown, both experimentally and theoretically, that photothermal heating of gold films can have unexpected behaviour and effects when working at the nano-scale

3-O24 | Room 4050B | 10:40 - 12:40

SP21: New trends in light-matter interaction at the nanoscale*Organized by: Carlos Alberto Maciel Escudero, Jorge Olmos Trigo and Mario Zapata Herrera**Chaired by: Carlos Alberto Maciel Escudero, Jorge Olmos Trigo and Mario Zapata Herrera***10:40 INVITED TALK Color Routing and Beam Steering of Single-Molecule Emission with a Spherical Silicon Nanoantenna***Maria Sanz-Paz¹, Nicole Siegel², Guillermo Serrera³, Javier Gonzalez-Colsa³, Fangjia Zhu², Karol Kolataj², Minoru Fujii⁴, Hiroshi Sugimoto⁴, Pablo Albella³, Guillermo Acuna²*¹Sorbonne Université (France), ²University of Fribourg (Switzerland), ³University of Cantabria (Spain), ⁴Kobe University (Japan)

Nanoscale photon sources exhibit a dipole-like emission pattern, limiting their incorporation into on-chip devices. Nanoantennas can control their radiation pattern, but often involve lossy plasmonic nanoparticles. Here, we show that a single dielectric nanoparticle can direct the emitted light of a nearby nanoemitter, allowing for geometrical and spectral light routing.

11:00 INVITED TALK Theoretical characterization of tip-enhanced nanocavities for active control of vibrational signals*Isabel Pascual Robledo¹, Philippe Roell², Iris Niehues³, Javier Aizpurua⁴, Rainer Hillenbrand²*¹CSIC-UPV/EHU (Spain), ²CIC nanoGUNE BRTA (Spain), ³University of Munster (Germany), ⁴Basque Foundation for Science (Spain)

We present an in-operando controllable platform for vibrational upconversion using tip-enhanced nanoparticle-on-mirror nanocavities. Simulations and experiments show that combining a s-SNOM tip with a visible-resonant NPoM form a cascaded nanolens system that enables the enhancement of sum-frequency generation signals from molecule-filled nanogaps up to 14 orders of magnitude.

11:20 INVITED TALK Imaging the spatial distribution of tunneling-induced luminescence beyond the diffraction limit of light*Elysé Laurent¹, Ricardo Javier Peña Romar², Sarah Miller¹, Aditi Raman Moghe³, Etienne Lorchat⁴, Séverine Le Moal¹, Elizabeth Boer-Duchemin¹, Luiz Fernando Zagone², Stéphane Berciaud³, Eric Le Moal¹*¹Université Paris-Saclay (France), ²State University of Campinas-UNICAMP (Brazil), ³Université de Strasbourg (France), ⁴NTT Research (USA)

An iterative deconvolution algorithm is used to resolve, beyond the diffraction limit of light, the spatial distribution of radiatively recombining excitons excited in a transition metal dichalcogenide monolayer by current tunneling under the tip of a scanning tunneling microscope.

11:40 INVITED TALK Photonic time crystals assisted by high-Q resonances*Puneet Garg¹, Viktor Asadchy², Carsten Rockstuhl¹*¹Karlsruhe Institute of Technology (Germany), ²Aalto University (Finland)

Photonic time crystals generally require a high modulation amplitude of the time-varying permittivity to show detectable momentum bandgaps. We demonstrate that by efficiently trapping light in time-varying metasurfaces using their high-Q resonances, even with weak permittivity modulation, noticeable bandgaps can be achieved.

12:00 INVITED TALK Nanoscale heat flow in laser-heated silicon nanospheres probed by pump-probe cathodoluminescence

Saskia Fiedler¹, Evelijn Akerboom², Théo Soler², Loriane Monir², Hiroshi Sugimoto³, Minoru Fujii³, Wiebke Albrecht², Albert Polman²

¹AMOLF (The Netherlands), ²NWO-Institute AMOLF (The Netherlands), ³Kobe University (Japan)

Cathodoluminescence (CL) spectroscopy in a scanning electron microscope enables nanometer-scale optical characterization. We study Mie resonances in silicon nanospheres using hyperspectral and pump-probe CL. Laser heating inside the SEM induces thermo-optic shifts, whose nanosecond dynamics are tracked via synchronized electron pulses, demonstrating Mie resonances as nanoscale thermometry probes.

12:20 INVITED TALK Infrared Magnetoplasmonics in Transparent Conductive Oxide Nanocrystals

Alessio Gabbani

University of Pisa (Italy)

Magnetoplasmonics is a promising strategy for active nanophotonics. Here, we demonstrate that transparent conductive oxide nanocrystals (NCs) enable superior tunability of carrier parameters through defect engineering. Exploiting these NCs, we achieve enhanced magnetic circular dichroism and Faraday rotation in the near infrared, and further demonstrate their photochemical modulation.

Lunch Break

12:40 - 14:00

3-O25 | Room 5039 | 14:00 - 16:00

SYM6: Advanced Techniques for Computational Electromagnetics

Organized by: Maha Ben Rhouma

Chaired by: Maha Ben Rhouma

14:00 INVITED TALK Machine-Learning Assisted Design of Tunable Metasurfaces

Alexander Wolff, Lukas Mueller, Janis Krieger, Lars Franke, Ralf Stemler, Steffen Klingel, Marco Rahm

RPTU Kaiserslautern-Landau (Germany)

We present three machine-learning-assisted design strategies for tunable metasurfaces. We use a neural network to optimize a metasurface for dual-frequency beam steering, employ transfer learning for reduction of simulation costs for composite unit cells and use a physics-informed model to design a metasurface for independent amplitude and phase control.

14:20 INVITED TALK Cooperative absorption in random particulate media: achieving spectral selectivity

Cédric Blanchard¹, Cristina Gila², Timothée Guerra¹, Olivier Rozenbaum¹

¹Université d'Orléans (France), ²Universidad de Oviedo (Spain)

We present a predictive framework for engineering optical functionalities in disordered systems using a T-matrix multiple-scattering approach. Cooperative many-body interactions enable near-perfect absorption at a target frequency with suppressed off-resonant absorption, turning disorder into a controllable design parameter.

14:40 INVITED TALK Deep Learning-Enhanced Dual-Comb Ghost Imaging with Minimally Invasive Probes

Myoung-Gyun Suh

NTT Research (USA)

We present a dual-comb ghost imaging approach using wavelength-multiplexed speckle patterns delivered through a single-core fiber and detected by a single-pixel sensor for snapshot imaging without scanning. A transformer-based reconstruction enables high-fidelity, video-rate imaging with minimal hardware, supporting compact, minimally invasive optical probes.

15:00 INVITED TALK Nonreciprocal Surface Plasmons in a Metasurface Formed by Magnetically Biased Plasmonic Cylinders*Ioannis Katsantonis¹, Costas Valagiannopoulos², Anna Tasolamprou³*¹FORTH (Greece), ²National Technical University of Athens (Greece), ³National and Kapodistrian University of Athens (Greece)

We study a metasurface formed by magnetically biased plasmonic cylinders supporting nonreciprocal magneto-plasmonic modes. Using a magnetized Drude model and cylindrical wave analysis, the electromagnetic response of the structure is investigated. The metasurface exhibits asymmetric dispersion and directional surface plasmon propagation, enabling tunable nonreciprocal behavior.

15:20 INVITED TALK Photoluminescence of Pyrolytic Carbon Dots on Plasmonic Metasurfaces*Pierre Berini*

University of Ottawa (Canada)

The decay of plasmons into energetic carriers in metals and their harvesting leads to new reaction pathways in photochemical processes on the surface. We observe visible enhanced photoluminescence from carbon dots on Ag gratings catalysed and pumped by plasmons. We emphasize computational modelling aspects that capture the principal observed phenomena.

15:40 INVITED TALK Advancing Machine Learning-Assisted Quantum Photonic Device Design and Optimization*Alexander V. Kildishev, Vladimir M. Shalaev, Alexandra Boltasseva, Yuheng Chen, Vaishnavi Iyer, Pranshu Maan*

Purdue University (USA)

Machine learning provides a unified framework for high-dimensional quantum coherence forecasting and photonic design. We use anticipatory modeling to reduce spectral diffusion in solid-state emitters, minimizing spectral shifts. With advances in surrogate-based inverse design for rapid co-optimization of emitter-circuit interfaces, we lay the groundwork for robust, multiplexed quantum networks.

3-O26 | Room 5025 | 14:00 - 16:00

SP7: Enhanced light-matter interactions: fundamentals and sensing applications*Organized by: Guillermo Acuna, Peter Zijlstra and Hiroshi Sugimoto**Chaired by: Guillermo Acuna, Peter Zijlstra and Hiroshi Sugimoto***14:00 INVITED TALK Optically Enhancing or Detecting Single Molecules on DNA Origamis***Sebastien Bidault*

Institut Langevin - CNRS (France)

We demonstrate how plasmonic dimers on DNA origamis are a versatile platform to sense or detect single molecules. In particular, we develop a colorimetric biosensor for single DNA strands with femtomolar sensitivity and single-mutation specificity. We also demonstrate bright single photon sources with picosecond lifetimes at room temperature.

14:20 INVITED TALK Modelling the Purcell Enhancement on Nonlocal Metasurfaces*Joshua T. Y. Tse¹, Taisuke Enomoto², Shunsuke Murai¹, Katsuhisa Tanaka²*¹Osaka Metropolitan University (Japan), ²Kyoto University (Japan)

Spontaneous emission of photons can be enhanced with metasurfaces. Yet, accurately predicting the enhancement factor has presented a challenge for empirical systems. We proposed a versatile analytical model that describes the Purcell effect of metasurfaces coupled with a photoluminescence thin film with spectral parameters.

14:40 INVITED TALK Structural colours using transition metal dichalcogenide nanostructures*Ida Juliane Bundgaard, Yonas Lebsir, Catarina Ferreira, Christos Tserkezis*

University of Southern Denmark (Denmark)

We introduce transition metal-dichalcogenide (TMD) nanostructures as a promising platform for the realization of structural colours. Processing of semi-analytically calculated reflectance spectra of TMD nanosphere arrays shows a wide range of colours, which are obtained simply through tailoring the radius and separation of spheres in the array.

15:00 INVITED TALK Probing protein dynamics using plasmonic metasurface*Oluwafemi S. Ojambati*

University of Twente (The Netherlands)

Plasmonic metasurface enhances optical fields in sub-diffraction-limited mode volume. Here, we harness the enhanced optical field to probe dynamics of freely diffusing proteins above a plasmonic metasurface. The beauty of our approach is that it also enables label-free spectroscopy of freely diffusing single proteins, elucidating parameters that modify the dynamics.

15:20 INVITED TALK Tip-Enhanced Sum Frequency Generation: Nonlinear Molecular Responses and Electrophotonic Effects Observed beyond the Diffraction Limit*Atsunori Sakurai, Shota Takahashi, Tatsuto Mochizuki, Toshiki Sugimoto*

Institute for Molecular Science (Japan)

Tip-enhanced sum-frequency generation (TE-SFG) beyond the diffraction limit is achieved using a scanning tunneling microscope (STM), enabling nanoscale vibrational detection with spatial resolution smaller than 30 nm, molecular orientation analysis, and >10⁷ signal enhancement. Furthermore, giant signal enhancement was observed under an applied bias between the STM tip and substrate.

15:40 INVITED TALK Optical Fields with Spatially Modulated Chirality Toward Chiral Trapping and Separation*Atsushi Kamegaya, Shun Hashiyada, Yoshito Tanaka*

Hokkaido University (Japan)

We experimentally realize an optical field with spatially uniform energy density and periodically sign-reversing optical chirality using two orthogonally polarized beams. Polarimetric imaging confirms chirality fringes without intensity modulation. Circular dichroism mapping of chiral gold nanoparticles reveals position dependent enantioselective interaction, evidencing optical chirality gradients toward chiral selective trapping.

3-O27 | Room 5052 | 14:00 - 16:00

SYM2: New trends in nanophotonics and advanced materials*Organized by: Junsuk Rho, Hakjoo Lee, Namkyoo Park, Seong Ok Han**Chaired by: Junsuk Rho, Hakjoo Lee, Namkyoo Park, Seong Ok Han***14:00 INVITED TALK Chiral Lasing in Metasurfaces Enabled by Two-Unit Supercell Symmetry***Di Xing, Jean-Jacques Delaunay*

The University of Tokyo (Japan)

Circularly polarized light sources are essential for chiral sensing and quantum computing. This study demonstrates a simplified, narrow-linewidth chiral laser utilizing a two-unit supercell metasurface. By integrating two-unit cells with asymmetric notches, we break in-plane structural symmetry to induce spin splitting of the Γ_0 -BIC into $\Gamma_{\pm 1}$ -modes.

14:20 INVITED TALK Van der Waals hybrid photonic devices*Yuichiro Kato*

RIKEN (Japan)

Two-dimensional layered materials offer unique optical properties and seamless integration with nanophotonic structures through van der Waals interactions. By hybridizing these materials with optical cavities, versatile and reconfigurable photonic devices with enhanced functionality can be realized, enabling new opportunities for nanoscale light-matter interaction and integrated photonics.

14:40 INVITED TALK Tunable resonances in doubly anisotropic, high-index MoS₂ nanoplatelets*Bingying You, Tom Siermans, Alberto Curto*

Ghent University (Belgium)

Optical anisotropy plays a crucial role in the manipulation of light. Transition metal dichalcogenides possess both high refractive index and high birefringence, opening opportunities to tailor Mie resonances. Here, we investigate optical resonances in MoS₂ nanoplatelets with both geometrical and refractive index anisotropies to control light scattering.

15:00 INVITED TALK Near field imaging and spectroscopy of complex stacking of semiconductors*Laure Tailpied¹, Clément Gureghian², Frederic Fossard³, Jean-Sebastien Mérot³, Fernando Gonzalez-Posada-Flores⁴, Jean-Baptiste Rodriguez⁴, Gregory Vincent³, Thierry Taliercio⁴, Baptiste Fix¹*¹ONERA (France), ²Sorbonne Université (France), ³Université Paris Saclay (France), ⁴Université de Montpellier (France)

Improvement of nanostructured infrared photodetectors based on increasingly complex semiconductors epitaxies requires feedback on the optical parameters of each layer. Here, SNOM imaging and spectroscopy on a cleaved facet is used to characterize the cut-off frequency of type II superlattice, the doping level of heavily doped semiconductors and surface plasmons.

15:20 INVITED TALK All-Solid Multicore Fibre Probe for Background-Free Raman Spectroscopy*Stephanos Yerolatsitis¹, Thomas Wright¹, András Kufcsák², Alexandra Adams³, Tom Quinn³, Sohan Seth³, Kevin Dhaliwal³, James Stone¹*¹University of Bath (United Kingdom), ²Heriot-Watt University (United Kingdom), ³University of Edinburgh (United Kingdom)

We demonstrate a sub-millimetre all-solid multicore fibre probe for Raman Spectroscopy. By utilising a multicore fibre design and a differential dopant approach, we were able to suppress inter-core crosstalk and therefore reduce the generation of Silica Raman background. This fibre probe enables fluorescence-free Raman spectra reconstruction of highly fluorescence samples.

15:40 INVITED TALK Multilevel Spatial Programming of Photonic Devices with Phase-Change Materials*Chirine Saadi¹, Capucine Laprais¹, Fouad Bentata¹, Xavier Letartre¹, Guillaume Saint-Girons¹, Patrice Genevet², Nicolas Baboux¹, Lotfi Berguiga¹, Sébastien Cuffé¹, Ecole Centrale de Lyon¹*¹STMicroelectronics (France), ²Colorado School of Mines (USA)

We exploit phase-change materials such as GST and Sb₂S₃ to propose and demonstrate original programmable and multilevel functionalities in integrated photonic devices such as photonic circuits and metasurfaces.

3-O28 | Room 4047 | 14:00 - 16:00

SYM4: Chirality, magnetism, and magnetoelectricity: Separate phenomena and joint effects in metamaterial structures

Organized by: Eugene Kamenetskii

Chaired by: Eugene Kamenetskii

14:00 INVITED TALK Nonreciprocal nonlinear magneto-optical metasurfaces*Jialong Wang, Dongchen Ma, Yi Shuai, Jun Qin, Qing Zhang, Lei Bi*

University of Electronic Science and Technology of China (China)

We report nonreciprocal second harmonic generation in a-Si/Ce:YIG based all-dielectric magneto-optical metasurfaces. Despite of negligible nonreciprocity at the fundamental wavelength, large SHG intensity contrast up to 3.6 times was observed for forward and backward propagation, attributed to the nonreciprocal magneto-optical second order susceptibility of Ce:YIG boosted by guided mode resonance.

14:20 INVITED TALK Bottom-Up Engineered Hybrid Plasmonic Broken L-Shaped Metamaterial Platforms Reveal Broadband Enhanced Optical Chirality*Ufuk Kilic¹, Raymond Smith¹, Shawn Wimer¹, Yousra Traouli¹, Sema G. Kilic¹, Eva Schubert¹, Christos Argyropoulos², Mathias Schubert¹*¹University of Nebraska Lincoln (USA), ²University Park (USA)

We experimentally demonstrate and theoretically verify bottom-up engineered hybrid plasmonic broken L-shaped metamaterial platforms exhibiting broadband enhanced optical chirality. Two-step glancing angle deposition enables robust control of structural handedness. The resulting hybrid Si-Ag nanocolumnar architectures support strong spin-dependent plasmonic coupling and enhanced chiral near fields spanning the near-infrared to ultraviolet.

14:40 INVITED TALK Microwave Coherent Storage Based on the Cavity Electromechanical System*Tiefu Li*

Tsinghua University (China)

We demonstrate coherent microwave signal storage in a cavity electromechanical system. 55ms storage time has been experimentally realized. This result shows potential of cavity electromechanical systems with high-quality factors for the application in quantum storage devices for quantum computers.

15:00 INVITED TALK Theory of Electric Polarization in Inhomogeneous Crystals Based on the Quantum Transport Equation*Shuichi Murakami¹, Yuta Suzuki², Nobuhiro Arai², Manato Fujimoto¹, Yang Gao³, Di Xiao⁴*¹University of Tokyo (Japan), ²Institute of Science Tokyo (Japan), ³University of Science and Technology of China (China), ⁴University of Washington (USA)

We study the polarization in a crystal induced by a perturbation linear in the coordinates. We establish the quantum transport equation for insulators with slow modulations in space and time, and calculate current and charge densities. From this result, we obtain the formula for the electric polarization and orbital magnetization.

15:20 INVITED TALK Quantum materials in chiral cavities*Ceren Dag*

Harvard University (USA)

I review the recent advances in the field of chiral cavity quantum materials and present a perspective on the future prospects. Chiral cavities have recently been fabricated, opening the doors to test theoretical predictions. This perspective elaborates on some of the current theoretical challenges in the field.

15:40 INVITED TALK Magnetic Helicity of Chiral Molecules*Ivanina Ilieva, Christof Holzer, Carsten Rockstuhl, Ivan Fernandez-Corbaton*

Karlsruhe Institute of Technology (Germany)

Magnetic helicity, stored in static matter, is the counterpart to the electromagnetic helicity of free radiation fields. Here, we study the magnetic helicity of different chiral molecules. We extend the current formalism, which deals with the magnetization coming from electron spin, to include the stationary currents in the system.

3-O29 | McNabb Theatre | 14:00 - 15:50

SYM2: New trends in nanophotonics and advanced materials*Organized by: Junsuk Rho, Hakjoo Lee, Namkyoo Park, Seong Ok Han**Chaired by: Junsuk Rho, Hakjoo Lee, Namkyoo Park, Seong Ok Han***14:00 KEYNOTE TALK***Bumki Min*

KAIST (Korea)

14:30 INVITED TALK Topology and Applications of Radiation Asymmetry in Vertically-Symmetry-Broken Bilayer Metagratings*Jian-Wen Dong¹, Zepeng Zhuang², Haolong Zeng¹*¹Sun Yat-sen University (China), ²Fudan University (China)

We propose a pseudo-polarization picture to investigate the radiation asymmetry in bilayer metagratings and reveal the hidden topological mechanism in governing the evolution of radiation asymmetry. Furthermore, a complete phase diagram for realizing arbitrary spectrum intensity via radiation asymmetry is derived, demonstrating a pathway to break the intrinsic dispersion locking.

14:50 INVITED TALK Metasurfaces for Laser Cooling and Trapping of Atoms and Integrated Cold-Atom Platforms*Thu H. H. Le¹, Ryohei Takei¹, Sota Kagami², Akafumi Takamizawa¹, Yuichi Kurashima¹, Taisei Motomura¹*¹National Institute of Advanced Industrial Science and Technology (AIST) (Japan), ²NEC-AIST Quantum Technology Cooperative Research Laboratory (Japan)

This study presents a scheme of using geometric-phase metasurfaces to cool neutral atoms and assembly them into arrays of individually trapped atoms. We exploit the ability of metastructures in controlling the phase, amplitude, and polarization of light with sub-wavelength resolution to generate tailored wavefronts for cooling and trapping of atoms.

15:10 INVITED TALK Polymer-Based Passive Radiative Cooling Films for Thermal Management*Emma Spotorno¹, Paola Stagnaro², Lucia Conzatti², Roberto Utzeri², Simona Losio², Francesco Bisio³, Michele Magnozzi⁴, Maurizio Canepa⁴*¹Università Degli Studi di Genova (Italy), ²CNR-SCITEC (Italy), ³CNR-SPIN (Italy), ⁴Università degli Studi di Genova (Italy)

Polymer based passive radiative coolers incorporating silica microspheres are investigated to enhance infrared emissivity. Films are fabricated and characterized by infrared spectroscopy. Thermal performance is evaluated through temperature dynamics measurements under controlled conditions. Compared to the pure polymer, microsphere filled samples exhibit enhanced emissivity and improved radiative cooling performance.

15:30 INVITED TALK Laser Processing of Metallic Surfaces for Radiative Cooling and Autonomous Dew Water Harvesting*Pablo Pou-Alvarez¹, Anne Mongruet², Mónica Fernandez-Arias³, Antonio Riveiro³, Daniel Beysens², Juan Pou³*¹Universidad de Vigo (Spain), ²ESPCI Paris - PSL University (France), ³University of Vigo (Spain)

Laser micropatterning enables aluminum surfaces to achieve high infrared emissivity and superhydrophilic wetting for passive radiative cooling and autonomous dew harvesting. Laser-textured samples reach emissivity up to 0.95, promote stable filmwise condensation, and enhance capillary drainage. Outdoor experiments show up to 70 percent higher dew yield than state-of-the-art commercial condensers

3-O30 | Room 3074 | 14:00 - 16:00

SYM1: Hybrid Nanomaterials and Metastructures for Photonics, Sensing and Energy*Organized by: Jérôme Plain, Alexander Govorov, Davy Gérard, Pedro Hernandez Martinez**Chaired by: Jérôme Plain, Alexander Govorov, Davy Gérard, Pedro Hernandez Martinez***14:00 INVITED TALK Operando Quantification and Mapping of Interfacial Charge-Transfer Efficiency in Hybrid Materials***Olivier Henrotte*

Ludwig-Maximilians-Universität (Germany)

Hybrid semiconductor-metal photocatalysts often show strong activity, yet the fraction of photogenerated carriers that reaches the solid-liquid interface and drives redox chemistry remains poorly quantified. Herein, I will present operando, spatially resolved quantification of interfacial charge-use efficiency across hybrid systems.

14:20 INVITED TALK Symmetry breaking by biomolecules in chiral nanophotonics*Malcolm Kadodwala*

University of Glasgow (United Kingdom)

Chiral biomolecules adsorbed on enantiomorphous silicon metasurfaces break mirror symmetry by perturbing electromagnetic boundary conditions. This interfacial coupling forms meta-diastereomers, hybrid states whose linear and circular dichroism depend on combined molecular and structural handedness. The resulting stereostructural sensitivity enables discrimination of protein conformation and antibody-antigen binding without near-field enhancement mechanisms.

14:40 INVITED TALK Chiral Shape Transformation of Colloidal Silver Nanostructures using Circularly Polarized Light*Gil Markovich¹, Daniel Feferman¹, Bar Reuven¹, Monika Ghalawat¹, Lucas Besteiro², Alexander Govorov³*¹Tel Aviv University (Israel), ²University of Vigo (Spain), ³Ohio University (USA)

Localized plasmon induced galvanic replacement reaction in colloidal silver nanostructures was used to transform their shape using circularly polarized light illumination. We break their shape symmetry and obtain chiral nanostructures exhibiting substantial circular dichroism. Electric field induced nanostructure alignment facilitates such symmetry breaking, using circularly or linearly polarized light.

15:00 INVITED TALK Molecular Bridges in MXenes: Tunable Charge Transport and Chemiresistive Sensing*Yudhajit Bhattacharjee*

Leibniz-Institut für Polymerforschung Dresden (Germany)

Molecular cross-linking enables precise tuning of MXene interlayer spacing and interfaces using homologous diamines. Structural analysis and DFT confirm length-dependent spacing, which governs charge transport by modulating inter-flake coupling. The engineered films show selective chemiresistive responses, particularly to water vapor, demonstrating how molecular design controls transport and sensing in MXenes

15:20 INVITED TALK **Controlling Polaritonic Contributions to Material Properties***Matthew Sheldon*

University of California (USA)

We show that engineered plasmonic cavities can control how light-matter coupling contributes to material behavior. Across recent studies, cavity symmetry and optical state density reshape polariton character, radiative energy transport, and thermoelectric response. These results establish photonic design as a route to tuning spectroscopy, chemistry, and charge transport.

15:40 INVITED TALK **Experimental benchmark of AI-Optimized, Reconfigurable, All-Optical Plasmonic Arithmetic and Logic Units***Amine Khitous, Nicolas Gros, Léo Martin, Florian Dell'Ova, José Valderrama-Botia, Aurélie Bertaux, Ouassila Narsis Labbani, Gérard Colas des Francs, Christophe Nicolle, Alexandre Bouhelier, Dujardin*

Université Bourgogne Europe (France)

The recent realization of all-optical 1-bit ALUs in single plasmonic cavities highlights the need for designs supporting higher Boolean complexity. We developed a hybrid AI approach that optimizes cavity geometry and excitation beyond intuitive designs. Here, we experimentally validate AI-designed ALUs and benchmark their performance for future complex optical processors.

3-O31 | Room 4050A | 14:00 - 16:00

SYM3: Advanced passive and active metasurfaces and zero-index materials*Organized by: Howard Lee, Pin Chieh Wu, Wen-Hui (Sophia) Cheng**Chaired by: Howard Lee, Pin Chieh Wu, Wen-Hui (Sophia) Cheng***14:00** INVITED TALK **Harnessing Epsilon-Near-Zero Effects: Fiber Lasers, Thermo-Optic Dynamics, and Beyond***Qian Li*

Peking University (China)

A comprehensive overview of our research endeavors on ENZ photonics is presented. Specifically, we will discuss the photonic system through the demonstration of a fiber laser cavity incorporating indium tin oxide nanolayers and our investigations on thermo-optic ENZ effects in indium tin oxide nanolayers.

14:20 INVITED TALK **Deciphering Chirality via Super-Resolution Near Field Chiral Absorption***Yang Zhao*

University of Illinois Urbana-Champaign (USA)

Recent advances in decoupled optical force microscopy instrumentation and signal decomposition will be discussed, highlighting improvements in measurement accuracy, the ability to resolve ultrafast thermomechanical dynamics, and enhanced spatial resolution beyond that achievable with conventional scanning probe techniques.

14:40 INVITED TALK **Probing Molecular Dynamics in Optical Nanocavities: Decoding Ensemble Signatures***Hector Pascual Herrero, Joni Spencer, Alvine Yu, Elizabeth M. Y. Lee, Regina Ragan*

University of California (USA)

Spectral signatures from molecular ensembles in optical nanocavities are analyzed using a reaction-informed computational framework which integrates density functional theory-based Raman calculations and ab initio molecular dynamics. Observed vibrational spectra and simulated molecular trajectories resolve ligand dynamics in nanocavities; these systems can be used to decode signals from biological systems.

15:00 INVITED TALK Unconventional Semiconductors for Switchable Photonics*Marina Leite*

University of California Davis (USA)

We demonstrate reversible and multi-state changes in mid-infrared (MIR) transmission of inorganic halide perovskites with opposite polarity under light and heat. This opposite response results from a polaron-like lattice distortion under illumination (reducing transmission), and from the material's negative thermo-optic coefficient combined with lattice expansion from heat (increasing transmission).

15:20 INVITED TALK Can Nanostructures and Metasurfaces Affect the Casimir Force?*Jeremy Munday*

University of California (USA)

The Casimir force arises from quantum electromagnetic fluctuations and depends on the broadband optical response of interacting materials. This talk examines whether nanostructures—often designed for narrowband optical control—can meaningfully modify Casimir interactions. Experiments with engineered nanostructures illustrate how geometry and broadband electromagnetic response jointly determine fluctuation-induced forces.

15:40 INVITED TALK Confinement-Induced Nonlocality and Optical Nonlinearity in Transdimensional Plasmonics*Igor Bondarev*

North Carolina Central University (USA)

The latest experimental and theoretical studies will be reviewed for the electromagnetic properties of the new emerging plasmonic transdimensional material platform, including the optical nonlinearity enhancement due to the confinement-induced EM response nonlocality in the epsilon-near-zero region.

3–O32 | Maharry Theatre | 14:00 - 15:50

SP14: Towards chiral and magnetoelectric quantum electrodynamics*Organized by: Eugene Kamenetskii**Chaired by: Eugene Kamenetskii***14:00 INVITED TALK Intrinsic Hyperbolic Anisotropy for Low-Loss Polarization Control and Chiral Light-Matter Interaction***Antonio Ambrosio*

Istituto Italiano di Tecnologia (Italy)

Focusing on molybdenum oxychloride (MoOCl_2), we show that broadband hyperbolicity in the visible and near-infrared arises from a strongly anisotropic Drude response, yielding metallic and dielectric behavior along orthogonal crystal axes. This intrinsic symmetry breaking enables polarization-selective reflection and transmission as well as highly confined hyperbolic plasmon polaritons.

14:20 INVITED TALK Time-Varying Metamaterials for Synthetic Motion*Satoshi Tomita*

Tohoku University (Japan)

We demonstrate time-varying magnetic metamaterials at GHz frequencies using ferromagnetic permalloy ($\text{Ni}_80\text{Fe}_{20}$). The experimental results are reproduced via numerical simulation, verifying that frequency conversion observed is caused by time modulation of magnetic permeability. The present study opens a door to magnetoelectric metamaterials with synthetic motion for probing quantum vacuum effects.

14:40 KEYNOTE TALK **Electric Dipole Moments via Electromagnetic Duality***Michael Tobar*

The University of Western Australia (Australia)

We present a duality-based framework that maps EDM physics onto Zeeman structure. Stark-induced dipoles are represented through a magnetic current description of microscopic polarization, while intrinsic dipoles remain tied to spin. A Bohr scale dipole unit and pseudo angular momentum organize dipole operators and selection rules.

15:10 INVITED TALK **Inverse Design in Nanophotonics: From Diffusion Models to Time-Domain Adjoint Optimizations***Mingyu Park¹, Seunghyun Lee¹, Jinseong Bae¹, Donghyun Kim¹, Chanik Kang¹, Kyungmin Kim¹, Donghyun Park¹, Dongjin Seo², Soobin Um³, Haejun Chung¹*¹Hanyang University (Korea), ²Yale University (USA), ³Kookmin University (Korea)

This talk presents nanophotonic inverse design methods, ranging from physics-guided diffusion models to time domain adjoint optimization. We demonstrate broadband metalenses, multi-functional AR waveguide couplers, and angle-robust CMOS color routers. Emphasis is placed on scalable, fabrication-aware optimization methods for nanophotonic inverse design.

15:30 INVITED TALK **Cavity quantum materials: Cavity-altered superconductivity and beyond***Michael Sentef*

University of Bremen (Germany)

Cavity quantum materials enable control of superconductivity and other collective phases through structured electromagnetic environments. Recent experiments on κ -(BEDT-TTF)₂Cu[N(CN)₂]Br/hBN show cavity-altered superconductivity without optical driving. More broadly, fluctuation engineering with hyperbolic, multimode, and chiral photonic platforms offers new routes to tune pairing, symmetry, topology, and correlated quantum matter.

3-O33 | Room 3051 | 14:00 - 16:00

SYM5: Phononics and acoustic metamaterials*Organized by: Marco Miniaci, Jensen Li, Jean-Philippe Groby, Vincent Pagneux, Noé Jiménez**Chaired by: Marco Miniaci, Jensen Li, Jean-Philippe Groby, Vincent Pagneux, Noé Jiménez***14:00** INVITED TALK **Color Holographic Imaging Based on an Acoustic Metasurface***Hong-Gen Chen¹, Hao-Wen Dong², Yue-Sheng Wang¹*¹Tianjin University (China), ²Beijing Institute of Technology (China)

An inverse design framework of acoustic metasurfaces for color holographic imaging is established based on the optimization method. The frequency-selective elements with the required phase-shift and transmittance are customized. The layout of the elements is optimized to achieve color holographic imaging. The design is verified through numerical simulations and experiments.

14:20 INVITED TALK **Odd active solids***Anton Souslov*

University of Cambridge (United Kingdom)

This work focuses on novel phenomena and design principles for active materials with so-called odd elastic moduli, which are composed of non-reciprocal springs. Our results point to the design of novel soft machines at the macroscale, and guide the miniaturization of non-reciprocal metamaterials to the colloidal scale.

14:40

INVITED TALK

Phononic Topological Waveguides for Gigahertz Applications*Monika Devi Koijam¹, Yan Pennec¹, Clivia M. Sotomayor Torres², Bahram Djafari-Rouhani¹*¹IEMN (France), ²INL International Iberian Nanotechnology Laboratory (Portugal)

We investigate topological properties of phononic waveguide interfaces, demonstrating robust propagation with negligible backscattering at gigahertz (GHz) frequencies. Forward and backward wavevector components are distinguished using Spatial Fourier transform thus, enabling the evaluation of backscattering and verification of the robustness of the excited topological mode.

15:00

KEYNOTE TALK

Topological Phononic and Photonic Modes in Optomechanic Crystals*Nouh Kraï¹, Hicham Mangach¹, Abdellatif Gueddida¹, Gaëtan Lévêque¹, Yan Pennec¹, Marco Miniac², Bahram Djafari Rouhani³*¹University of Lille (France), ²Politecnico di Torino (Italy), ³IEMN (France)

In this work we present a theoretical investigation of structures that simultaneously support localized topological phononic and photonic modes, enabling enhanced optomechanical interactions. Two platforms are considered: (i) a one-dimensional nanobeam engineered within the framework of the Su-Schrieffer-Heeger (SSH) model and (ii) a two-dimensional honeycomb membrane.

15:30

Quantum Valley Hall-Based Continuously Tunable Phononic Wave Coupler*Keita Funayama, Kenichi Yatsugi, Hiroya Tanaka, Hideo Iizuka*

Toyota Central R&D labs. (Japan)

We experimentally investigate a MEMS-based topological elastic wave coupler using the quantum valley Hall effect. By utilizing frequency-dependent wave localization at bridge boundaries, we achieve continuously tunable transmission coefficients within a bandgap. Furthermore, we successfully demonstrate topologically protected digital data transfer using frequency shift keying modulation within this coupler.

15:45

Helmholtz Resonator-Induced All-Angle Self-Collimation in Square-Lattice Sonic Crystals*David Ramirez Solana, Muhammad Gulzari*

University College Dublin (Ireland)

In this work, we demonstrate that Helmholtz resonators (HRs) embedded within square-lattice sonic crystals (SCs) can induce all-angle self-collimation (AASC) of acoustic waves over broad frequency ranges—a phenomenon previously achievable only in rectangular lattices or with elliptical scatterers.

3-O34 | Room 4050B | 14:00 - 15:15

GEN11: Plasmonics and Nano-Optics

14:00

Epsilon-near-zero mode in highly doped GaN thin films*Julia Ingles-Cerrillo¹, Maria Villanueva-Blanco¹, Benjamin Damilano², Stéphane Vézian², Miguel Montes Bajo¹, Adrian Hierro¹*¹Universidad Politecnica de Madrid (Spain), ²Université Côte d'Azur (France)

We analyze the plasmonic properties of highly doped GaN thin films on Si, and show that they exhibit low optical losses and frequencies up to 3 μm . We identify the epsilon-near-zero (ENZ) and near-zero-index (NZI) regions and demonstrate the ENZ character of the polaritonic mode near the plasma frequency.

14:15

Symmetry enhanced modal design for magnetic emission from plasmonic core-satellite resonators*Joshua Davis¹, Sébastien Bidault², Mathieu Mivelle³, Mona Tréguer-Delapierre⁴, Alexandre Baron⁵*¹Centre de Recherche Paul Pascal (France), ²Institut Langevin (France), ³Institut des NanoSciences de Paris (France), ⁴ICMCB (France), ⁵Institut Universitaire de France (France)

Realistic highly symmetric dielectric-metal core-satellite particles are proposed as promising structures to enhance magnetic dipole emission. Magnetic Purcell factors in excess of 200, low losses, robustness to emitter orientation and placement, are all achieved. Quasi-normal modes enhance the optimization, while mode volumes reveal the physics behind the exceptional structure properties.

14:30

A Magnetic Monopole Antenna*Benoît Reynier¹, Xingyu Yang², Bruno Gallas², Sébastien Bidault³, Mathieu Mivelle²*¹University of Fribourg (Switzerland), ²Sorbonne Université (France), ³PSL University (France)

We propose and demonstrate a photonic nanoantenna that behaves as a radiating magnetic monopole. A half-nanoslit in a semi-infinite gold film creates a single enhanced magnetic pole that radiates efficiently. An effective magnetic charge formalism confirms its monopolar behavior, enabling magnetic-field engineering from visible to GHz frequencies.

14:45

Nanostructured Cd(Zn)O for mid-infrared, near-field enhancement*Miguel Montes Bajo¹, Pablo Ibañez-Romero¹, Javier Yeste², Eduardo Martínez Castellano¹, María Villanueva-Blanco¹, Andrea C. Illana¹, Fernando Gonzalez-Posada³, Thierry Taliercio³, Vicente Muñoz-Sanjose², Adrian Hierro¹*¹Universidad Politécnica de Madrid (Spain), ²Universitat de Valencia (Spain), ³University of Montpellier (France)

Cd(Zn)O alloys have arguably the best figure of merit for plasmonics in the mid-infrared. However, reports on Cd(Zn)O nanostructures are scarce. This work presents our results on Cd(Zn)O self-assembled nanoparticles and top-down processing of nanostructures with a focus on the near field enhancement.

15:00

Tunable coupling between conducting polymer nanoantennas and epsilon-near-zero thin films*Suraya Kazi, Yulong Duan, Magnus Jonsson*

Linköping University (Sweden)

Epsilon-near-zero thin films offer unconventional for optics including nonlinear applications. While metal nanostructures can enhance these effects through strong coupling, their fixed permittivity restricts tunability. By replacing metal with a conducting polymer, we can reversibly tune this coupling. Such hybrid system allows for on-demand optical functionalities for reconfigurable nanophotonics.

3-O35 | Room 3071 | 14:00 - 16:00

SP23: Nanoscale Phononics : Energy Transport, Light-Matter Coupling, and Emerging Applications*Organized by: Jérémie Margueritat and Aurélien Crut**Chaired by: Jérémie Margueritat and Aurélien Crut*

14:00

INVITED TALK

Inelastic light scattering by metallic nanocrystals: symmetry, shape and chirality*Lucien Saviot*

CNRS - Université Bourgogne Europe (France)

Inelastic light scattering spectra of metallic nanocrystals depend strongly on shape, elasticity, and environment. To assign the observed features, numerical approaches are presented to calculate the vibrations by taking advantage of the symmetries including for core-shell nanocrystals and to calculate the spectra with application to chiral shapes.

14:20 **INVITED TALK** **Driving giant monochromatic THz strain waves in metal heterostructures by electronic pressure***Matias Bargheer*

University of Potsdam (Germany)

Nanolayered metal superlattices are thermoacoustic metamaterials, in which we drive giant THz strain waves by ultrafast optical excitation across the visible spectrum. Electronic stress at metal-metal interfaces actuates the coherent phonons faster than the electron-phonon coupling time. Ultrafast x-ray diffraction probes phonons way beyond the optical skin depth.

14:40 **INVITED TALK** **Modeling the Acousto-Plasmonic Coupling: Raman Energy Density Framework***Nicolas Large*

University of Texas at San Antonio (USA)

We present a theoretical study of the interactions between coned acoustic vibrations and localized surface plasmons in metallic nanoparticles. We introduce a new physical quantity, the Raman energy density, which is a local quantity that serves as a tool for the study of Raman scattering mediated by plasmons in nanoparticles.

15:00 **INVITED TALK** **Energy transport and switching in finite disordered networks***Yann Chalopin*

CentraleSupélec/CNRS (France)

We examine how disorder and localization shape vibrational energy transport in finite networks. A multiterminal conductance framework reveals sparse communication backbones whose reorganization under small perturbations produces switch like responses without thermodynamic criticality. The same physical picture connects disordered solids, metamaterials, and allosteric proteins.

15:20 **INVITED TALK** **Energy transfer from hot holes to phonons in photoexcited Germanium: ultrafast heating of Raman-active modes***Jelena Sjakste, Raja Sen, Nathalie Vast*

Ecole Polytechnique (France)

We present our recent collaborative work on coupled hole and phonon dynamics in photoexcited germanium, which was studied by time-resolved Raman spectroscopy as well as by DFT calculations. Our time-dependent model based on DFT data can describe the observed changes in temperature of Raman-active optical modes on picosecond time scale.

15:40 **INVITED TALK** **Unveiling Acoustic Phonon Dynamics via Time-Resolved Brillouin Spectroscopy of optophononic Resonators***Carlos Montenegro, Elham Mehdi, Sandeep Sathyan, Edson Rafael Cardozo de Oliveira, Isabelle Sagnes, Martina Morassi, Aristide Lemaître, Norberto Daniel Lanzillotti-Kimura*

Université Paris-Saclay (France)

Acoustic phonon engineering in microstructures enables applications in optoelectronics, simulations, and quantum technologies. We develop time-resolved Brillouin spectroscopy of GaAs/AlAs optophononic microresonators using single-photon detectors. Exploiting double optical resonance enhances pump-probe Brillouin scattering and enables efficient filtering of weak signals, providing a platform to investigate confined sub-THz phonon dynamics.

3-O36 | Room 3126 | 14:00 - 15:05

SP3: New Advances in Metamaterials and Their Functional Applications*Organized by: Weiren Zhu, Zhenfei Li and Jin Zhang**Chaired by: Weiren Zhu, Zhenfei Li and Jin Zhang***14:00****Geometric Tailoring of Anisotropic Metamaterials for Elastic Wave Steering***Jianlong Chen, Dong Yan, Chao Wan, Guangyan Liu, Kai Zhang*

Beijing Institute of Technology (China)

We propose a geometric design methodology for architected microstructures achieving highly anisotropic stiffness without altering material composition. This enables decoupled control of axial and shear moduli, facilitating directional wave control, mode conversion, and energy confinement. An annular metastructure demonstrates superior azimuthal wave trapping compared to isotropic counterparts.

14:15**INVITED TALK Direct tensor processing with coherent light***Yufeng Zhang¹, Kaizhi Wang², Zhipei Sun¹, Xuhan Guo²*¹Aalto University (Finland), ²Aalto University (China)

We propose a parallel optical matrix-matrix multiplication scheme implemented using a single propagation of coherent light, and extend it to tensor-matrix multiplication via wavelength multiplexing. Building on this framework, we investigate its application in different optical neural network architectures and its potential deployment in metasurface devices.

14:35**Diffraction Optical Elements Empowered Spectropolarimetry via Single-Shot Imaging***Bing Lei, Jianyu Weng, Xiaoyu Cao, Zong Xiang, Xinyu Ma, Jie Li, Zhe Xie, Wei Wang, Jianhua Shi*

National University of Defense Technology (China)

We propose a novel broadband polarimeter by employing a metasurface-based diffractive optical element and a vortex retarder to convert polychromatic waves into structured vector beams. Experimental validation demonstrates exceptional measurement accuracy, with RMS errors below 1% for each Stokes component across the visible range (400-700 nm).

14:50**Deep-Subwavelength Spoof Localized Surface Plasmons for Enhanced Sensing***Xuanru Zhang*

Southeast University (China)

This talk reports the path from the fundamental physics of SLSP sensing to integrated systems. The combination of deep-subwavelength SLSPs and non-Hermitian exceptional-point physics creates a powerful sensing enhancement scheme. The ultracompact SLSP sensing system envisions the way for portable and robust equipment for biomedical diagnostics and environmental monitoring.

Coffee Break

16:00 - 16:40

3-P2 | Business School Concourse | 16:00 - 16:30

Poster Session VI**P1****Controlling topologically-protected edge states via synthetic space manipulation in photonic crystals***Bartosz Janaszek¹, Tomasz Śmiarowski², Anna Tyszka-Zawadzka¹, Paweł Szczepański¹*¹Warsaw University of Technology (Poland), ²National Institute of Telecommunications (Poland)

We propose a design framework for controlling topologically protected edge states, illustrated by Tamm Plasmon Polaritons in 1D planar photonic crystals. By emulating Weyl points in synthetic-parameter space, robust interface modes can be engineered on demand. This strategy opens up new pathways toward resilient, multifunctional photonic platforms.

P2**Phase-Change Extraordinary Optical Transmission Metasurfaces for Reconfigurable Spatial Filtering in the Mid-Infrared***Stuart Kendall, Joe Shields, Joe Pady, Carlota Ruiz de Galarreta, Jacopo Bertolotti, C. David Wright*

University of Exeter (United Kingdom)

Reconfigurable spatial filters comprising phase-change materials integrated into extraordinary optical transmission metasurfaces are designed and fabricated. Near-zero transmission in the crystalline state coupled with high amorphous transmission deliver spatial filters that can be written and re-written. Example functionalities of reconfigurable high and low-pass spatial filters are demonstrated.

P3**Structural and Electronic Transitions in Pure and Au-Decorated VO₂ Nanoporous Thin Films under Thermal and Photothermal Excitations***Claudia Pernilla Hallqvist¹, Charlotte Lea Oceane Nani¹, Edoardo Casadei¹, Cristina Mancarella¹, Francesco Bisio², Michele Magnozzi³, Maurizio Canepa³, Andrea Li Bassi¹*¹Politecnico di Milano (Italy), ²CNR-SPIN Genova (Italy), ³Università di Genova (Italy)

Vanadium dioxide (VO₂) nanoporous films and Au-VO₂ nanocomposites were fabricated by pulsed laser deposition. The nanoporous VO₂ shows anisotropic optical properties and a thermally driven structural-phase and insulator-to-metal transition. Incorporating Au nanoparticles enables photothermal activation of the structural-phase transition under continuous-wave illumination, demonstrating a pathway toward switchable VO₂-based photonic devices.

P4**Separating, purifying and decoding elastic waves by mimicking a cochlea on a thin plate***Yun Shi¹, Meiyang Zhao¹, Yongquan Liu², Bing Li¹*¹Northwestern Polytechnical University (China), ²Xi'an Jiaotong University (China)

Realizing cochlear functions for elastic waves in solids holds great promise, but related research has not yet been reported. We experimentally realize an elastic cochlea on a plate, achieving broadband flexural wave harvesting (5.8-21.8 kHz), high-Q sensing, and frequency demultiplexing for advanced energy harvesting and signal processing in solids.

P5**300- μm Gaussian Beams from Meta-Grating Couplers for Ultra-Stable Lasers***Max Schittenhelm, Mika Gaedtke, Steffen Sauer, Sebastian Häfner, Stefanie Kroker*

TU Braunschweig (Germany)

We present a framework for interfacing an ultrastable laser resonator with photonic integrated circuits via low-noise resonator mirrors and show initial simulation and experimental results of large-area grating couplers with near-Gaussian beam diameters of 300 μm at $\lambda = 1.55 \mu\text{m}$ on an SOI-platform.

P6

Equivalent Circuit Analysis of a Time-Varying Edge-Coupled Split-Ring Resonator*Theocharis Manassis, Guido Valerio, Theodosios Karamanos*

Sorbonne Université (France)

This paper presents an equivalent circuit model of a time-varying Edge-Coupled Split-Ring Resonator. Time modulation is imposed by a varactor diode connected between the two rings of the scatterer and enables the generation of scattered wave harmonics, as predicted by the provided circuit model.

P7

Elimination of Beam Walk-off in Second Harmonic Generation*Edvinas Aleksandravičius¹, Darius Gailevičius¹, Kęstutis Staliūnas²*¹Vilnius University (Lithuania), ²Universitat Politècnica de Catalunya (Spain)

We show that periodic modulation of the refractive index of a nonlinear material on the wavelength scale can modify the angular dispersion of the interacting waves. This modification improves the phase-matching conditions and can significantly reduce beam walk-off. As a result, the efficiency of second-harmonic generation can be enhanced.

P8

Temporal Interfaces in a Kretschmann-Raether Geometry*Harry Donegan, Miraculous Joseph Bhaseen, Francisco Rodríguez-Fortuño, Anatoly Zayats*

King's College London (United Kingdom)

We explore the conversion of a surface plasmon polariton (SPP) into propagating radiation due to a time-varying plasma frequency. We consider a temporal interface using integral transforms and finite-difference-time-domain (FDTD) simulations to benchmark the results. We apply these results to an instantaneous frequency shift in indium tin oxide.

P9

Zero-angle polarizers based on periodically structured dielectric thin films*Julianija Nikitina¹, Rytis Buzelis¹, Kestutis Staliunas², Lina Grineviciute¹*¹Center For Physical Sciences and Technology (Lithuania), ²ICREA (Lithuania)

Zero angle of incidence polarizers in reflection/transmission based on Fano resonances in periodically nanostructured dielectric thin films are analyzed. Its main optical characteristics for 1064 nm wavelength are investigated in the context of laser applications, including laser damage evaluation with a discussion of resonance-related electric field distribution.

P10

Reverse Design of Reflective Acoustic Metasurfaces Based on Intelligent Algorithms*Mengqi Jiang, Haoxiang Li, Biao Wang, Jiaming Zhang, Jie Hu*

Nanjing Forestry University (China)

This paper proposes a reverse design method based on A, and employs a pair of coiling-up spatial structures with a π reflection phase difference as binary (0/1) coding elements. Accordingly, the phase distribution of the metasurface is directly mapped onto a binary sequence and "on-demand design" is realized.

P11

Optimising Microwave Cavities for nonzero Helicity with Machine Learning*Emma Paterson, Jeremy Bourhill, Maxim Goryachev*

University of Western Australia (Australia)

We present a machine-learning-driven inverse design framework that replaces heuristic cavity design with boundary-shape optimisation to engineer three-dimensional microwave resonators supporting large electromagnetic helicity. This approach systematically explores complex parameter spaces, revealing non-intuitive high-helicity geometries, and is demonstrated on smooth, edge-free cavity families using two gradient-free optimisation strategies.

P12

Automated SEM-Based Metrology for Wafer-Scale Characterization of Nanostructured Metamaterials*Naga Anirudh Peyyety¹, E. Butzen², I. Harder², T. Waldsauer¹, S. Bauerdick¹, K. Gieb¹*¹GenISys GmbH (Germany), ²Max Planck Institute for Science of Light (Germany)

We present an automated scanning electron microscopy workflow for characterization of nanostructured metamaterials. The approach combines layout-based navigation, robust alignment, and autofocus to enable reproducible wafer-scale measurements. Measurements demonstrate high throughput acquisition, consistent critical dimension (CD) extraction, and statistical analysis capabilities suitable for metamaterial design, fabrication optimization, and process monitoring.

P13

Mode and Pitch Multiplexed Guided-Mode Resonance Active Metasurfaces, for Multi-Wavelength Control*Julie Belleville, Martin Thomaschewski, Harry Atwater*

Caltech (USA)

We report designs for multi-wavelength operation of active metasurfaces, based on guided-mode resonances on tunable electro-optic thin films. We simulate diffractive switching efficiencies of 60% at 625 and 545 nm for titanium dioxide multi-mode waveguides on thin-film barium titanate and demonstrate three-wavelength control through two superposed perturbation pitches.

P14

Floquet-Engineered Switching of Dissipation between Driven and Undriven States*Hidemasa Yamane*

Osaka Research Institute of Industrial Science and Technology (Japan)

We study two atoms coupled to a continuum and analytically reveal a mechanism for selective dissipation induced by external driving. By tuning only the driving parameters, an undriven atom can decay remotely while the driven atom remains long-lived. Numerical simulations demonstrate controllable switching between dissipation and suppression.

P15

Polarisation Conversion in Bulk Hyperbolic Crystals*Katherine Stevens, Rebecca Craig, Mark Cunningham, Sonja Franke-Arnold, Rair Macedo*

University of Glasgow (United Kingdom)

We investigate polarisation control of an infrared beam reflected off the surface of a hyperbolic crystal. We illustrate the mechanism using calcite as our example material. We calculate the reflection coefficients using the 4x4 transfer matrix method, and from this obtain the Stokes vector which characterises the reflected beam.

P16

Towards a BIC-based optomechanical polarization modulator*Chiara Brugnoli¹, Giuseppe Emanuele Lio¹, Grazia Salerno¹, Simone Zanotto², Alessandro Tredicucci¹, Alessandro Pitanti¹*¹University of Pisa (Italy), ²CNR-Nanoscience Institute Pisa (Italy)

This work proposes a polarization modulator in the infrared range, exploiting optomechanical interaction of Bound-states-In-the-Continuum (BICs) electromagnetic resonances and vibrational modes in MicroElectroMechanical Systems (MEMS). BICs topological nature, forming polarization vortices in the reciprocal space, enables rapid polarization switching through controlled mechanical tilting of the device.

P17

Design of a Porous Polydimethylsiloxane Metamaterial for Passive Daytime Radiative Cooling*Nigar Namazzade, Alexandre Baron*

University of Bordeaux (France)

Passive daytime radiative cooling is studied using porous polydimethylsiloxane with spherical air voids. Dependence scattering Monte Carlo simulations and full wave parameter retrieval quantify solar reflectance and thermal emissivity. At high porosity, an optimal void radius near 1.4 micrometers maximizes net cooling and enables temperature drops up to 6K at ambient temperature.

P18

Parametric studies to approximate configurations optimal for asymmetrical responses*Miklós Waldhauser, Ákos Sebők-Papp, Dávid Vass, András Szenes, Balázs Bánhelyi, Mária Csete*

University of Szeged (Hungary)

Multilayer metamaterial, consisting of periodic Babinet-complementary miniarray patterns in convex-concave-convex layers, was subject of parametric studies, by varying the configuration and topological parameters to achieve better Faraday-isolator properties. Wavelength dependent azimuthal orientation uncovers trade-off between nonreciprocal rotation and asymmetric transmission. Appropriate combination of crucial topological properties results in improvement.

P19

Wavelength-Guided Plasmonic Control of CO₂ Reduction: From Model Nanostructures to Gold Dendritic Electrodes*Anjalie Edirisooriya¹, Manuka Suriyaga¹, Zelio Fusco¹, Ning Lyu², Shenyou Zhao³, Christin David⁴, Fiona Beck¹*

¹Australian National University (Australia), ²Friedrich-Schiller-Universität Jena (Germany), ³Xi'an University of Posts and Telecommunications (China), ⁴University of Applied Sciences Landshut (Germany)

Selective CO₂ reduction to multi-carbon products requires localized excitation and repeated electron transfer. We present a wavelength-guided plasmonic strategy linking controlled optical modes in gold nanostructures to scalable gold dendritic electrodes. Structure-optical relationships identified in simplified geometries are translated to complex morphologies, enabling optical control of CO₂ reduction processes.

P20

Meta-lenses phase characterization by phase retrieval*Jialuo Cheng¹, Bowen Liu², Yin Zhou³, Lei Shi², Zihan Geng³, Mu Ku Chen¹*

¹City University of Hong Kong (Hong Kong), ²Fudan University (China), ³Tsinghua University (China)

A robust multi-distance phase retrieval system based on optical field scanning is presented to characterize metalens phase modulation. Validated in the near-infrared spectrum, our method analyzes focal length, aberrations, and defect impacts. We also demonstrate phase variation across different media (air vs. ethanol), offering a straightforward tool for metalens optimization.

P21

Elasticity-Driven Wrinkled PDMS Structures for Tailoring Optical Properties Across the Hyperspectral Range*Urszula Malecka, Patrycja Wytrych, Tomasz Stefaniuk*

University of Warsaw (Poland)

We present a controllable and scalable approach for fabricating tunable photonic structures based on patterned PDMS and angle-dependent PVD deposition. The optical response of structures can be tailored across the hyperspectral range by applying mechanical strain after fabrication. This strategy enables precise control of properties and supports versatile optical devices.

P22

Ultrasonic Needle Beam Generation in Water Using a Complex-Amplitude-Encoded Polymer Trapped-Air Acoustic Mirror*Hafiz Muhammad Imran¹, Marco Ricc², Rocco Zito¹, Stefano Lauret²*¹University of Calabria (Italy), ²Sapienza Università di Roma (Italy)

This research presents a complex amplitude encoded reflective acoustic mirror integrating super-unit phase encoding with parabolic geometry to generate ultrasonic needle beams in water. The PLA mirror with trapped air combines phase modulation and geometric focusing, enabling extended depth of focus and controlled beam shaping for underwater imaging.

P23

Optical properties of Ge metasurfaces realized on a Si photonics platform for wavelength-selective absorption*Paul Oleynik¹, Wei-Han Chen², Jon Schlipf², Oliver Skibitzk², Christian Wenger², Inga Anita Fischer¹*¹BTU Cottbus-Senftenberg (Germany), ²IHP- Leibniz Institute for High Performance Microelectronics (Germany)

We report optical characterization results of complementary-metal-oxide-semiconductor compatible Ge metasurfaces fabricated on 200 mm SOI wafers. Optical properties of our metasurfaces are geometry-dependent and exhibit a large degree of homogeneity across the wafer. The metasurfaces will be used in wavelength-dependent photodetectors directly integrated on the Si photonics platform.

P24

Cd(Zn)O gap antennas on polar substrates*Maria Villanueva-Blanco¹, Pablo Ibañez-Romero¹, Julia Ingles-Cerrillo¹, Javier Yeste², Vicente Muñoz-Sanjosé², María del Carmen Martínez-Tomás², Miguel Montes Bajo¹, Adrian Hierro¹*¹Universidad Politécnica de Madrid (Spain), ²Universitat de Valencia (Spain)

CdO stands out as the best plasmonic semiconductor in the mid infrared. Here, we evaluate its plasmonic characteristics on two polar substrates, SiC and sapphire, and show large enhancements of the near-field from the interaction between surface phonon polaritons from the substrate and localized surface plasmon polaritons from CdO stripes.

P25

Optical responses from zero optical-path-length object*Da Yong Lee¹, Moongul Byun¹, Robert Magnusson², Jae Woong Yoon¹*¹Hanyang University (Korea), ²University of Texas (USA)

We address a fundamental question - What is the ultimately minimal embodiment of optical objects that produce useful optical effects? We show that such an object does not require non-zero physical and optical-path-length volume. Two-dimensional polarizing sheets are minimal optical objects and practically realizable using 2D materials or polarizing ceramics.

P26

The effect of microstructure on the build orientation and mechanical properties of Ti64 lattices by SLM*Hazzaa Alqurashi*

Umm AlQura University (Saudi Arabia)

SLM-manufactured Ti-6Al-4V lattice structures were investigated to examine mesostructure effects on microstructure and mechanical properties. Columnar grain structures were observed, with anisotropic orientation near inner surfaces. Build orientation and post-treatment influenced elastic behaviour. Numerical modelling confirmed that microstructural inhomogeneity affects lattice stiffness through varied material orientations.

P27

Switchable n-type conducting polymer nanoantennas*Suraya Kazi, Pravalika Bandaru, Yulong Duan, Shangzhi Chen, Magnus Jonsson*

Linköping University (Sweden)

We establish n-type conducting polymer poly(benzodifurandione) (PBFDO) as a switchable organic plasmonic system. In doped state, PBFDO becomes optically metallic above 700nm and supports plasmonic resonances when nanostructured, which can be reversibly turned on/off electrically/chemically. This stretches the horizon and functionalities of plasmonics for dynamic metasurfaces and adaptive optical devices.

P28

Double-Plane Metalenses Enabling Generation, Sorting, and Axial/Helical Self-Healing of Multidimensional Vector Beams*Andrea Vogliardi¹, Daniele Bonaldo¹, Simone Dal Zilio¹, Vittorio Apolloni¹, Gianluca Ruffato¹, Filippo Romanato²*¹University of Padova (Italy), ²Padova Univ (Italy)

We demonstrate spin-decoupled metasurfaces enabling compact generation and manipulation of multidimensional vector beams. Independent control of circular polarizations produces propagation-dependent effects including polarization beating and axial/helical self-healing. Wafer-scale silicon metalenses and integrated meta-doublets allow generation, sorting, multiplication, division of multi mode beams, extending q-plate concepts toward multifunctional structured-light photonic platforms.

P29

Finite Element Simulation of Strain Measurement in Auxetic Materials via FBG Sensors*Katarzyna Majewska¹, Riccardo Carlo Moroni²*¹Institute of Fluid-Flow Machinery-Polish Academy of Sciences (Poland), ²Institute of Fluid-Flow Machinery-Polish Academy of Sciences (Italy)

Auxetic materials are increasingly used in biomedical and aerospace applications. Fibre Bragg grating sensors are well-known in non-destructive testing for their precision. This work simulates a tensile test of two auxetic specimens with embedded sensors and compares the results with experimental data to validate the model.

P30

Actively Tunable EIT in Strongly Coupled Toroidal Terahertz Metamaterials*Lavi Kumar Vaswani¹, Bhagwat Singh Chouhan², Rohith K. M.², Sirsendu Ghosal¹, Anuraj Panwar², P. K. Giri², Gagan Kumar²*¹Jaypee Institute of Information Technology (India), ²Indian Institute of Technology Guwahati (India)

Active controlled metamaterials are crucial for advancement of terahertz technology. This study demonstrates actively tunable electromagnetically induced transparency, achieved by modulating phase of vanadium dioxide through temperature variation. Active transmission modulation of approximately 85% is observed. These results indicate strong potential for developing active components in toroidal terahertz photonics.

P31

Vortex Excited Plasmon Resonances in Metal Nanodisks Governed by Symmetry and Size*Daisuke Tanaka¹, Kayn Forbes², David Andrews²*¹Oita College (Japan), ²University of East Anglia (United Kingdom)

Optical vortices with different total angular momentum excite LPRs in gold nanodisks, studied by DDA. In circular disks, resonance wavelengths depend strongly on diameter and show an optimal excitation band. In polygonal disks, rotational symmetry controls excitable modes, and spectra switch with even/odd angular-momentum parity.

P32

Lithium Niobate Photonic Moiré Superlattice for Telecoms Wavelengths*Romae Grierson-Copeland, Christian Richards-Johnson, Noel Healy*

Newcastle University (United Kingdom)

A 2D simulation studying photonic Moiré superlattices made from triangular lattices of holes in lithium niobate is conducted. Field enhancement is observed due to flatbands in the photonic bandstructure. The lattice constant has a negative correlation with the flatband frequency, with 576nm enhancing the field at telecoms wavelengths in simulation.

P33

Self-dual Lorentz Invariant Doughnuts*Luka Vignjevic, Nikitas Papasimakis, Nikolay Zheludev*

University of Southampton (United Kingdom)

We report on the generation and characterization of self-dual Lorentz-invariant optical pulses of toroidal topology exhibiting spin-orbit coupling and $EB \neq 0$, that are of interest to axion electrodynamics, telecommunications, spectroscopy, and particle acceleration.

3-O37 | Room 5039 | 16:40 - 18:40

SYM6: Advanced Techniques for Computational Electromagnetics*Organized by: Maha Ben Rhouma**Chaired by: Maha Ben Rhouma*

16:40

INVITED TALK

Photonic driven dual-mode thermoregulation: from static to dynamic design evolution*Muluneh G. Abebe¹, Eva Loccufer², Jozefien Geltmeyer², Karen De Clerck², Bjorn Maes¹*¹UMONS (Belgium), ²Ghent University (Belgium)

Maintaining comfort with photonic thermal-management textiles can reduce energy use for heating and cooling in residential and office buildings. Here, we outline the design cycle of a passive dual-mode thermoregulation fabric based on dynamic emissivity modulation, highlighting key photonic architectures, their limitations, and the strategies used to achieve dimensional stability.

17:00

INVITED TALK

From Design to Fabrication: Limits & Manufacturing Tolerances in Optical Metasurfaces and Meta-Modulators*Sonia Freddi¹, Alfonso Nardi², Michael Scalora³, Agostino Di Francescantonio², Sofia Martins⁴, Johann Osmond⁴, Attilio Zilli⁴, Marco Finazzi², Michele Celebrano², Maria Antonietta Vincenti³, Bollani¹*¹Consiglio Nazionale delle Ricerche (CNR) (Italy), ²Politecnico di Milano (Italy), ³University of Brescia (Italy), ⁴ICFO-Institut de Ciències Fotoniques (Spain)

The study tackles making metasurfaces reliably manufacturable, focusing on EBL and RIE constraints. It compares continuous and pseudo-Bosch etching by etch rate, sidewall angle, and roughness. It also models allowable fabrication tolerances, linking geometric deviations to Q, efficiency, uniformity, and provides practical guidelines to improve design robustness and process stability.

17:20

INVITED TALK

Conformable Holographic Metasurface for Augmented Reality and biomedical applications*Yuhui Gan, Andrea Di Falco*

University of St Andrews (United Kingdom)

We report on the design, fabrication and characterization of metasurfaces for AR and biomedical applications.

17:40 **INVITED TALK** **Dynamically Reconfigurable Waveguide-Fed Metasurface Apertures: From Theory to Application**

David R. Smith

Duke University (USA)

Dynamically reconfigurable metasurfaces represent an early and ongoing commercialization success. The metasurface architecture is versatile and can be readily integrated into beam-steering systems across the electromagnetic spectrum. We describe here the fascinating electromagnetic properties of the metasurface elements and how they drive the overall aperture performance of metasurface devices.

18:00 **INVITED TALK** **Low-Dimensional Polaritons Thermal Radiation**

Sebastian Volz

CNRS - CEA - Ecole Polytechnique (France)

We introduce a new type of thermal radiation which is confined in two dimensions and can be emitted by thermal waveguides. The existence and the properties of those film-polaritons will be demonstrated then the experimental measurement of the corresponding heat flux will be presented.

18:20 **INVITED TALK** **Useful and detrimental thermal radiation in near-field energy-conversion devices such as thermophotovoltaics**

P-Olivier Chapuis

CNRS - INSA Lyon (France)

We report on three types of near-field energy-conversion devices, namely thermophotovoltaics, thermophotonics and thermal rectennae. All of them involve partial conversion of thermal radiation into electrical power above a certain energy threshold, namely the bandgap for the two first types of devices, and detrimental thermal-radiation exchange below this threshold.

3-O38 | Room 5052 | 16:40 - 18:40

SYM2: New trends in nanophotonics and advanced materials

Organized by: Junsuk Rho, Hakjoo Lee, Namkyoo Park, Seong Ok Han

Chaired by: Junsuk Rho, Hakjoo Lee, Namkyoo Park, Seong Ok Han

16:40 **INVITED TALK** **Designing non-Hermitian media via real-valued coordinate transformations**

Ivor Krešić¹, Konstantinos Makris², Ulf Leonhardt³, Stefan Rotter¹

¹Vienna University of Technology (Austria), ²University of Crete (Greece), ³Weizmann Institute of Science (Israel)

Transformation optics provides conceptually simple and computationally economical ways to design elements such as lenses, waveguides and cloaks. We have developed theoretical methodologies which use non-conformal coordinate transformations and field mappings to achieve cloaking and induced transparency. The usual requirements on metamaterial index are here replaced by non-Hermiticity.

17:00 **INVITED TALK** **Long-lived subradiance via cavity-mediated collective interaction**

Kyu-Young Kim¹, Jin Hee Lee¹, Woong Bae Jeon¹, Dong Hyun Park¹, Suk-In Park², Jin Dong Song², Changhyoup Lee³, Je-Hyung Kim¹

¹Ulsan National Institute of Science and Technology (UNIST) (South Korea), ²Korea Institute of Science and Technology (KIST) (South Korea), ³Hanyang University (South Korea)

We demonstrate strong collective emission from a cavity-mediated steady-state subradiant state. In a tailored photonic environment with balanced cavity dissipation and emitter coupling strength, we observe strong photon bunching with elongated decay, which are key signatures of steady-state subradiance. Our approach paves the way for generating and harnessing quantum correlations.

17:20 INVITED TALK Topological Eutectic Heterostructure Plasmonic Metasurfaces for THz Lasing and Amplification

Konstantinos Kouderis¹, Anousha Khamsavi¹, Kingshuk Bandopadhyay¹, Hamid Reza Darabian¹, Dorota A. Pawlak¹, Chao Tang², Victor Ryzhi², Taiichi Otsuji¹

¹ENSEMBLE3 (Poland), ²Tohoku University (Japan)

A topological Dirac semimetal/semiconductor eutectic lamellar heterostructure is introduced to a grating-gate planar transistor as a new 'striped' channel material to configure a two-dimensional active plasmonic metasurface. It effectively suppresses the oblique plasmon modes, killers for instability-driven terahertz lasing and amplification. Its novel concept, physics, and device implementation are addressed.

17:40 INVITED TALK 3D printed coupled micro-potentials for photonic quantum gases

Julian Schulz¹, Kirankumar Karkihalli Umesh², Sven Enns¹, Frank Vewinger³, Georg von Freymann¹

¹Leibniz Universität Hannover (Germany), ²Heidelberg University (Germany), ³Universität Bonn (Germany)

3D printed micro potentials in a dye-filled micro cavity allow to study Bose Einstein condensation of photons in almost arbitrary potential landscapes. We exemplarily demonstrate the influence of dimensionality on the thermodynamic properties as well as topologically protected states for these driven-dissipative quantum systems.

18:00 INVITED TALK DNA origami-based photonic crystals for visible light

Gregor Posnjak, Tim Liedl

LMU Munich (Germany)

We use DNA origami to design colloidal particles which controllably assemble into intricate lattices such as the diamond structure with periodicities on the order of hundreds of nanometers. Coating the structures with high-refractive index materials leads to complete 3D photonic band gaps in the visible.

18:20 INVITED TALK Polarization control of photons with photonic crystal devices

Xiulai Xu

Peking University (China)

We present experimental demonstration in chiral and polarization-controlled quantum photonics based on topological photonic crystal waveguides and photonic molecules. By engineering cavity-waveguide interfaces and coupled-cavity supermodes, robust chiral light-matter interaction, directional single-photon routing, and enhanced emitter-photon coupling are achieved, offering scalable routes toward integrated quantum photonic circuits.

3-O39 | Room 4047 | 16:40 - 18:20

SYM4: Chirality, magnetism, and magnetoelectricity: Separate phenomena and joint effects in metamaterial structures

Organized by: Eugene Kamenetskii

Chaired by: Eugene Kamenetskii

16:40 INVITED TALK Homogenization of multicomponent chiral metamaterials

Wolf Luis Mochán¹, Guillermo P. Ortiz², Andrea López-Reyna³

¹Universidad Nacional Autónoma de México (Mexico), ²Universidad Nacional del Nordeste (Argentina), ³Universidad Autónoma del Estado de Morelos (Mexico)

We generalize a technique borrowed from QM to calculate the macroscopic non-local dielectric response of a multicomponent metamaterial in the retarded regime in terms of a projected Green's function. We apply the formalism to find the photonic bands of a Reusch-Bouligand structure, a natural layered chiral photonic crystal.

17:00 INVITED TALK Hot-Electron Generation and Photoinduced Chirality in Plasmonic Nanocrystals*Alexander Govorov*

Ohio University (USA)

This talk will cover the following:

Plasmonic hot spots efficiently generate energetic (“hot”) electrons, which can be utilized in photochemistry and photodetection. Colloidal nanocrystal assemblies and metastructures with plasmonic resonances significantly amplify the chiroptical responses of biomolecules (e.g., circular dichroism) and can induce chiral morphologies through photochemical processes.

17:20 INVITED TALK Tailoring Smith-Purcell radiation using moiré photonic crystals and chiral materials*Thomas Delplace, Loris Cavenaile, Bjorn Maes*

University of Mons (Belgium)

Dielectric gratings provide interesting opportunities to shape Smith-Purcell radiation, which is emitted when an electron passes close by a periodic structure. We describe various designs that influence the direction, efficiency and wavelength of the emission, amongst others via moiré photonic crystals and the inclusion of chiral materials.

17:40 INVITED TALK Plasmonic Spatio-Temporal Weak Measurement*Sahil Sahoo, Andre Yaroshevsky, Dima Cheskis, Yuri Gorodetski*

Ariel University (Israel)

We present a comprehensive study on the spatiotemporal weak measurement of a chiral ultrafast optical pulse. A chiral vector wave packet is generated by transmitting a laser pulse via birefringent. Employing time-resolved leakage radiation microscopy, we examine how the complex weak value is manifested in the pulse propagation.

18:00 INVITED TALK Dynamical orbital magneto-electric response in complex materials*Yuriy Mokrousov*

Forschungszentrum Jülich (Germany)

I will explore the idea that structurally complex materials can naturally develop non-local electronic orbital response to external magnetic fields, light and lattice vibrations, which allows to transform chirality - statically or dynamically inherent either to structure, spin order or electro-magnetic field - into prominent orbital magnetism.

3-O40 | Room 3074 | 16:40 - 18:40

SYM1: Hybrid Nanomaterials and Metastructures for Photonics, Sensing and Energy*Organized by: Jérôme Plain, Alexander Govorov, Davy Gérard, Pedro Hernandez Martinez**Chaired by: Jérôme Plain, Alexander Govorov, Davy Gérard, Pedro Hernandez Martinez***16:40 INVITED TALK Hybrid AI design of reconfigurable and compact plasmonic Arithmetic and Logic Units***Amine Khitous, Nicolas Gros, Léo Martin, Florian Dell'ova, Aurélie Bertaux, Ouassila Labbani Narsis, Gérard Colas des Francs, Christophe Nicolle, Alexandre Bouhelier, Erik Dujardin*

Université Bourgogne Europe (France)

We describe the concept of all-optical arithmetic and logic units (ALU) in single plasmonic cavities. The first prototype showed the addition of two 1-bit numbers and all 2-input logic gates. We introduce a new hybrid AI approach to design ALU and improve their Boolean performance.

17:00 INVITED TALK **Modeling and Design of Nonlinear Metastructures for All-Optical Modulation and THz Generation***Giulia Crotti, Unai Arregui Leon, Pietro Baldin, Andres Valladares Y Tacchi, Andrea Schirato, Giuseppe Della Valle*

Politecnico di Milano (Italy)

Nonlinear metastructures combining nanoscale electromagnetic resonances and material nonlinearities, offer unprecedented opportunities in photonics. Here, we review our recent results in the field, where finite-element-method numerical analysis is exploited to model and design a variety of nonlinear metastructures, for the ultrafast all-optical control and THz generation.

17:20 INVITED TALK **All-Dielectric Photo-Thermo-Optical Metasurfaces for All-Optical Spatio-Temporal Wavefront Control***Gopal Narmada Naidu, Giulia Tagliabue*

EPFL (Switzerland)

All-dielectric photo-thermo-optical metasurfaces could enable high-speed all-optical spatiotemporal wavefront control. We demonstrate reconfigurable metasurface optical responses driven by thermo-optic nonlinearities and present an inverse thermal design framework for programmable temperature profiles. Together, these capabilities advance dynamic meta-optics, photothermal catalysis, for photonic and energy applications.

17:40 INVITED TALK **Light-Printed Chiral Plasmonic Nanorosettes with Electrochemically Modulated Chiroptical Activity***Yingying Cai¹, Jihyo Ha², Nicholas A. Kotov²*¹Leibniz Institut für Polymerforschung Dresden e.V. (Germany), ²University of Michigan (USA)

Circularly polarized light enables scalable chirality printing, yet parameter control is limited. We use gold nanoparticles to mediate silver photoreduction into chiral nanorosettes on substrate, independently tuning size and particle areal density. Subsequent electrodeposition of semiconductive copper oxide enables continuous tuning of chiroptical bands from visible to near-infrared region.

18:00 INVITED TALK **Near-Field Coupling in Plasmonic Nanoarrays: Tailoring Radiative and Non-Radiative Losses Through Gap Engineering***Benedict Morris, Bruno Palpant*

Université Paris-Saclay (France)

Absorption losses in plasmonic nanoparticles limit their performance in many optical and photonic applications by dissipating energy as heat and damping resonance strength. Using finite-difference time-domain simulations (FDTD), we demonstrate that near-field coupling in dense, periodic nanoparticle arrays can significantly mitigate these losses.

18:20 INVITED TALK **Single plasmon transport in 1D nanowire***G rard Colas des Francs*

Universit  Bourgozne Europe (France)

Waveguide quantum electrodynamics (wQED) explores the interaction between emitters and guided modes in e.g. optical nanofibers and plasmonic nanowires. We develop a dedicated formalism that naturally introduces coupling constant into a non Hermitian effective Hamiltonian. This facilitates the physical interpretation of plasmon transport including the role of propagation losses.

3-O41 | Room 4050A | 16:40 - 17:50

SYM3: Advanced passive and active metasurfaces and zero-index materials*Organized by: Howard Lee, Pin Chieh Wu, Wen-Hui (Sophia) Cheng**Chaired by: Howard Lee, Pin Chieh Wu, Wen-Hui (Sophia) Cheng*

16:40

INVITED TALK

Novel Metaphotonic Structures for Enhanced Light-matter Interaction*Seyed Enjavi, Reza Marzban, Ashkan Zandi, Amin Khavasi, Saeed Javadizadeh, Hamed Abiri, Abhirupa Saha, Ali Adibi*

Georgia Tech (USA)

This talk is focused on using on-chip metaphotonic elements to enable a series of new integrated photonic structures that enhance light-matter interaction. It is shown that optimally designed metaphotonic elements increase the intensity and shape the wavefront of optical field at the interaction region to enhance light-matter interaction.

17:00

INVITED TALK

Xingjie Ni

The Pennsylvania State University (USA)

17:20

Graphene-based Active Metasurface for Mid-IR Transmission Modulation*Jinseok Kong, Heonhak Ha, Junhyung Kim, Jiwon Kang, Min Seok Jang*

Korea Advanced Institute of Science and Technology (Korea)

We report a graphene-based active metasurface achieving a 73.3% transmission modulation efficiency. An analytic circuit model elucidates the resonance mechanism controlled by Fermi levels. This high-efficiency platform overcomes previous limitations, enabling ultra-compact, on-chip spectroscopic systems.

17:35

Experimental demonstration of perfect elastic-wave absorption in non-Hermitian piezoelectric metagratings*Bochen Ren, Bing Li*

Northwestern Polytechnical University (China)

We demonstrate a non-Hermitian piezoelectric metagrating enabling tunable and nearly perfect elastic-wave absorption. By coupling piezoelectric units with external LR circuits and a feedback sensor-actuator loop, the system achieves robust broadband absorption in beams and plates, providing a compact platform for practical non-Hermitian wave control.

3-O42 | Maharry Theatre | 16:40 - 18:20

SP14: Towards chiral and magnetoelectric quantum electrodynamics*Organized by: Eugene Kamenetskii**Chaired by: Eugene Kamenetskii*

16:40

INVITED TALK

Polarizations Underdescribe Vectorial Electromagnetic Waves*Wei Liu*

National University of Defense Technology (China)

We reveal polarizations underdescribe vectorial electromagnetic waves and a complementary perspective of instantaneously field vectors is indispensable. With a joint perspective of polarization fields and instantaneous vector fields, we discover: radiation patterns without dark directions of zero radiation must have both points of circular polarizations and lines of linear polarizations.

17:00

INVITED TALK

Theoretical prediction and experimental testing of photon emission directionality in spontaneous and stimulated emission*Valerica Raicu, Michael Stoneman*

University of Wisconsin-Milwaukee (USA)

A mathematical framework for quantization of the electromagnetic fields emitted by single dipole radiators is presented. The theory predicts directionality of photon emission probability and light-induced electromagnetic wave collapse, which will be tested using an experimental setup currently under development.

17:20

INVITED TALK

Landau polaritons and cavity-driven attractive interactions in single and bilayer graphene*Giacomo Scalari, Elsa Jöchl, Felix Helmrich, Lucy Hale, Lorenzo Graziotto, Atac Imamoglu, Tobia Nova, Jerome Faist*

ETH Zürich (Switzerland)

We demonstrate ultrastrong coupling between highly subwavelength THz resonators and high quality, HBN encapsulated single and bilayer graphene. The presence of gates allows the study of coupling strength as a function of carrier density and , in the case of bilayer, bandgap tuned in the 0-7 THz range.

17:40

INVITED TALK

MEQED and Bianisotropy*Eugene Kamenetskii*

Ben Gurion University of the Negev (Israel)

Near field bianisotropy is associated with violations of P and T symmetry and the problem of cross polarization coupling energy - ME energy. The quantum behavior of bianisotropic metamaterials arises from quantum effects in ME meta atoms. These fundamental challenges lead to the development of ME quantum electrodynamics (MEQED).

18:00

INVITED TALK

Quantum Noise Spectroscopy of Chiral Quantum States*Benjamin Lawrie*

Oak Ridge National Laboratory (USA)

We explore critical dynamics in the presence of competing ferromagnetic and antiferromagnetic interactions with all-optical spin-based quantum sensing protocols in variable temperature and variable magnetic-field environments.

3-O43 | Room 3051 | 16:40 - 18:00

SYM5: Phononics and acoustic metamaterials*Organized by: Marco Miniaci, Jensen Li, Jean-Philippe Groby, Vincent Pagneux, Noé Jiménez**Chaired by: Marco Miniaci, Jensen Li, Jean-Philippe Groby, Vincent Pagneux, Noé Jiménez***16:40 INVITED TALK Localization and antilocalization of sound in a phononic crystal with symmetric disorder***Jose Sanchez-Dehesa¹, Francisco Cervera¹, Martin Ibarias¹, Dmitrii Shymkiv², Arkadii Krokhin²*¹Universitat Politècnica de Valencia (Spain), ²University of North Texas (USA)

The set of eigenstates is numerically calculated for a disordered phononic crystal with an axis of mirror symmetry. The states are well localized due to strong disorder in orientation of asymmetric scatterers. However, mirror symmetry allows either symmetric or antisymmetric solutions that leads to two localized peaks for each eigenstate.

17:00 INVITED TALK Elastic Willis Metamaterials: Parameter Characterization and Wave Matching Application*Joo Hwan Oh*

Seoul National University (South Korea)

This paper presents complementary studies on elastic Willis metamaterials. First, a parameter retrieval method considering mode coupling in elastic solids is proposed for analyzing complex elastic Willis metamaterials. The proposed method can characterize arbitrary Willis metamaterials with mode conversion. Then, wave matching application with Willis metamaterials is introduced.

17:20 INVITED TALK Eigenmode steering with time-varying acoustic metamaterials*Wai Chun Wong, Gregory Chaplain, Jensen Li*

University of Exeter (United Kingdom)

We introduce a spatiotemporal gain-loss framework for eigenmode steering in coupled acoustic resonators. Cross-coupled feedback conserves total energy while directing the system toward selected modal states. Temporal modulation enables programmable transitions and energy routing, offering a route to reconfigurable metamaterials and analog information processing.

17:40 INVITED TALK Self-Organized Multimode Phonon Lasing in a Silicon Optomechanical Nanobeam*David Alonso Tomás¹, Daniel Navarro-Urrios²*¹Universitat de Barcelona (Spain), ²University of Barcelona (Spain)

We report self-organized multimode phonon lasing in a silicon optomechanical nanobeam driven by intrinsic optical self-pulsing. Strongly competing mechanical modes are simultaneously amplified without external modulation, producing periodic, quasi-periodic, and chaotic dynamics. The results establish self-induced coherent pumping as a compact route toward integrated multi-frequency phononic sources.

3-O44 | Room 3071 | 16:40 - 18:50

SP23: Nanoscale Phononics : Energy Transport, Light-Matter Coupling, and Emerging ApplicationsOrganized by: *Jérémie Margueritat and Aurélien Crut*Chaired by: *Jérémie Margueritat and Aurélien Crut***16:40 INVITED TALK Plasmon-Enhanced Brillouin Light Scattering Investigations of Acoustoplasmonic Metasurfaces***Thomas Vasileiadis*

Adam Mickiewicz University (Poland)

Acoustoplasmonic metasurfaces (APMs) combine plasmonic and phononic resonances to enhance optomechanical interactions. This talk will present APMs offering plasmon-enhanced Brillouin light scattering (BLS) and optomechanics for propagating surface acoustic waves. Plasmon-enhanced BLS can result from plasmonic coupling between adjacent nanostructures or colocalization of plasmonic and acoustic fields on nanostructured surfaces.

17:00 INVITED TALK Nanostructuring for Ultra-High Frequency Acoustic Wave Emission and Detection using Femtosecond Laser Pulses*Arnaud Devos*

IEMN CNRS (France)

Picosecond acoustics uses ultrafast lasers to generate and detect ultra-high-frequency acoustic waves, which are ideal for thin-film characterization, but is inherently limited to longitudinal modes. To overcome this limitation, we have developed two distinct nano-structuring approaches that enable transverse wave generation, along with adapted optical detection schemes.

17:20 INVITED TALK Thermal Metamaterial Design for Phonon Heat Management at Low Temperature*Boris Brisuda¹, Jon Canosa Diaz², Thierry Crozes¹, Jean-François Robillard², Olivier Bourgeois¹*¹Institut NEEL - CNRS (France), ²IEMN (France)

This study explores nanoscale phonon (heat) flux control-critical for quantum tech and thermal management. Using a nanostructured SiN ribbon with staggered triangles, we demonstrated thermal rectification at 900 mK; the heat flow being favored toward triangle tips which seems to be related to ballistic phonon flow in anisotropic structures.

17:40 INVITED TALK Acoustic Phonons, Vibronic Coupling, and Room-Temperature Super-Radiance in Engineered, Icosahedral Virus Capsids*Bogdan Dragnea*

Indiana University (USA)

Dye-decorated icosahedral viruses spontaneously synchronize after pulsed excitation, producing a super-radiant burst at room temperature. The underlying mechanisms enabling super-radiance at room temperature-despite the presence of collisional dephasing and inhomogeneous broadening remain unresolved. Experimental insights from time-resolved spectroscopy, suggest a vibronic coupling model and key design parameters for future applications.

18:00 INVITED TALK Approaching Ultimate Quality Factors in Nanomechanical Resonators Made of Silicon Carbide*Eva Weig*

Technical University of Munich (Germany)

Silicon carbide (SiC) is an outstanding platform for high-quality nanomechanical resonators, combining intrinsic material quality with the possibility of dissipation dilution engineering. We compare resonators made of 4H-SiC and 3C-SiC, demonstrating routes to ultrahigh Q-factors, suitable for spin-mechanics and spin-cavity optomechanics applications.

18:20

SAW guiding with a weakly bonded layer*Maroun Abi Ghanem*

Universite Claude Bernard Lyon 1 (France)

We demonstrate adhesion-driven guiding of 100MHz surface acoustic waves (SAWs) using weakly bonded biobased films on gold substrates. Laser ultrasonics reveal tunable phononic bandgaps and thermally “written” SAW channels, achieving lateral confinement over $600\mu\text{m}$. This approach enables simple, reconfigurable, and sustainable SAW waveguides.

18:35

Non-Diffusive Nanoscale Phonon Heat Transport in 2D Materials*Sebin Varghese¹, Jordi Tur Prats², Albert Beardo², Francesc Xavier Alvarez², Klaas-Jan Tielrooij¹*¹Eindhoven University of Technology (The Netherlands), ²Autonomous University of Barcelona (Spain)

Heat transport at the nanoscale and in nanoscale materials can differ from conventional, diffusive heat transport. Here we use spatiotemporal microscopy to follow heat in space and time and observe highly viscous heat transport in two-dimensional semiconductors toward the monolayer limit, which we attribute to combined hydrodynamic and thermoelastic effects.

3–O45 | Room 5025 | 16:40 - 17:55

GEN31: Photonic Crystals and Electromagnetic Bandgap Structures

16:40

Field Localization and Gap Soliton Formation in Dispersion Dependent Photonic Gaps in Photonic Hypercrystals*Munazza Zulfiqar Ali*

University of the Punjab (Pakistan)

Photonic Hypercrystals manifest the combination of properties exhibited by hyperbolic metamaterials and photonic hypercrystals. The red shifted, blue shifted and plasmon polariton gaps appear in different frequency regions due to the type of dispersion offered by hyperbolic metamaterial. Gap soliton formation and field localization inside these gaps is explored here.

16:55

Emergence of Rashba Spin-Orbit Coupling in Staggered-Gyromagnetic Photonic Crystals*Yao-Ting Wang¹, Wenlong Gao², Hua-Shin Lin¹*¹National Sun Yat-sen University (Taiwan), ²Eastern Institute of Technology (China)

We report the Rashba spin-orbit coupling in a staggered-gyromagnetic photonic crystal with a modified honeycomb lattice. We confirm the emergence of a Rashba band structure and helical spin textures. Through both simulation and k-p theory. A positive-negative refraction through this structure has also been demonstrated.

17:10

Plasmon-Enhanced Energy Localization and Charge Acceleration in Nanoantenna-Doped Media under Femtosecond Laser Irradiation*Konstantin Zsukovszki*

Wigner Research Centre for Physics (Hungary)

We investigate laser-driven energy localization and ion acceleration in hydrogen-rich dense media doped with resonant dipole, crossed and 3D gold nanoantennas using EPOCH simulations. Antenna geometry strongly governs plasmon lifetime, near-field enhancement, ionisation and charge acceleration. Optimized multi-element antennas identified for longer resonances and high proton energy at 10^1 W/cm^2 .

17:25

Perovskite Anti-Resonant Reflection Optical Waveguide Fibre*Christian Johnson-Richards, Luke Cording, Noel Healy*

Newcastle University (United Kingdom)

The use of meta-structures in fibre waveguides has allowed for designs that can improve light-matter interaction. In this work we present numerical characterisation of a perovskite ARROW fibre based on a commercially available fused silica template. It is shown to operate close to telecoms wavelengths and support low transmission loss.

17:40

Duanduan Wan

Wuhan University (China)

3-O46 | Room 3126 | 16:40 - 18:40

SYM2: New trends in nanophotonics and advanced materials*Organized by: Junsuk Rho, Hakjoo Lee, Namkyoo Park, Seong Ok Han**Chaired by: Junsuk Rho, Hakjoo Lee, Namkyoo Park, Seong Ok Han*

16:40

INVITED TALK

Limited Size Object Microscopy - Smaller Objects, Higher Resolution*Giorgio Adamo¹, Taeyong Chang², Eng Alk Chan², Nikolay I. Zheludev¹*¹University of Southampton (United Kingdom), ²Nanyang Technological University (Singapore)

We show that the sole knowledge of an object's limited size allows to achieve far-field label-free resolution beyond the Abbe-Rayleigh diffraction limit: higher resolution is achieved for smaller objects. We experimentally image subwavelength-size nanoparticles with $\lambda/8$ resolution. Furthermore, by adopting a physics-consistent learning model we can increase resolution to $\lambda/13$.

17:00

INVITED TALK

All-optical Differentiators by Dielectric Metasurfaces*Cheng Zhang*

Huazhong University of Science and Technology (China)

I will present a new type of all-optical differentiators based on dielectric metasurfaces, which is designed through point spread function engineering and performs differential operations over target objects in direct-imaging mode.

17:20

INVITED TALK

Spectral Design of Disordered Photonic Metamaterials*Aaron Shih¹, Mathias Caciulis², Stefano Martinian², Frank Scheffold¹*¹University of Fribourg (Switzerland), ²New York University (USA)

We create disordered structures exhibiting specific spectral features, from stealthy hyperuniformity to completely new structures, "gyromorphs", that exhibit rotational order alongside translational disorder. We evaluate their optical properties using a coupled dipoles method and show how specific optical responses may be reached by optimizing for features in the structure factor.

17:40

INVITED TALK

Wave Localisation in Aperiodic and Correlated Disorder Photonic Structures*Marian Florescu, Alex Meek, Kriss Stokkerei*

University of Southampton (United Kingdom)

We study electromagnetic wave transport and localisation in aperiodic and correlated disordered structures in one and two dimensions. Ensemble simulations show that correlated disorder tunes transparency, localisation, and band gap formation. A minimum spacing constraint stabilises short range structure and enables controlled localisation

18:00 INVITED TALK Bulk-radiation Correspondence in Radiative Photonic Lattices*Xinyi Yuan¹, Grazia Salerno²*¹Aalto University (Finland), ²Universita di Pisa (Italy)

We develop a non-Hermitian model to describe the guided and leaky modes of photonic crystal slabs. We investigate the concept of bulk-radiation correspondence in the vicinity of the high symmetry points. The results show that the comparability is not universal and completely breaks down around bound states in the continuum.

18:20 INVITED TALK Imaging-based, time-resolved detection of rare microparticles in continuous flow*Raphael Hauer¹, Christian Hill², Ulrich Hohenester³*¹Universität Graz (Austria), ²BRAVE Analytics GmbH (Austria), ³University of Graz (Austria)

We introduce an imaging-based microfluidic sensor for continuous, time-resolved detection and sizing of rare microparticles in flow. Incoherent illumination and an imaging geometry ensuring full-volume focus yield sharp transit images. Automated subtraction, tracking and flow-normalized counting provide calibration-free concentrations and size distributions, enabling real-time monitoring of distribution tails dynamically.

3-O47 | Room 4050B | 16:40 - 18:35

SP12: Plasmonics and Nanophotonics: Fundamentals and Applications*Organized by: Hong Wei**Chaired by: Hong Wei***16:40 INVITED TALK Universal detection of layer-breathing modes in two-dimensional materials enabled by plasmonic nanocavity***Miao-Ling Lin, Heng Wu, Ping-Heng Tan*

Institute of Semiconductors-CAS (China)

We demonstrate a universal plasmon-enhanced Raman spectroscopy strategy using gold/silver nanocavities to detect layer-breathing modes in multilayer graphene, hBN, and their heterostructures. By developing an electric-field-modulated interlayer bond polarizability model, we quantitatively explain the observed intensity profiles with synergistic roles of localized plasmonic field enhancement and interfacial polarizability modulation.

17:00 INVITED TALK Graphene Plasmon-Enhanced Infrared Sensing in Aqueous Environments*Xiaoxia Yang*

National Center for Nanoscience and Technology (China)

Tunable graphene plasmon-enhanced infrared spectroscopy enables ultrasensitive detection of nanoscale biomolecules in aqueous environments by suppressing water background and achieving strong field confinement, allowing in situ probing of molecular fingerprints and dynamic processes.

17:20 INVITED TALK Deep-Subwavelength Mode Manipulation in Spoof Localized Surface Plasmons*Xuanru Zhang*

Southeast University (China)

This talk presents deep-subwavelength mode manipulation using spoof localized surface plasmon (SLSP) resonators in both PCB and CMOS technologies. We will discuss an on-chip skyrmion oscillator in $\lambda_0/865$, and SLSP sensors and sensing systems with enhanced sensitivity. These advances enable ultra-compact, high-sensitivity integrated circuits for biomedical sensing applications.

17:40

Quantum Quasinormal Mode Theory for Spatio-Temporally Resolved Magnetodielectric Cavity Quantum Electrodynamics*Lars Meschede¹, Daniel D. A. Clarke², Ortwin Hess²*¹Trinity College Dublin (Ireland), ²The University of Dublin (Ireland)

The rapidly evolving ability to harness quantum effects in various cavity quantum electrodynamics (cQED) architectures demands a rigorous theory for the investigation of inherently non-Hermitian systems. We present a quasinormal mode quantization scheme for electromagnetic resonators and demonstrate its capabilities for spatio-temporal studies and characterization of non-trivial cQED systems.

17:55

INVITED TALK

Transition Metal-CO Bond: sigma-bonding or pi-bonding?*Zhen-Chao Dong*

University of Science and Technology of China (China)

By exploiting sub-nanometer resolved tip enhanced Raman spectroscopy (TERS), we identify the bonding type between transition metal (M) and CO molecule (namely, s-donation or p-back donation) at the single-bond level through vibrational Stark effects under an external electric field, an issue theoretically well understood but experimentally very hard to achieve.

18:15

INVITED TALK

Twisted Moiré Photonic Superlattice Lasers*Jun Guan*

The Chinese University of Hong Kong (China)

We demonstrate how moiré photonic superlattices, where two periodic photonic lattices are overlaid with a twist angle, provide a powerful platform to manipulate light-matter interactions. By designing moiré superlattice cavities, we achieved laser beam steering from compact devices.

3-O48 | McNabb Theatre | 16:40 - 17:40

Tutorial

16:40

Chiro-Optical Microscopy - Near-Field and Far-Field*Hiromi Okamoto*

Institute for Molecular Science (Japan)

Chiro-optical microscopy enables spatially resolved analysis of material chirality. This tutorial reviews near-field and far-field chiro-optical microscopic techniques, including aperture-type methods, photoinduced force microscopy, and high-precision CD imaging, and summarizes their applications to nano- and micro-scale chiral materials.

3-O49 | McNabb Theatre | 17:40 - 18:40

SYM2: New trends in nanophotonics and advanced materials*Organized by: Junsuk Rho, Hakjoo Lee, Namkyoo Park, Seong Ok Han**Chaired by: Junsuk Rho, Hakjoo Lee, Namkyoo Park, Seong Ok Han*

17:40

INVITED TALK

Magnonic Waveguide Networks for Spin-wave Computing*Rudolf Bratschitsch*

University of Münster (Germany)

We demonstrate a maskless approach for fabricating spin-wave waveguides using focused silicon ion implantation. Using spatially resolved Faraday rotation microscopy, we directly image spin-wave propagation and extract dispersion relations, decay lengths, and mode profiles. To demonstrate scalability, we fabricate a large spin-wave network, paving the way for magnonic integrated circuits.

18:00 **INVITED TALK** **Machine Learning for Inverse Design***Philippe Tassin*

Chalmers University of Technology (Sweden)

I will present an overview of our work on using machine learning for inverse design in nanophotonics, with emphasis on free-form inverse design, the use of machine learning in inverse design, physics-informed neural networks, and adaptive metamaterials.

18:20 **INVITED TALK** **Wave-Based Photonic Computing: From Complexity-Driven Reservoirs to Engineered Phase Encoding***Gerard McCaul¹, Girish Tripathy¹, Luana Olivieri¹, Giulia Marcucci², Juan Sebastian Toterogongora¹*¹Loughborough University (United Kingdom), ²LumiAlres Ltd (United Kingdom)

We present a unified framework for optimising photonic reservoir computing, combining nonlinear substrates and engineered encoding layers. Using gain-controlled multimode fibres, we identify structural complexity as a task-independent design metric. Complementarily, we demonstrate that deliberate phase wrapping beyond $[0, 2\pi)$ dramatically enhances expressivity via synthetic Fourier mode generation and mixing.

Conference Dinner

20:00 - 23:00

4

Friday, July 17, 2026

4-O1 | Room 4050B | 08:30 - 10:05

SYM2: New trends in nanophotonics and advanced materials*Organized by: Junsuk Rho, Hakjoo Lee, Namkyoo Park, Seong Ok Han**Chaired by: Junsuk Rho, Hakjoo Lee, Namkyoo Park, Seong Ok Han*

08:30

INVITED TALK

Willie Padilla

Duke University (USA)

08:50

INVITED TALK

Coherent Thermal Wavefront Manipulation Using Hierarchical Metasurfaces*Yungui Ma*

Hangzhou City (China)

Although thermophotonic advances enable directional thermal emission, arbitrary wavefront control remains elusive. Here, we present a general meta-emitter design with lossy and lossless boundaries coupled via single-mode waveguides, converting incoherent thermal emission into coherent surface waves for tailored wavefront shaping.

09:10

INVITED TALK

Progress in the development of efficient Quantum Dot based room temperature THz sources*Edik Rafailov*

Aston University (United Kingdom)

Quantum-dot semiconductor structures are emerging as promising materials for compact THz sources due to their broadband gain and ultrafast carrier dynamics. We demonstrate enhanced CW and pulsed THz emission using nanoantenna-integrated photoconductive antennas, enabling efficient room-temperature operation and positioning QD-based devices for next-generation THz applications.

09:30

INVITED TALK

Single-shot polarization-resolved microscopy of nanomaterials*Julien Flamant¹, Nathan Ullberg², Baptiste Marthy², Khosro Kamali³, Patrick Ferrand², Mikael Käll³, Guillaume Baffou⁴*¹Universite de Lorraine (France), ²Aix Marseille University (France), ³Chalmers University (Sweden), ⁴Université de Lorraine (France)

We introduce an optical microscopy approach capable of retrieving the complex vectorial electromagnetic field at the image plane (that is, intensity, phase, and polarization of light) in a single acquisition. The method combines a polarization-sensitive camera with a two-dimensional diffraction grating (cross-grating) placed in close proximity to the image sensor.

09:50

Multifunctional Optical Metasurfaces and Their On-Chip Integration*Bo Xiong, Minjun Xie*

Zhejiang University (China)

Using dielectric deflective metasurfaces, we propose a novel out-of-plane modulation scheme. The metasurface is used to deflect vertical incident light to an oblique angle. This deflection introduces a lateral wave vector component. Overall, the integration of the metasurface and subwavelength grating enables a new vertical coupling scheme with high efficiency.

4-O2 | Room 5052 | 08:30 - 09:50

SYM2: New trends in nanophotonics and advanced materialsOrganized by: *Junsuk Rho, Hakjoo Lee, Namkyoo Park, Seong Ok Han*Chaired by: *Junsuk Rho, Hakjoo Lee, Namkyoo Park, Seong Ok Han*

08:30

INVITED TALK

Photonic Inverse Design using differentiable electromagnetic solver for CMOS image sensors and Photonic Integrated Circuits*Hyun Sung Park, Jaekwan Kim, Subeom Song, Junho Lee, Yongseob Yun, Sungmo Ahn, Choonlae Cho, Sooyeon Lee, Sookyong Roh, Seokho Yun*

Samsung Electronics Co., Ltd. (Korea)

We implement differentiable electromagnetic solvers for gradient-based inverse design of various optical systems. The differentiable eigenmode expansion solver is applied to photonic integrated circuits, and the differentiable RCWA solver to metasurfaces for mobile image sensors. Analytic derivatives combined with automatic differentiation enable fast and accurate large-scale optimization.

08:50

INVITED TALK

On-chip Integrated Intelligent Photonic Computing*Kun Liao*

Peking University (China)

We report advances in photonic neural networks that broaden functionality, increase computational complexity, and improve system-level integration for practical intelligent photonic computing, paving the way toward highly integrated and scalable next-generation intelligent photonic computing chips.

09:10

INVITED TALK

Localization and diffusive transport in photonic correlated disorder materials*Nicoletta Granchi¹, Gabriele Calusi¹, Kris Stokkerei², Matteo Lodde³, Camilla Gonzini¹, Andrea Fiore³, Marian Florescu⁴, Francesca Intonti¹*¹University of Florence (Italy), ²University of Surrey (United Kingdom), ³Eindhoven University of Technology (The Netherlands),⁴University of Southampton (United Kingdom)

We investigate a special class of disordered photonic heterostructures, hyperuniform disordered (HuD) photonic structures, that allows to deterministically tailor Anderson localization and diffusive transport.

09:30

INVITED TALK

Optofluidic Metasurfaces for Ultrasensitive Biosensing*Hao Wang¹, Mahmoud Elsawy², Arash Nemat¹, Nanzhong Deng¹, Yue Xiao¹, Ashish Pandey¹, Gregory Roberts¹, Stephane Lanter², Haogang Cai¹*¹New York University Grossman School of Medicine (USA), ²New York University (USA)

Optical metasurface-based biosensors integrated with microfluidics represent a key platform technology for biosensing and diagnostics. Here, we present two novel meta-sensors for ultrasensitive, real-time biosensing in the visible spectrum: a q-BIC high-Q dielectric metasurface fabricated by electron beam lithography, and a scalable plasmonic metasurface fabricated by high-throughput nanosphere lithography.

4–O3 | Room 4047 | 08:30 - 10:10

SYM4: Chirality, magnetism, and magnetoelectricity: Separate phenomena and joint effects in metamaterial structures

Organized by: Eugene Kamenetskii

Chaired by: Eugene Kamenetskii

08:30 INVITED TALK Microscopic Hopfield Theory of Hyperbolic Phonon Polaritons in Layered Materials

Yu Zhang

Los Alamos National Laboratory (USA)

Hyperbolic phonon polaritons in biaxial van der Waals crystals (e.g., α -MoO₃) are extremely confined and anisotropic, yet usually modeled with fitted Lorentz permittivities. We present a gauge-consistent microscopic Hopfield theory linking DFPT lattice inputs to LO–TO splitting, dielectric response, slab dispersion, and twist-controlled inter-slab hybridization via Green-function coupling.

08:50 INVITED TALK Photoelectron chiral dichroism from tailored light: symmetry and helicity

Ofer Neufeld

Technion Israel Institute of Technology (Israel)

Symmetry plays a key role in light-matter interactions, including in chiral systems. Still, a group theory for photoelectron chiral dichroism (PECD) has not been developed prior. Here I will present the first such theory, also leading to novel selection rules in PECD from tailored-light, and PECD geometries without helical driving

09:10 INVITED TALK Evaluating Surface-Enhanced Chiroptical Spectroscopy on Nanostructured Aluminum Substrates in the Deep-UV

Bjoern Reinhard

Boston University (USA)

Scalable fabrication of aluminum nanostructures with tunable resonances in the UV provides opportunities for surface enhanced spectroscopies in which electronic transitions of molecular systems and plasmon resonances overlap. This presentation provides an overview of fabrication strategies and discusses advantages and challenges in applications for chiral molecular sensing.

09:30 INVITED TALK Nonreciprocal Neural Networks for Decoupled Bidirectional Computing via Magneto-Optical SSPP Transmission Lines

Xiaomeng Li, Enzong Wu, Hongsheng Chen, Zuoqia Wang

Zhejiang University (China)

We demonstrate nonreciprocal neural networks inspired by biological directionality, to achieve compact decoupled bidirectional computing. Enhanced magneto-optical effects are leveraged in TE mode spoof surface plasmon polariton (SSPP) transmission lines, providing independent forward global perception and backward localized response. We also discuss how this nonreciprocal framework enables miniaturization and reconfiguration.

09:50 INVITED TALK Spin relaxation near surfaces via gyromagnetic coupling to Rayleigh vorticity bathsMamoru Matsuo¹, Hiroshi Funak², Ryotaro Sano², Ai Yamakage², Tatsuhiko Ikeda²¹University of Chinese Academy of Sciences (China), ²Keio University (Japan)

We study near-surface spin relaxation due to coupling to Rayleigh-wave vorticity set by elastic boundary conditions at a traction-free surface. This gyromagnetic spin-vorticity coupling provides a geometry-dependent channel for low-temperature longitudinal relaxation, distinct from thermally activated two-phonon processes, and shapes transverse coherence through a super-Ohmic vorticity spectrum.

4-O4 | Maharry Theatre | 08:30 - 09:50

SP23: Nanoscale Phononics : Energy Transport, Light-Matter Coupling, and Emerging Applications

Organized by: Jérémie Margueritat and Aurélien Crut

Chaired by: Jérémie Margueritat and Aurélien Crut

08:30 INVITED TALK The optomechanics way to probe a single living cell*Hilario Boggiano, Louis Waquier, Cherif Belacel, Ivan Favero*

Université Paris Cité (France)

Optomechanical sensors offer higher sensitivity and time resolution. Here we open a new window in the measurement of a single living cell. We investigate cell rheology at high frequencies unexplored so far and resolve fluctuating processes in the membrane at the sub-microsecond scale, two decades faster than prior techniques.

08:50 INVITED TALK Surface Acoustic Waves and Spin Waves interaction in iron thin film*Pauline Rovillain¹, Anupam Sharma¹, Florian Millo¹, Louis Christienne¹, Jean-Yves Duquesne¹, Mahmoud Eddrief¹, Franck Fortuna², Laura Thévenard¹, Catherine Gourdon¹, Massimiliano Marangolo¹*¹Sorbonne Université (France), ²Université Paris-Saclay (France)

We investigate surface acoustic wave-induced ferromagnetic resonance in magnetic thin films. By measuring the magnetic-field and angular dependence of Rayleigh SAW velocity variations, extract the magnetoelastic coupling. A non-reciprocal acoustic response is also observed at resonance, highlighting the potential of tunable magnetoelastic devices.

09:10 INVITED TALK Breakdown of phonon confinement in nanoscale membranes, beams, and phononic crystals*Roman Anufriev¹, Michele Diego¹, Sebastian Volz², Masahiro Nomura¹*¹The University of Tokyo (Japan), ²CNRS-IIS UMI (France)

Brillouin light scattering measurements of phonon dispersion in various nanoscale materials show that phonon confinement breaks down when the structure dimensions reach certain limit. Beyond this limit, phonons remain confined in other directions and display the dispersion of a structure with the lower dimension.

09:30 INVITED TALK Anisotropic phonon dynamics at the nanoscale in a nanophononic SiN membrane*Valentina Giordano¹, Silvia Mazzoleni¹, Stéphane Pailhès¹, Filippo Bencivenga²*¹Université Claude Bernard Lyon 1 (France), ²ELETTRA (Italy)

We report the investigation of phonon dynamics in nanophononic membranes with square and rectangular lattices of holes, at phonons wavelengths comparable with the nanostructure lengthscale. We unveil the signature of lattice anisotropy both on phonon energies and lifetimes, and identify its microscopic origin at the light of finite element simulations.

4–05 | Room 5039 | 08:30 - 10:00

SYM6: Advanced Techniques for Computational Electromagnetics*Organized by: Maha Ben Rhouma**Chaired by: Maha Ben Rhouma***08:30****KEYNOTE TALK****Hybrid Techniques for Inverse Design and Knowledge Discovery in Large-scale Multifunctional Nanophotonic Devices***Reza Marzban, Jamshid Hassanpour, Jiu Chang, Hamed Abiri, Ali Adibi*

Georgia Tech (USA)

This talk is focused on a new class of inverse design tools for large-scale nanophotonic structures by combining rigorous gradient-based techniques with machine learning tools. By combining these two classes of design tools, dimensionality of the design space and the computation requirement can be reduced by 2-3 orders of magnitude.

09:00**INVITED TALK****Thin-film lithium niobate channel waveguides: numerical analysis and perturbational modelling***Manfred Hammer, Behnood Taheri, Henna Farheen, Jens Förstner*

Paderborn University (Germany)

The crystal configuration, symmetry, and the onchip orientation affect the modal properties of anisotropic waveguides based on TFLN / LNOI technology. Beyond the direct numerical analysis, the hybridization of guided modes and the related conversion of polarization can be understood, also fully quantitatively, in terms of coupled mode theory.

09:20**INVITED TALK****Unconventional Geometric Phases in Optics***Shubo Wang*

City University of Hong Kong (China)

We present two advances expanding the geometric phase paradigm. We show that the Pancharatnam-Berry phase can arise from the transverse spin of surface waves and enable on-chip wavefront manipulation. Furthermore, we report a new type of geometric phase—the Riemann-Silberstein phase—induced by SU(4) evolution in 4D polarization space.

09:40**INVITED TALK****Adaptive photonics with phase-change materials: multiphysics modelling and design***Dmitry Chigrin*

RWTH Aachen University & AMO GmbH (Germany)

Phase change materials are materials in which phase transitions can be induced rapidly and reversibly, resulting in significant changes in the physical properties of these materials. Here we report on our recent developments towards a multiphysics description of adaptive photonic components based on phase change materials.

4–06 | Room 5025 | 08:30 - 10:10

SP12: Plasmonics and Nanophotonics: Fundamentals and Applications*Organized by: Hong Wei**Chaired by: Hong Wei***08:30****INVITED TALK****Optical imaging based on metasurfaces***Shuming Wang*

Nanjing University (China)

By using the end-to-end method, the real time facial recognition based on transversely dispersive metalens array has been achieved. By employing an inverse-design method, we demonstrate a pixel-level metasurface-based Bayer-type colour router, with the brightness twice as high as that of a commercial camera.

08:50 INVITED TALK Plasmonic Control of Dark Excitons and Valley Coherence in TMDC Monolayers under Ambient Conditions*Lei Shao*

Sun Yat-sen University (China)

We demonstrate the use of plasmonic nanocavities to enable control of dark excitons and valley coherence in monolayer WSe₂ under ambient conditions. With the help of a Au nanodisk-based nanocavity, the dark exciton emission is switched on with 22-fold enhancement and valley coherence is achieved through strong plasmon-exciton coupling.

09:10 INVITED TALK Rational Design and Applications of Intrinsically Chiral Plasmonic Nanoparticles*Xiaolu Zhuo¹, Yilin Chen¹, Shengyan Wang¹, Zhongyi Chen¹, Ruiqian Zhang¹, Jianfang Wang²*¹The Chinese University of Hong Kong (China), ²The Chinese University of Hong Kong (Hong Kong)

We initiated our research with colloidal synthesis of intrinsically chiral plasmonic nanoparticles and explored how they respond to external stimuli, including polymer encapsulation and shell engineering, to modulate their far-field and near-field chiroptical characteristics. Furthermore, we demonstrated their preliminary applications for circularly polarized luminescence, enantioselective sensing, and valleytronic devices.

09:30 INVITED TALK Controllable Self-Assembly of Gold Nanoparticles with Concave Geometries*Limin Qi*

Princeton University (China)

The nanoparticles with concave geometries emerge as unique nanoscale building blocks for the construction of nanoparticle assemblies with novel structures and unique photonic properties. This presentation summarizes our recent work on controllable self-assembly of concave gold nanoparticles, such as supercrystal engineering of gold nanoarrows and chiral self-assembly of gold nanodumbbells.

09:50 INVITED TALK Chiral Plasmonic Nanoparticles*Jianfang Wang*

The Chinese University of Hong Kong (Hong Kong)

Chiral plasmonic Au nanoparticles are synthesized and demonstrated for chiral optical switching, chiral fluorescence emissions, circularly polarized organic light-emitting devices (CP-OLEDs), and photonic spin-Hall effect.

Coffee Break

10:00 - 10:40

4-P1 | Business School Concourse | 10:00 - 10:30

Poster Session VII**P1****Anomalous Reflecting Nonlocal Metasurfaces***Marten Musiol, Liam Shelling Neto, Steffen Sauer, Sebastian Häfner, Stefanie Kroker*

TU Braunschweig (Germany)

This work presents an optimized nonlocal metasurface for anomalous reflection at a wavelength of 1550 nm. Using optimization and Bezier-defined geometries, we achieved 90.92% reflectivity at 38.5°. This approach enables compact, on-chip folded beam paths for gas sensing and enhanced rubidium and cesium isotope analysis by significantly increasing interaction lengths.

P2

Effective Optical Response of Multilayer Thin Films Using a Single-Layer Model for Photonic Applications

Mohammad Al-Kuhaili, Reem Abubaker

King Fahd University of Petroleum and Minerals (Saudi Arabia)

A single-layer model is proposed to extract effective optical constants of multilayer thin films from transmittance spectra. Applied to MoO₃/WO₃ bilayers, the method accurately describes the optical response and shows excellent agreement with effective-medium theory, providing a simple approach for photonic and electromagnetic applications.

P3

Single-photon generation from strongly coupled Au-metasurface-WSe₂ monolayers via photon blockade

Andergachew Berhe¹, Haroldo Hattori¹, Andrey Miroshnichenko²

¹The University of New South Wales (Australia), ²University of New South Wales (Australia)

In this study, we demonstrated the application of quantum nanophotonics, specifically single-photon emission, in a strongly coupled Au plasmonic metasurface and a monolayer of WSe₂ at room temperature. The demonstrated SPE has high purity with an equal-time second-order correlation function, $g(2)(\tau=0) = 0.00035$ at cavity drive = 0.5 meV.

P4

Fabry-Pérot and Friedrich-Wintgen Bound States in the Continuum in a Plasmonic Double T-Cavity

Amina Rezzouk¹, Soufyane Khattou¹, Madiha Amrani¹, Adhane Noual¹, E. H. El Boudouti¹, Bahram Djafari-Rouhan²

¹Université Mohammed I (Morocco), ²Université de Lille (Morocco)

We demonstrate the coexistence of twin Friedrich-Wintgen and Fabry-Pérot bound states in the continuum in a plasmonic metal-insulator-metal double T-cavity. Analytical Green's function formalism and finite-element simulations reveal the existence of multi-BICs and their transformation to Fano resonance for sensing and filtering.

P5

Auxetic Materials for Biomimicry: Designing for Tendon-Like Behavior

Riccardo Carlo Moroni, Katarzyna Majewska

Institute of Fluid-Flow Machinery PAS (Poland)

Tendon healing is slow and rarely restores full functionality. Studies show that in the toe region, up to 2% deformation, tendons behave as auxetic materials. This work aims to optimize a 2D re-entrant auxetic cell to replicate tendon Poisson ratio and stiffness for improved biomechanical performance.

P6

Multi-frequency Amplification of Underwater Acoustic Signals

C. W. Park¹, H. J. Lee¹, J. H. Park², W. Choi¹

¹Korea Research Institute of Standards and Science (KRISS) (South Korea), ²University of Science and Technology (UST) (South Korea)

Underwater detection of airborne sound is challenging because acoustic waves significantly attenuate when propagating from air into water. We present a meta-acoustic sensor combining a piezoelectric element and a perforated 3D-printed cavity. Quarter-wave resonance selectively amplifies weak airborne acoustic signals at multiple target frequencies underwater while suppressing background noise.

P7

Flexible Plasmonic Polymeric Membranes Embedding Gold Nanoparticle Clusters for Advanced Biosensing

Federica Granata¹, Maria Laura Coluccio², Francesco Gentile², Giuseppe Coppola³

¹National Research Council-ISASI (Italy), ²University of "Magna Graecia" of Catanzaro (Italy), ³Institute of Applied Science and Intelligent System - CNR (Italy)

A flexible plasmonic substrate was developed through a scalable, low-cost process based on ultrathin PDMS membranes with micropatterned amorphous silicon, enabling stable gold nanoparticle integration and reliable biosensing based on fluorescence microscopy and Raman spectroscopy.

P8

Temporal Coupled Mode Theory for a Single Floquet-Sheet Resonator

Yao-Ting Wang, Hsu-Hui Chou

National Sun Yat-sen University (Taiwan)

We develop a Temporal Coupled-Mode Theory specifically tailored for a single Floquet-sheet resonator. Our model explicitly captures the resonant coupling between the 0th-order channel and the -1st-order channel. The theory remains robust even when intrinsic material loss is incorporated. This framework offers a platform for designing time-varying photonic interfaces.

P9

Photonic Fiber Bragg Grating Sensor Network for Detection and Micro-Doppler Characterization of Small UAVs

Rodions Marstupa¹, Aleksandrs Olins¹, Mykola Khobzei¹, Vladyslav Tkach¹, Serhii Haliuk¹, Sandis Migla¹, Toms Salgals¹, Vjaceslavs Bobrovs¹, Dmytro Vovchuk²

¹Riga Technical University (Latvia), ²Tel Aviv University (Israel)

This work presents a fiber Bragg grating sensor network for detection and motion analysis of low-slow-small unmanned aerial vehicles. Spatiotemporal responses of distributed sensors are processed using STFT and FFT to identify drone trajectories and extract propeller micro-Doppler signatures. Experiments demonstrate reliable detection and estimation of rotor rotation characteristics.

P10

Beam Steering in the Sub-Terahertz Band Using a Microbridge-Array Based Reconfigurable Intelligent Surface

Steffen Klingel, Lars Franke, Marco Rahm

RPTU Kaiserslautern-Landau (Germany)

We present a MEMS-based reconfigurable intelligent surface (RIS) with switchable microbridges for sub-THz beam control. Simulations demonstrate a phase tuning range of 300° at 100GHz with a reflection magnitude over 0.9 and usable bandwidth exceeding 4GHz. A 10x10 unit cell prototype was fabricated, demonstrating the feasibility of our design.

P11

Absorber of Topologically Structured Light

Luka Vignjevic, Eric Plum, Nikitas Papasimakis, Nikolay Zheludev

University of Southampton (United Kingdom)

We report on an absorption-based detector selective to the topological spatial structure of light, where a radially polarized beam or toroidal electromagnetic pulse is fully absorbed, while plane waves of any polarization are rejected.

P12

Thermal Control of Q-factor in Terahertz quasi-BIC Metasurfaces via Lanthanum M-type Hexaferrites*Rohith K. M.¹, Suchandra Biswas¹, Bhairav Kumar Bhowmik², Pamu Dobbidi¹, Gagan Kumar¹*¹Indian Institute of Technology Guwahati (India), ²Tampere University (Finland)

We report a novel Lanthanum M-type hexaferrite exhibiting thermally tunable terahertz dielectric properties to actively control the Q-factor of a narrow resonance in quasi bound-state-in-continuum metasurface. A 46.8% change in Qfactor can be achieved for a temperature variation of 119 K in simulation using the experimental data of the material.

P13

Design and modeling of plasmonic nanostructures for SPR based sensing in UV-B spectral region*Vaibhav Chaturvedi, Mohd Asif, Anuj Dhawan*

Indian Institute of Technology (IIT) Delhi (India)

Simulations of plasmonic nanostructures for SPR based sensing were carried out such that the plasmon resonances were in the UV-B spectral region. The structures contained patterned nanohole arrays in an aluminum thin film. Shifts in plasmon resonance wavelengths were observed on changing the refractive index materials or biolayers.

P14

Optical Magnetic-Field-Gated Criticality in Photon Avalanching Quantum Processes*Benoît Reynier¹, Natalie Fardian-Melamed², Eric Charron³, Filippo Calavaro³, Bleuenn Belz³, Artiom Skripka⁴, Sébastien Bidault⁵, Emory Chan⁴, P. James Schuck², Mathieu Mivelle³*¹Sorbonne Université (Switzerland), ²Columbia University (USA), ³Sorbonne Université (France), ⁴Lawrence Berkeley National Laboratory (USA), ⁵ESPCI Paris (France)

We demonstrate active control of photon avalanching in thulium-doped nanoparticles by engineering the optical magnetic field within a nanocavity. Using near-field positioning, we decouple avalanche threshold from cooperativity, reversibly tuning the nonlinearity from 15 to 62, establishing the optical magnetic field as a decisive control parameter for collective photonic criticality.

P15

Single-metasurface-enabled binocular vision for 4D imaging*Xuanyu Wu, Peng Li*

Northwestern Polytechnical University (China)

Inspired by binocular vision, we propose a metasurface for single-shot four-dimensional imaging. Using polarization multiplexing and Airy beams, spin-decoupled point spread functions generate disparity-like images correlated with depth. Combined with reconstruction algorithms, the system simultaneously retrieves three-dimensional structure and polarization information within a compact imaging platform.

P16

TMOKE Enhancement via Hybrid Fabry-Perot-Plasmonic Modes in Magnetoplasmonic Multilayers*Elkin Sepúlveda¹, Edgar J. Patino¹, Mario Zapata²*¹University of Los Andes (Colombia), ²Donostia International Physics Center (Spain)

We demonstrate enhanced transverse magneto-optical Kerr effect (TMOKE) in magnetoplasmonic multilayers via hybrid Fabry-Perot-plasmonic modes. Coupling evanescent plasmonic fields with propagating cavity resonances enables co-localized field enhancement within the magneto-active layer. Tuned multilayer heterostructures exhibit stronger TMOKE than single-mode designs, confirmed by modeling, simulations, and experiments.

P17

Assessing Monolithic and Thin-Film Silicon Metasurfaces for Ultrafast Pulse Applications*Klaudijus Midveris, Gvidas Klyvis, Erika Jonaitytė, Tomas Klinavičius, Andrius Žutautas, Mindaugas Juodėnas*

Kaunas University of Technology (Lithuania)

This study evaluates crystalline and amorphous silicon metasurfaces as compact optics for ultrafast lasers. Using a 1030 nm, 270 fs laser, both platforms demonstrated over 90% spatial shaping efficiency and near-zero temporal dispersion, preserving pulse duration. Although moderate damage thresholds limit high-fluence use, this proves their relevance for low-power applications.

P18

The Topography Makes the Potential: A Covariant Wave Equation for Surface Plasmon Polaritons on Arbitrary Weakly Curved Interfaces*Florian Bönsel, Flore K. Kunst*

Max-Planck-Institute for the Science of Light (Germany)

Surface plasmon polaritons on weakly curved metal-dielectric interfaces acquire curvature-induced dynamics absent on flat surfaces. We derive an intrinsic surface Helmholtz equation by reducing Maxwell's equations with curvature-corrected boundary conditions. The resulting geometric potential enables eigenmode, spectral, and scattering analysis on arbitrary smooth manifolds and structured curved lattice-like landscapes.

P19

Interference Induced Complex Nonlinearities in Metal-ITO Metasurfaces*Christopher Stevens¹, Matthew Klein¹, Ashley Luo¹, Dennis Walker¹, Joshua Hendrickson², Ivan Avrutsky³, Shivashankar Vangala², Maxim Sukharev⁴*¹KBR (USA), ²Air Force Research Laboratory (USA), ³Wayne State University (USA), ⁴Arizona State University (USA)

We show that Lorentz-dispersive nonlinearities are essential to describe the second- and third-harmonic responses from a metal-ITO metasurface with high fidelity. Details of a nonlinear-oscillator model that yields closed form angular dependences for second- and third-harmonic generation to describe the experimentally measured angular resolved spectra are presented.

P20

Observation of enhanced trap state emission from perovskite nanocrystals in plasmonic nanocavities*MohammadReza Aghdaee, Mathis van de Voorde, Gobert Heesink, Rebecca Saive, Oluwafemi S. Ojambati*

University of Twente (The Netherlands)

Plasmonic nanocavities create extreme electromagnetic environments that can reshape emission pathways in semiconductors. Here, we show that CsPbCl₃:Yb³⁺ perovskite nanocrystals embedded in plasmonic nanocavities exhibit trap-state emission that is absent in nanocrystals outside nanocavity. Time-resolved measurements reveal nanosecond-scale lifetimes, indicating the efficient activation of radiative channels under strong plasmonic confinement.

P21

Mixing Lateral Casimir Forces: Rotating Particle Above a Moving Surface*Stéphane Azar, Francisco J. Rodríguez-Fortuño*

King's College London (United Kingdom)

We study the lateral Casimir force experienced by a particle rotating above a planar surface in uniform motion. Working with fluctuational electrodynamics, we investigated the conditions under which the total lateral Casimir force vanishes under different regimes and analysed to what extent it mimics a classical wheel rolling.

P22

Fast Computation of Hot-Spot-Enhanced Hot-Carrier Generation in Plasmonic Nanoclusters*Pablo M. Uribe-Pizarro¹, Alan McGaughey², Francisco Ramirez-Cuevas³*¹Adolfo Ibañez University (Chile), ²Carnegie Mellon University (USA), ³Universidad Adolfo Ibañez (Chile)

Plasmon-induced photochemistry exploits metallic nanostructures to concentrate light into localized electromagnetic energy, enabling new photochemical pathways. Hot-carrier generation is inherent to plasmonic nanoparticles and enhanced by morphology, and interparticle coupling; We target the latter in nanoclusters via an efficient semi-analytical framework connecting plasmon modes to energy-resolved yields for photocatalytic design.

P23

Room-Temperature Lasing in quasi-2D Perovskite Coupled with High-Q Plasmonic Metasurfaces*Yen-Yu Wang¹, Ning-Hao Lee¹, Lin-Chyn Yuan¹, Chia-Yu Lai¹, Jia-Wern Chen², Chen-Yu Wang¹, Tzu-Yu Peng¹, Chu-Chen Chueh¹, Yu-Jung Lu¹*¹National Taiwan University (Taiwan), ²Research Center for Applied Sciences (Taiwan)

We demonstrate room-temperature lasing in a quasi-2D perovskite integrated with a high-Q plasmonic metasurfaces supporting a Γ -point quasi-bound state in the continuum mode. To clarify the nature of the lasing mode, we analyze the emission characteristics using polarization-resolved k-space spectroscopy and compare them with the calculated photonic band structure.

P24

Tip-Enhanced High-Harmonic Generation in an STM Nanojunction Driven by Mid-Infrared Pulses*Atsunori Sakurai, Shota Takahashi, Tatsuto Mochizuki, Tsuneto Kanai, Toshiki Sugimoto*

Institute for Molecular Science (Japan)

The fourth- and fifth-harmonic generation of mid-infrared pulses (3500 nm), accompanied by a broad luminescence from the gap-mode plasmon excitation in an STM nanojunction, was observed through the tip-enhanced process. This demonstrates that mid-IR field enhancement and visible plasmon resonance work together efficiently in tip-enhanced high-harmonic generation at the nanoscale.

P25

Enhanced Raman scattering on tip-on-mirror platforms*Víctor Camús¹, Daniel Arenas-Ortega², Alejandro Martínez², Elena Pinilla-Cienfuegos², Ana Cros¹, Núria Garro¹*¹Universitat de València - ICMUV (Spain), ²Universitat Politècnica de València - NTC (Spain)

Comparative studies of nanoplasmonic cavities formed in the interspace between gold microdisks and either a gold-coated AFM tip or a gold nanoparticle are presented based on enhanced Raman scattering of molecular self-assembled monolayers. These measurements deepen our understanding of plasmonic interactions and contribute to new sensing and photonic devices.

P26

Ultranarrow Linewidth Surface Lattice Resonances in Aluminum Bowtie Metasurfaces*Bhera Ram Tak, Robert O'Meara, Nebras Alattar, Hodjat Hajian, Richard G. Hobbs*

Trinity College Dublin (Ireland)

We report surface lattice resonances in the 460 to 580 nm range in aluminum bowtie nanoantennas fabricated by electron beam lithography. Without post-annealing or symmetric refractive index material coating, fabricated arrays exhibit ultra-narrow 3.4 nm linewidth. These metasurfaces can support strong coupling for photocatalysis and quantum emitters.

P27

Numerical Simulations of Radiation Pressure and Hot Zones in Plasmonic Porous Nanoparticles*Alejandro Ramos Romero¹, Ana Lilia Gonzalez²*¹Benemerita Universidad Autonoma de Puebla (Mexico), ²Benemérita Universidad Autónoma de Puebla (Mexico)

We studied the plasmonic response of porous nanoparticles (PNs) using DDA. The hot zones inside and outside the PNs are shown for paraboloidal pores of different depths. We also explored the effect of the medium occupying the pores on the hot zone distribution and radiation pressure.

P28

Plasmonic Response in Mg-Al Bimetallic Nanoparticles*Marwan Alam, Katarzyna Kluczyk-Korch, Tomasz Antosiewicz*

University of Warsaw (Poland)

First-principles study of Mg-Al icosahedral clusters (0-100% Al) reveals starkly different photoabsorption spectra for clustered vs. random atomic arrangements. Random alloys exhibit a single, progressively broadening peak that evolves continuously from Mg to Al character. However, clustered configurations display multiple distinct peaks. Composition and atomic ordering enable controlled plasmonic properties.

P29

Plasmonic Fiber Tip-Enhanced Raman Spectroscopy based on Shear-Force Near-Field Microscopy*Zhonglin Xie, Chao Meng, Ting Mei, Wending Zhang*

Northwestern Polytechnical University (China)

This study integrates a plasmonic fiber tip (PFT) with radial vector mode excitation into a shear-force SNOM-TERS platform. The PFT significantly enhances electric field intensity and gradient, enabling non-destructive chirality mapping of single-walled carbon nanotubes via multiple-order phonon vibrational modes and Kataura plot correlation for chirality index (n, m)

P30

Data-Driven Assisted Research and Engineering Applications of Photothermal Regulation Metamaterials*Yanyu Chen, Yao Li*

Center for Composite Materials and Structure (China)

Deep learning empowers metamaterial design for photothermal regulation, enabling rapid optimization of high-dimensional structures. This approach has advanced intelligent thermal control in Tianwen-2 and Fengyun-4 missions, achieving smart spectral modulation and performance breakthroughs across broadband wavelengths.

P31

Physics-Guided Inverse Design of Broadband Low-Frequency Underwater Acoustic Metamaterials*Krupali Donda, Vatsal Patel, Yash Shah, Vimi Patel*

Adani University (India)

Broadband low-frequency acoustic absorption is constrained by large wavelengths and high-dimensional design-complexity. We propose a physics-guided inverse design framework using a Conditional Invertible Neural Network (cINN) for a 20-parameter multilayer acoustic metamaterial absorber. Trained on one million Latin Hypercube Sampling (LHS) samples and validated via Transfer Matrix Method (TMM), it achieves < 0.3% error.

P32

Nonlinear Topological States in Photonic Crystals: Modal Structure and Dynamics*Tomasz Śmiarowski*

Warsaw University of Technology (Poland)

4-07 | Room 4050B | 10:40 - 12:35

SYM2: New trends in nanophotonics and advanced materials

Organized by: Junsuk Rho, Hakjoo Lee, Namkyoo Park, Seong Ok Han

Chaired by: Junsuk Rho, Hakjoo Lee, Namkyoo Park, Seong Ok Han

10:40 INVITED TALK Fast and High efficiency photo-thermal conversion in optical nanocavity*Giuseppe Nicoletta¹, Giuseppe Emanuele Lio², Roberto Caputo¹, Antonio Ferraro³*¹University of Calabria (Italy), ²University of Pisa (Italy), ³Consiglio Nazionale delle Ricerche - Istituto di Nanotecnologia (Italy)

The generation of heat at the micro/nanoscale is growing research field due to their breakthrough application in nanochemistry, medical and life science. Here we investigate the photothermal conversion ability and applications of an optical nanocavity. A temperature increase higher than 550°C is obtained with an intensity of only 75 mW/mm².

11:00 INVITED TALK Ultra-Fast Optical Response of Al:ZnO Metasurfaces in the near infrared range*Stefania Benedetti¹, Tersilla Virgill², Luca Bursi¹, Michele Guizzard², Andrea Villa³, Alessandro di Bona¹, Sergio D'Addato¹, Andrea Mescola¹, Gian Carlo Gazzadi¹, Arrigo Calzolari¹*¹CNR Istituto Nanoscienze (Italy), ²CNR (Italy), ³Politecnico Di Milano (Italy)

Aluminum-doped ZnO (AZO) is a promising material for photonic applications because of its tunable plasmonic response and the low optical losses in the near-infrared (NIR). We have investigated the role of nanostructuring in the ultrafast optical response and in the dynamics of electron populations of engineered AZO metasurfaces.

11:20 INVITED TALK Ultrafast Optical Dynamics of Photoinduced Phase Transitions in VO₂ Thin Films and Metamaterial*Yael Gutierrez¹, Saul Vazquez-Miranda², Shirly Espinoza², Mateusz Rebarz², Zhen Zhang³, Shriram Ramanathan³, Helmut Klar⁴, Jose M. Saiz², Sebastien Cuff⁵*¹Universidad de Cantabria (Spain), ²The Extreme Light Infrastructure ERIC (Czech Republic), ³Purdue University (USA), ⁴Universitat Augsburg (Germany), ⁵Ecole Centrale de Lyon (France)

We employ ultrafast time-resolved spectroscopic ellipsometry to investigate photoinduced insulator-to-metal transitions in VO₂ thin films and in a VO₂ metamaterial. The transitions are triggered by femtosecond laser pulses and probed with sub-picosecond temporal resolution, enabling direct tracking of the optical response.

11:40 INVITED TALK Optical Properties of Twisted Bilayer Graphene*Tobias Stauber¹, Miguel Sánchez Sánchez¹, Igor Vasilevskiy¹, José González²*¹Instituto de Ciencia de Materiales de Madrid (Spain), ²Instituto de Estructura de la Materia (Spain)

We discuss optical properties of twisted bilayer graphene obtained from an interacting atomistic tight-binding model including lattice relaxation. Apart from the charge response, we will also calculate the magnetic and chiral response.

12:00 INVITED TALK Polarization-Controlled Lattices of Sub-Wavelength Photonic Spin Skyrmions*Andrei Afanasev*

The George Washington University (USA)

We theoretically analyze properties of topological spin textures of optical fields characterized by spin orientation in all three dimensions and described in terms of Bloch merons and skyrmions. Formation of isolated skyrmions, their lattices and their propagation in space are described.

12:20

Polarisation control in time-varying low-index films*Wallace Jaffray¹, Sven Stengel¹, Alexandra Boltasseva², Vladimir M. Shalaev², Maria Antonietta Vincenti³, Domenico de Ceglia³, Michael Scalora³, Carlo Rizza⁴, Marcello Ferrera¹*¹Heriot-Watt University (United Kingdom), ²Purdue University (USA), ³University of Brescia (Italy), ⁴University of L'Aquila (Italy)

We present an all-optical strategy for ultrafast, reconfigurable polarisation control using subwavelength epsilon-near-zero transparent-conductor films. Femtosecond pumping transiently reshapes the carrier plasma to induce birefringence, dichroism, and pump-helicity-dependent optical activity within a single unpatterned platform, enabling broadband, sub-picosecond polarisation transformations compatible with compact integrated photonics.

4–08 | Room 5052 | 10:40 - 12:35

SYM2: New trends in nanophotonics and advanced materials*Organized by: Junsuk Rho, Hakjoo Lee, Namkyoo Park, Seong Ok Han**Chaired by: Junsuk Rho, Hakjoo Lee, Namkyoo Park, Seong Ok Han*

10:40

INVITED TALK

Self-Hybridized Exciton-Polaritons in Two-Dimensional-Perovskite Microcrystals*Martina Borreani¹, Alexander Schleusener¹, Sudhir K. Saini¹, Lin-Han Li², Miao-Ling Lin², Ping-Heng Tan², Vincenzo Caligiuri³, Roman Krahn¹*¹Italian Institute of Technology (Italy), ²Institute of Semiconductors - CAS (China), ³Università della Calabria (Italy)

We fabricate highly regular 2D perovskite microcrystals by recrystallization that function as optical cavities and sustain strong light-matter interaction. The cavity modes and polariton dispersion are governed by the non-linear wavelength dependence of the refractive index, leading to slow light propagation at the band edge.

11:00

INVITED TALK

Label-free and Label-based approaches for tapered fiber photometry in the deep brain*Massimo De Vittorio, Ferruccio Pisanello*

Istituto Italiano di Tecnologia (Italy)

Tapered fiber photometry can be exploited for depth-resolved deep-brain recording using fluorescent reporters and in label-free Raman approaches to probe the intrinsic molecular composition without exogenous markers. Combined with plasmonic enhancement, these approaches offer complementary strategies to investigate neural dynamics and tissue composition in vivo.

11:20

INVITED TALK

Direct Nanoimprint Lithography as an Additive Full-Wafer Manufacturing Platform for All-Inorganic Metaoptics and AR Waveguides*James Watkins*

University of Massachusetts (USA)

We fabricate all-inorganic, high-efficiency metalenses, metasurfaces, and AR waveguides on full-wafer platforms with cycle times of less than 5 minutes/wafer via additive nanoimprint lithography using nanoparticle dispersion inks. With recent advances, we achieve refractive indices up to 2.6, which enhance device performance in the visible and near IR..

11:40

INVITED TALK

Advanced Manufacturing Tools for DataProcessing Fiber Photonics Fabrication*Marcos D. Vozer Felisberto, Andrey Machnev, Thomas W. Burkle, Maxwell H. Jancich, Babak Seradjeh, Phillip Richerme, Alexander Gumennik*

Indiana University Bloomington (USA)

By meltshaping multimaterial fiber cores, we demonstrate building blocks of fiberembedded photonics. Fiber photonics with data-processing capabilities could translate data on-the-fly across numerous computation platforms, including quantum and neuromorphic, each of which encodes data in a platform-specific form, thus enabling the integration of those platforms into the broader Internet.

12:00

INVITED TALK

Synthesis of Colloidal Nanoalloys by Ultrafast Laser Irradiation*Andrés Guerrero Martínez, Guillermo González Rubio*

Universidad Complutense de Madrid (Spain)

Colloidal nanoalloys synthesized by ultrafast laser irradiation offer tunable optical and catalytic properties driven by localized surface plasmon resonances. Femtosecond pulses enable controlled reshaping and alloying, avoiding fragmentation typical of longer pulses. This approach provides precise control over composition and structure, linking synthesis conditions with functional performance in advanced nanomaterials.

12:20

Flat Optics for Multispectral Grafted Vortex Beams and OAM Combs*Hammad Ahmed, Xianzhong Chen*

Heriot-Watt University (United Kingdom)

We present a compact flat-optics platform capable of generating and tuning multispectral grafted vortex beams together with azimuthally engineered OAM combs. By coherently superimposing multiple helical phase distributions, the system produces optical beams with tailored topological charges and multispectral OAM spectra, creating new opportunities in optical encryption and particle manipulation.

4-09 | Room 4047 | 10:40 - 11:15

SYM4: Chirality, magnetism, and magnetoelectricity: Separate phenomena and joint effects in metamaterial structures*Organized by: Eugene Kamenetskii**Chaired by: Eugene Kamenetskii*

10:40

INVITED TALK

An Electromagnetically Driven Vaterite-based Panacea Platform*Pavel Ginzburg, Hani Barhom, Andrey Machnev, Andrey Ushkov, Denis Kolchanov, Pavel Bezrukov*

Tel Aviv University (Israel)

Nano-engineered drug delivery capsules represent a milestone in advancing precision medicine. We introduce metamaterial drug-delivery capsules based on golden and magnetized vaterite and demonstrate how electromagnetic control enables a unified light- and magnetic-based theranostic paradigm. Beyond optical activation, we add magnetic-field-guided propulsion to address long-standing bottlenecks in in vivo targeting.

11:00

Extrinsic-Chiral Flatband Metasurface Generating Photons with Tunable Quantum Entanglement*Alena Mamonova, Maxim Gorkunov*

National University of Science and Technology "MISIS" Russia (Russia)

We consider extrinsic-chiral nonlinear dielectric metasurfaces based on AlGaAs nanorod dimers supporting quasi-bound states in the continuum as sources of quantum-entangled photon pairs. We show that subtle tuning of the wave pumping spontaneous parametric down-conversion continuously transforms the pairs from maximum entangled Bell states to unentangled product states.

4-O10 | Maharry Theatre | 10:40 - 11:45

SP23: Nanoscale Phononics : Energy Transport, Light-Matter Coupling, and Emerging ApplicationsOrganized by: *Jérémie Margueritat and Aurélien Crut*Chaired by: *Jérémie Margueritat and Aurélien Crut*

10:40

INVITED TALK

Experimental realization of Algorithm-designed Nanophononic Metasurfaces*Michele Diego, Matteo Pirro, Jade Hardouin, Gabrielle Mazevet-Schargrod, Junior Rognon, Byunggi Kim, Roman Anufriev, Masahiro Nomura*

The University of Tokyo (Japan)

Nanophononic metamaterials are key components for controlling acoustic signals in nanotechnology. Here, we present automated, algorithm-driven strategies for realizing phononic metasurfaces based on inverse-design and hyperuniform architectures. The resulting designs are fabricated and experimentally characterized, validating the predicted phononic properties and demonstrating the effectiveness of algorithm-designed metastructures.

11:00

Vibrational dynamics of self-assembled nanoparticles*Mohammad Imran Shaik, Nicholas Blanchard, Benoit Mahler, Jérémie Margueritat*

Université Lyon 1 (France)

We measure interaction-induced vibrational modes in nanoparticle assemblies down to 20nm and show that the Johnson-Kendall-Roberts (JKR) contact-mechanics model breaks down below 100nm, coinciding with emergence of disordered, weakly connected networks and transition to percolation scaling that establishes mechanical connectivity as the governing mechanism in this regime.

11:15

Mapping electrostatic and Casimir forces above metallic nanostructures using suspended nanowires*Lucas Judéaux, Philip Heringlake, Hugo Wertz, Cattleya Dousset, Benjamin Pigeau, Olivier Arcizet*

Institut Néel - CNRS (France)

We optically probe the vibrations of an ultrasensitive force sensor, a suspended silicon carbide nanowire to map the lateral electrostatic and proximity forces experienced above a metallic nanostructure. We probe and compensate the electrostatic forces at each position above the sample and spatially map the lateral Casimir force field.

11:30

Acoustic vibrations of single gold nanodisks supported on solid substrates*Nathan Berrit¹, Clément Panais¹, Noëlle Lascoux¹, Sylvie Marguet², Natalia Del Fatti¹, Aurélien Crut¹*¹Université de Lyon (France), ²CEA Paris-Saclay (France)

Metallic mechanical nanoresonators' performances are often limited by their strong acoustic damping. Here, we conduct optical pump-probe time-resolved spectroscopy to study the vibrational dynamics of single gold nanodisks supported on different solid substrates. We study the impact of the nanoresonators' morphology, the substrate composition and thickness on these dynamics.

4-O11 | Room 5039 | 10:40 - 12:35

SYM6: Advanced Techniques for Computational Electromagnetics

Organized by: Maha Ben Rhouma

Chaired by: Maha Ben Rhouma

10:40 INVITED TALK High-Fidelity Fullwave Solvers and Reduced-Order Models for the Design of Complex Nanostructured Photonic Devices*Mahmoud Elsayy, Alexis Gobe, Stéphane Lanteri*

Inria (France)

In this contribution, we review our recent works aiming at the development of high-fidelity fullwave solvers and reduced-order models for studying nanoscale light-matter interactions. Additionally, we also discuss ML-based inverse design strategies for shaping these interactions through optimization of geometrical features of nanostructures.

11:00 INVITED TALK Advanced in Topology Optimization for Metaphotonics and Integrated Optics*Antonio Calà Lesina*

Leibniz University Hannover (Germany)

Inverse-design approaches based on topology optimization enable the discovery of fully three-dimensional nanophotonic structures with free-form geometries that transcend human intuition and achieve optical functionalities beyond the reach of conventional design strategies. This talk presents recent advances from my group in topology optimization for nanophotonics, meta-optics, and integrated optics.

11:20 INVITED TALK Quantum Nonlinear Optics of Epsilon-Near-Zero Materials*Sonia Alipour¹, Tornike Shubitidze², Riccardo Franchi², Luca Dal Negro², Marco Ornigotti¹*¹Tampere University (Finland), ²Boston University (USA)

Using the Green's tensor quantization method, we describe nonlinear optical processes in epsilon-near-zero (ENZ) materials from a full quantum perspective. As an example, we discuss several geometries and nonlinear processes. Our findings shed new light on the feasibility of single photon ENZ-based devices for quantum technologies.

11:40 INVITED TALK SCRIBEd GRIN-Lenses by Topology Optimization*Rasmus Christiansen¹, Dajie Xie², Paul Braun²*¹Technical University of Denmark (Denmark), ²University of Illinois at Urbana-Champaign (USA)

High-efficiency compact GRIN metalenses, tailored for fabrication by SCRIBE, are designed using density-based topology optimization. Superior performance is demonstrated experimentally compared to traditional diffractive lenses of (near) identical dimensions, revealing the potential of combining SCRIBE with inverse design to realize improved optical devices fabricated using low-index contrast materials.

12:00 INVITED TALK Engineering Optical Nonlinearities Using Nanostructured Materials*Luca Razzari*

Centre Énergie Matériaux Télécommunications (INRS-EMT) (Canada)

In this talk, I present nanostructuring approaches to tailor the nonlinear optical response of dielectric thin films. I discuss a phase-change platform (GSST) suitable for the mid-infrared range. Finally, I show that metasurface engineering modifies the nonlinear susceptibility of amorphous silicon, controlling the polarization of the generated light.

12:20

Radiative decay of surface plasmon propagating in thin metal film*Arkadii Krokhin, Andrey Bozhko*

University of North Texas (USA)

A narrow transition layer between metal and dielectric contains epsilon-near-zero surface (ENZ) formed by spill-out electrons and surface roughness. Electromagnetic field of surface plasmon leaks through the ENZ point leading to radiative attenuation. Here the radiative losses of surface plasmon are calculated for a thin metal film.

4-O12 | Room 5025 | 10:40 - 11:35

SYM1: Hybrid Nanomaterials and Metastructures for Photonics, Sensing and Energy*Organized by: Jérôme Plain, Alexander Govorov, Davy Gérard, Pedro Hernandez Martinez**Chaired by: Jérôme Plain, Alexander Govorov, Davy Gérard, Pedro Hernandez Martinez*

10:40

INVITED TALK

Plasmon-induced spin selectivity for controlling reaction intermediates*Karolina Kukrálová*

UCT Prague (Czech Republic)

11:00

INVITED TALK

EC-SERS - a combination of electrochemistry and Raman spectroscopy*Jana Rosenkranzova*

University of Chemistry and Technology Prague (Czech Republic)

11:20

Automated computation on AI-designed all-optical Boolean microprocessors by an interfacial robot driving a non-linear optical bench.*Léo Martin¹, Alice Nyaga¹, Fayçal Houssaini¹, Amine Khitous¹, Nicolas Gros², Aurélie Bertaux², Ouassila Narsis Labban², Gérard Colas des Francs¹, Christophe Nicolle², Alexandre Bouhelier¹, Mohand-Ousaïd³, Dujardin¹*¹Universite Bourgogne Europe (France), ²Université Bourgogne Europe (France), ³FEMTO-ST Institute (France)

We demonstrate BOTAI, an interfacial robot that autonomously controls a multi-beam non-linear optical setup for all-optical computing. The system interprets instructions from a hybrid artificial intelligence to position laser beams on plasmonic structures and acquire non-linear photoluminescence response, achieving automated Boolean arithmetic and logic operations with sub-100 nm positioning accuracy.

Lunch Break

13:00 - 14:00

End of Conference

13:00 - 13:15

Author Index

- A**
- Hachtel Jordan 2-O32
- A. Huidobro Paloma 1-O40
- A-Perez Gonzalo 2-O32
- A.A. De Beule Pieter 1-P1
- Aadland Lilja Viktor 3-P1
- Abadias Gregory 1-O19
- Abarca-Ramirez Romina 1-P2
- Abbarchi M. 2-O36
- Abebe Muluneh G. 1-P1, 3-O37
- Abi Ghanem Maroun 1-O12, 3-O44
- Abiri Hamed 3-O41, 4-O5
- Abouelatta Mahmoud A. A. 1-O23
- Abubaker Reem 4-P1
- Abubakr Eslam 3-O22
- Aceti Dante M. 1-O40
- Achaoui Younes 2-O2
- Achieng Sandra 3-O21
- Achilleos Vassos 2-O4
- Achouri Karim 1-O23, 3-O13, 3-P1
- Ackemann 2-O25
- Acuna Guillermo 3-O24
- Adamo Giorgio 2-O24, 3-O46
- Adams Alexandra 3-O27
- Adibi Ali 3-O41, 4-O5
- Aekbote Badri 1-O37
- Afanasev Andrei 4-O7
- Afanasiev Dmytro 2-O23
- Afridi Adeel 1-O39
- Agard Louis 3-O23
- Agarwal Girish 3-O6
- Agez Gonzague 1-O39, 2-O23
- Aghdaee MohammadReza 2-P2, 4-P1
- Aglieri Vincenzo 1-O6
- Agnello Simonpietro 2-P1
- Agrawal Amit 2-O6
- Aguiam Diogo 1-O3, 2-O35
- Aguiam Diogo 2-P1
- Aharonovich Igor 2-O7
- Ahmad Zeeshan 3-O14
- Ahmed Arik 1-O33
- Ahmed Hammad 1-O11, 4-O8
- Ahn Geun Ho 3-O12
- Ahn Jae Won 2-P1
- Ahn Sungmo 4-O2
- Ahopelto Jouni 1-O26, 3-O5
- Aita Vittorio 1-O4
- Aizpurua 2-O33
- Aizpurua Javier 1-O10, 2-O11, 3-O24
- Akçam Nursel 1-P2
- Akerboom Evelijn 3-O24
- Aksu Serap 1-O34
- Aksyuk Vladimir 1-O36
- Al-Kuhaili Mohammad 4-P1
- Al Sabouni-Zawadzka Anna 1-O33, 1-P1
- Alabastri Alessandro 1-O40
- Alaeddini Ahmadreza 2-O16
- Alam Badrul 2-O16
- Alam Marwan 4-P1
- Alattar Nebras 4-P1
- Albella Pablo 2-O33, 3-O22, 3-O24
- Albenge Nicolas 1-O2
- Albrecht Wiebke 3-O24
- Aleksandravičius Edvinas 3-P2
- Algorri Jose Francisco 3-O4
- Alharbi Ghada 3-O14
- Ali Farhan 2-O29
- Ali Munazza Zulfiqar 3-O45
- Alipour Sonia 4-O11
- Allahverdizadeh Hossein 3-P1
- Alloing B. 2-O25
- Almuneau Guilhem 3-P1
- Alonso-González 2-O21
- Alonso-González Pablo 1-O5
- Alonso González Pablo 1-O31
- Alonso Isabel 3-O15
- Alonso Ramos Carlos 2-O37
- Alonso-Ramos Carlos 2-O29
- Alonso Tomás David 3-O43
- Alonso-Tomas David 3-P1
- Alqurashi Hazzaa 3-P2
- Alù 1-O3
- Alù Andrea 3-O11
- Alvarez Francesc Xavier 3-O44
- Alvarez-Perez 1-O24
- Alvarez-Perez Gonzalo 1-O31, 1-O42, 2-O21, 2-P2
- Alvarez-Puebla Ramon A. 3-O3
- Alvarez Serrano Juan Jose 1-O6
- Alves Cristiana F. 3-O5
- Amabilino David Brian 2-P2
- Amaolo Alessio 3-O1
- Ambrosio Antonio 3-O32
- Amel'chenko Mariya D. 3-P1
- Amendola Vincenzo 1-O27
- Ammirati Giuseppe 3-P1
- Amrani Madiha 1-O36, 4-P1
- An Hwaji 1-P1
- An Hwajin 1-P2, 2-O42
- Anand Srinivasan 2-P1
- Andersson Hjalmar 1-O41
- Andrews David 3-P2
- Anlage Steven 1-O21, 3-O14
- Annesi Ferdinanda 2-O16
- Ansquer Matthieu 2-O36
- Antezza Mauro 2-O10
- Antonov Alexander 2-O20
- Antonsen Thomas M. 1-O21, 3-O14
- Antosiewicz Tomasz 1-P2, 4-P1
- Anttu Nicklas 2-O33
- Anufriev Roman 4-O10, 4-O4
- Apaydin Dogukan 1-O41
- Apolloni Vittorio 3-P2
- Aradian Ashod 1-O5, 2-O19, 2-O2
- Arai Nobuhiro 3-O28
- Arcizet Olivier 4-O10
- Ardissino Gianluigi 2-O30
- Ardito Raffaele 1-O26
- Arenas Ortega Daniel 2-P2
- Arenas-Ortega Daniel 4-P1

- Argyropoulos Christos 3-O28
 Arjas Kristian 3-O13
 Arosio Paolo 3-O17
 Arregui Guillermo 2-O37
 Arregui Leon Unai 3-O40
 Arribat Mathieu 2-P2
 Arul Rakesh 2-O33, 2-O42, 2-P2
 Aryasomayajula Anand Eswara Rao 1-P2
 Asadchy Viktor 3-O24, 3-P1
 Asano Shun 2-O40
 Ashida Yuto 3-O20
 Asif Mohd 2-P2, 4-P1
 Aslan Bülent 1-O11
 Aslanoglou Stella 1-O40
 Asquini Rita 2-O16
 Assogna Luca 2-O34
 Astrakhantseva A. S. 1-O41
 Astrauskyte Darija 1-O6
 Atwater Harry 1-P2, 2-O24, 2-P1, 3-P2
 Avalos Ovando Oscar 2-O18
 Avriller Rémi 2-O33
 Avrutsky Ivan 4-P1
 Ayuso David 1-O20, 1-O8, 2-O9, 2-P1
 Azad Abul 1-O36, 2-O14
 Azar Stéphane 4-P1
 Azéma Antoine 1-O39
 Azhar Maria 3-O10
 Azuaje-Hualde Enrique 1-O31
 Azzoune Abderrahim 2-O38
- B**
- Babaze Antton 2-O11
 Babiker Mohamed 3-O8
 Babonneau David 1-O19
 Baboux Nicolas 3-O27
 Bacci Alberto 2-O35
 Bachelard Romain 3-O2
 Bachelot Renaud 2-O31, 2-O5, 3-O3
 Bacon-Brown Daniel 2-O36
 Bačová Tereza 1-O17
 Bae Jinseong 2-P2, 3-O32, 3-P1
 Báez Gabriela 2-O17
 Baffou Guillaume 3-O23, 4-O1
 Bagnoli Silvia 3-O17
 Bahich Mustapha 2-O2
 Bahrova Olha 2-O25
 Bahsoun Mohamad 2-O31
 Bai Lu 2-O15
 Bailly-Rioufreyt Elise 1-O13
 Baiocchi Michela 2-O16
 Bajcsy M. 1-O4
 Baker Christopher 2-O36
 Balagopalan Manjunath 3-O5
 Baláž 2-O21
 Bald Ilko 3-O7
 Baldassare Leonetta 1-P2
 Baldi Ilaria Micol 3-O17
 Baldin Pietro 3-O40
 Balena Antonio 1-O40, 2-O30
 Ball Adam 3-O11
 Ballarini Dario 2-O32, 2-P2
 Bandaru Pravallika 3-P2
 Bandopadhyay Kingshuk 1-O18, 3-O38
 Banerjee Arnab 3-O14
 Banerjee Rimi 3-O2
 Bange Sebastian 3-P1
 Bánhelyi Balazs 2-O19, 3-P2
 Banzer Peter 1-O35, 3-O11, 3-O20
 Bao 2-O14
 Bao Yiliang 1-O36
 Baraban Larysa 2-O31
 Baranov Denis 1-O4, 3-O19
 Barati Sedeh Hooman 1-O20
 Barba Ismael 3-P1
 Barbasiewicz Michał 1-P1
 Barberi Riccardo Cristoforo 2-P2
 Barbosa Tiago 2-O11
 Barcelos Ingrid 2-O11
 Bargheer Matias 3-O35
 Barhom Hani 4-O9
 Barhum Hani 2-O3
 Bari Saika Muntaha 3-O21
 Barnett Stephen M. 2-O18
 Baron 2-O14
 Baron Alexandre 2-O2, 3-O34, 3-P2
 Barsan Nicolae 1-O2
 Basiri Zahra 1-O13
 Bastide Mathieu 3-O23
 Baù Enrico 1-O24, 1-P1
 Bauer Gerrit 2-O39
 Bauerdick S. 3-P2
 Baumberg 2-O33
 Baumberg Jeremy J. 1-O5, 2-O42, 2-P2, 2-P11
 Béal Jérémie 1-O19
 Beardo Albert 3-O44
 Beaudin Guillaume 2-P1
 Beaudoin Gregoir 1-O24
 Beck Fiona 2-O37, 3-O9, 3-P2
 Beckerleg Chris 2-O36
 Beji Erik 2-O16
 Bekele Robel 3-O11
 Belacel Cherif 4-O4
 Belardini A. 1-O5
 Belarouci Ali 1-O34
 Belkin Mikhail A. 1-O15, 2-P1
 Bellessa Joel 1-O18
 Belleville Julie 2-O24, 3-P2
 Bello Anila 3-O17
 Bello Dhimiter 3-O17
 Belz Bleuenn 4-P1
 Ben-Abdallah Philippe 2-O10, 3-O13
 Ben Abdallah Philippe 2-O35
 Benadouda Ivars Salim 1-O38
 Bencivenga Filippo 4-O4
 Benea-Chelmus Ileana-Cristina 1-O13
 Benedetti Stefania 4-O7
 Benoit Jean Michel 1-O18
 Bentata Fouad 3-O27
 Bente Ivonne 1-O17
 Benyattou Taha 1-O16
 Bera Kousik 1-P2
 Berciaud Stéphane 3-O24
 Bergamini Andrea 2-P2
 Berghuis Matthijs 1-O32
 Bergmann Alexander 3-O11
 Berguiga Lotfi 1-O16, 3-O27
 Berhe Anergachew 4-P1
 Berini Pierre 1-O38, 3-O25
 Berkmann Fritz 1-P2
 Bermel Peter 3-O14

- Berrit Nathan 1–O26, 4–O10
 Bertaux Aurélie 3–O30, 3–O40, 4–O12
 Berto Pascal 3–P1
 Bertolotti Jacopo 1–O3, 3–P2
 Bertschy Yannick 3–P1
 Bessi Valentina 3–O17
 Besteiro Lucas 3–O30
 Betancur-Ocampo Yonatan 2–O17
 Betoule Sylvain 1–O8
 Betti Andrea 1–P2
 Beysens Daniel 3–O29
 Bezrukov Pavel 2–O3, 4–O9
 Bhaseen Miraculous Joseph 3–P2
 Bhaskaran 1–O3
 Bhaskaran Harish 1–O17
 Bhattacharjee Yudhajit 3–O30
 Bhattacharyya Biswajit 3–O7
 Bhowmik Bhairav Kumar 4–P1
 Bi Lei 3–O28
 Biasi Stefano 1–O11
 Bibes Manuel 1–O31
 Bidault Sebastien 3–O26, 3–O34, 4–P1
 Biechteler Jonas 1–P1
 Bile Alessandro 1–O2
 Billermann Joel 1–O17
 Bisignano Ilario 1–O2
 Bisio Francesco 3–O29, 3–P2
 Biswas Aritra 1–O37
 Biswas Kushal 3–O17
 Biswas Suchandra 4–P1
 Biswas Sudipta 3–O21
 Bittner Eric R. 1–O25
 Blanchard Cédric 3–O25
 Blanchard Nicholas 4–O10
 Blanchard Paul-Édouard 3–O6
 Blanchet Valérie 1–O8
 Blanco de Paz María 1–O13
 Blanco Juan Maria 1–P2
 Blanco Pablo 1–P2
 Blandin Tanneguy 2–P2
 Bobrovs 2–P1
 Bobrovs Vjaceslavs 2–P2, 3–P1, 4–P1
 Bobylev D. 2–O25
 Boehm Gerhard 1–O15, 2–P1
 Boer-Duchemin Elizabeth 2–O13, 3–O24
 Boggiano Hilario 4–O4
 Bogusz Katarzyna 1–O27, 1–P2
 Bolek Jan 1–O32
 Bollani 3–O37
 Bollani Monica 2–O21
 Bolognesi Margherita 2–O16
 Boltasseva Alexandra 2–O29, 2–O34, 2–P11, 3–O25, 4–O7
 Bonafos Caroline 2–O31
 Bonaldo Daniele 3–P2
 Bondarev Igor 3–O31
 Bonod Nicolas 1–O16
 Bönsel Florian 4–P1
 Boong Siew Kheng 1–P1
 Borisov Andrei G. 2–O11
 Borlido João 1–O3, 2–P1
 Borreani Martina 4–O8
 Borresen Lille 1–O5
 Borsali Redouane 1–O18
 Bortchagovsky Eugene 2–P2
 Bortoletto Federica 1–P1
 Bortolotti Paolo 1–O31
 Borys Nicholas J. 1–O33
 Boschetti Alice 1–P2
 Botey Muriel 1–O38
 Boto Roberto A. 2–O33
 Bouabdellaoui M. 2–O36
 Bouamra Arthur 1–O34
 Bouchal Petr 1–P1
 Bouchoule S. 2–O25
 Bouhelier Alexandre 3–O30, 3–O40, 4–O12
 Boujday Souhir 1–O16
 Boukherroub Rabah 1–O36
 Bourgeois Olivier 3–O44
 Bourhill Jeremy 1–O8, 2–O40, 3–P2
 Bourret Gilles 1–O32
 Bousseksou Adel 1–O24
 Bowes Eric G 3–O18
 Boyd Robert 2–O7
 Bozhevolnyi Sergey I. 2–O38
 Bozhko Andrey 4–O11
 Bradley A. Louise 1–O41, 1–P2, 2–O19, 2–P2
 Bradley Louise 1–O31, 2–P1, 3–P1
 Bratschitsch Rudolf 3–O49
 Braud Aymeric 3–P1
 Braun Paul 4–O11
 Braun Timo 1–O2
 Breglio Giovanni 2–O30
 Brem Samuel 2–O11
 Brener Igal 2–O27, 3–O21
 Bresler Sean 1–O36
 Bresme Fernando 2–O33
 Bresoli Obach Roger 2–O22
 Bretscher Hope M 1–O25
 Brigotti Maurizio 2–O30
 Brimhall Nicole 2–O26
 Brimont Christelle 2–O25
 Brisuda Boris 3–O44
 Brown Julie 2–O36
 Brugnoli Chiara 3–P2
 Brühlmann Marco 1–O22
 Bruno Mauro Daniel Luigi 2–P2
 Bryche Jean-François 1–O2, 2–P1
 Buadrión Anne-Laure 2–O31
 Buhmann Stefan Yoshi 3–O10
 Buisine Roman 2–P1
 Buks Eyal 3–O2
 Bundgaard Ida Juliane 3–O26
 Bürger Johannes 2–O32, 2–P2
 Burgos Jorge 1–O32
 Burguera Lucas Mascaro 3–P1
 Burkle Thomas W. 4–O8
 Bursi Luca 4–O7
 Bütaité Uné G. 1–P2
 Bütow Johannes 1–O35
 Butzen E. 3–P2
 Buzelis Rytis 3–P2
 Buzzin Alessio 2–O16
 Bykov Anton 1–O5
 Byrnes Niall 3–O14
 Byun Moongul 3–P2
C
 Cabezas Javiera 2–O9
 Cai Haogang 4–O2
 Cai Yingying 3–O40

Caicedo Karen	1–05, 2–016	Cervera Francisco	3–043
Caicedo Santamaria Karen Gabriela	2–019	Cervinka Ondrej	1–P1
Caixeiro Soraya	1–040	Cesarini G.	1–05
Calà Lesina Antonio	4–011	Cesca Tiziana	2–08
Calavaro Filippo	4–P1	Chacon-Sanchez Fernando	1–017, 1–05
Caldwell	2–021	Chalal Mohand	1–027
Caldwell Joshua D.	1–024	Chalopin Yann	3–035
Caligiuri Vincenzo	2–016, 2–030, 4–08	Chan Che Ting	1–P2, 2–020
Calpe Roman	1–016	Chan Emory	4–P1
Calusi Gabriele	2–037, 4–02	Chan Eng Alk	3–046
Calzolari Arrigo	4–07	Chan Nolan	2–036
Câmara Serra João	3–020	Chanda Debashis	1–037, 2–034
Camarneiro Filipe	2–035, 2–P1	Chang Chun-Chieh	1–036, 2–014, 2–034
Cambriel E.	2–025	Chang Jiu	4–05
Camelio Sophie	1–019	Chang Ming-Li	2–020
Campo Angela	1–039	Chang Shih-Hui Gilbert	1–P1
Campos Leonardo	2–011	Chang Taeyong	3–046
Camposeo Andrea	2–P1	Chang Wei-Shun	2–018
Camús Víctor	4–P1	Chang Yu-Shao	3–P1
Candrea Angela	2–016	Chao Pengning	3–01
Canepa Maurizio	3–029, 3–P2	Chaplain Gregory	3–043
Cannas Marco	1–P2, 2–P1	Chapman Robert	1–013
Canós Valero Adrià	2–039, 2–P1	Chapuis P-Olivier	3–037
Canosa Diaz Jon	3–044	Charette Paul	1–02, 2–P1
Canva Michael	1–02	Charron Eric	4–P1
Cao Jian	1–03	Chassagnon Rémi	1–039
Cao Xiaoyu	3–036	Chaturvedi Vaibhav	2–P2, 4–P1
Capasso Federico	1–P11, 2–034	Chaudhary Anjali	1–041
Capellini Giovanni	1–041, 1–P2	Chauvin	1–013
Cappelli Chiara	1–P1, 3–017	Chaves André Jorge	2–011
Capua Amir	2–039	Chawla Smridhi	3–018
Capuj Nestor Eduardo	3–P1	Chazot Cecile	1–037
Caputo Roberto	1–02, 2–P2, 4–07	Cheben	1–03
Cara Eleonora	1–P2	Cheben Pavel	1–038, 2–026
Carbogno Christian	2–021	Chekhova	2–P2
Cârdan Ioana	3–017	Chen Chong	2–014
Cardinali Giulia	1–041	Chen Cong	2–041
Cardoso Simão	2–011	Chen Hao	2–015
Cardozo de Oliveira Edson Rafael	3–035	Chen Hong-Gen	3–033
Carletti Luca	2–032, 2–P2	Chen Hongsheng	4–03
Carminati Remi	2–027, 3–013	Chen Hou-Tong	1–036, 2–014, 2–034
Carone Antonio	1–018	Chen Hsuen-Li	2–P1
Carotta Giulio	2–P1	Chen Jia-Wern	4–P1
Carpenter Joel	1–P2	Chen Jianlong	3–036
Casadei Edoardo	3–P2	Chen Jui-Hung	1–034
Case Justin	1–033	Chen Minyu	3–03
Casiulis Mathias	3–046	Chen Mu Ku	1–041, 3–P1, 3–P2
Cassan	1–03	Chen Nanxing	1–028
Cassara Davide	2–034	Chen Qizhe	2–026
Castaldi Giuseppe	2–014	Chen Shangzhi	3–P2
Castillo Beatriz	2–013	Chen Ting Wei	2–P2
Castronovo Pietro	1–015, 1–P2, 3–P1	Chen Wei-Han	3–P2
Catone Daniele	3–P1	Chen Weijian	1–038
Cavalaglio Sébastien	1–018	Chen Wen	2–011, 3–04
Cavanillas Ramón Torres	3–P1	Chen Xianzhong	1–011, 4–08
Cavenaile Loris	1–P1, 3–039	Chen Xue-Wen	1–043
Cazzola Marcello	1–026	Chen Xuewen	2–012
Ceglia Domenico de	4–07	Chen Yafeng	1–P1, 3–019, 3–025, 4–06, 4–P1
Celebrano	2–P2	Chen Yan-Feng	2–P2
Celebrano Michele	2–021, 3–037	Chen Yijun	3–08
Cencillo Abad Pablo	1–037	Chen Youling	1–041
Ceneda Daniele	1–02, 2–031	Chen Zhigang	1–039
Centini Marco	1–02, 1–05, 2–031	Chen Zhiyu	3–P1
Cerdán Luis	2–019, 3–P1	Chen Zhongyi	4–06
Cerjan Alexander	1–07	Chen Ziyu	1–P2

Cheng Han-Hsiang (Michael)	1–O42	Conzatti Lucia	3–O29
Cheng Jialuo	3–P2	Coppola Giuseppe	4–P1
Cheng Qian	2–O41	Corbett Brain	1–O41
Cheng Szu-Cheng	2–P2	Cording Luke	3–O45, 3–P1
Cheng Wen-Hui (Sophia)	1–O23	Cordova Castro R. Margoth	2–O27
Cheng Ying	2–O4	Corigliano Alberto	1–O26
Cheng Zheyu	3–O2	Corni Stefano	2–O32, 3–O1, 3–O7
Chernikov	2–O11	Coronado Eugenio	3–P1
Cheskis Dima	3–O39	Corrado Alessandra	2–O30
Chevillot-Biraud Alexandre	2–O31, 3–O4	Correia	1–O3
Chigrin Dmitry	4–O5	Corte-Leon Paula	1–P2
Chikkaraddy Rohit	2–P1	Cortese Erika	2–O32, 2–P2
Cho Choonlae	4–O2	Costa Diego	2–O11
Cho Hui Jae	1–O41	Cours Robin	2–O31
Cho Hyunsu	2–O42	Couteau Christophe	1–O19
Cho Sangyeon	2–O12	Cox Joel D.	2–O21, 2–O22
Choi W.	4–P1	Craig Rebecca	3–P2
Choi Yu Sung	2–P1, 3–P1	Craske Dominic	1–O41
Chong Carice	1–P1	Credi Caterina	3–O17
Chong Yidong	3–O12, 3–O2	Crescitelli Alessio	1–O40
Chou Hsu-Hui	4–P1	Crookes Angus	1–P1, 2–P1
Chou Yu-Hsun	2–O8	Cros Ana	4–P1
Chouhan Bhagwat Singh	3–P2	Crotti Giulia	3–O40
Christensen Johan	3–O5	Crowder Gavin	2–O35
Christiansen Rasmus	4–O11	Crowther Samuel	2–P1
Christienne Louis	4–O4	Crozes Thierry	3–O44
Christodoulides Demetrios N.	2–O29	Crut Aurélien	1–O26, 4–O10
Christou	1–O20	Csete Mária	2–O19, 3–P2
Chu Cheng Hung	3–O21	Cuartero Mondoño Alonso	2–P2
Chu Daping	2–P1	Cuccu Marzia	2–O11
Chueh Chu-Chen	4–P1	Cuche	1–O39
Chumak Andrii	1–O22	Cuche Aurélien	2–O23
Chung Haejun	2–P2, 3–O32, 3–P1	Cueff Sebastien	1–O16, 1–O17, 3–O27, 4–O7
Chung Hyeongju	1–O15	Cuerda Javier	1–P1
Chyzykova Anastasiia	3–O20	Cui Kai	2–P2
Ciasca Gabriele	3–P1	Cunha Diogo	1–P1
Cibella	1–O24	Cunha Joao	2–O35, 2–P1
Ciccarello Francesco	3–O4	Cunningham Mark	3–P2
Ciers Joachim	1–O41	Currie Alex	2–P1
Cihan Enez Furkan	1–P2	Curto Alberto G.	1–O40, 2–P1, 3–O22, 3–O27, 3–O3
Ciraci	1–O24	Cusano Andrea	2–O30, 3–O4
Ciraci Cristian	1–O42, 2–O32, 2–P2	Cutanda Henriquez Vicente	1–O26
Ciusani Emilio	3–O7	Cutolo Maria Alessandra	2–O30
Clark	1–O37	Cutri Alessia	3–O7
Clarke Daniel D. A.	3–O47	D	
Clerckx Bruno	1–O9		D. Cox
Cobo Adolfo	3–O4	Joel	2–O32
Cohen Eyal	3–P1	D'Addato Sergio	4–O7
Cojocar Crina	1–O6, 2–P1, 2–P2	D'Anzieri Gervasio	1–O3
Colas des Francs Gérard	3–O30, 3–O40, 4–O12	D'Avino Amalia	2–O16, 2–O30
Cole Justin	1–O7	D'Urso Annachiara	3–O7
Coleman Jonathan N.	2–P2	Daamouche Mosbah	1–P1
Collard Liam	2–O30	Dag Ceren	3–O28
Collin Stephane	3–P1	Daher E.	2–O36
Colmegna Ornella	1–O17	Dai Peng	2–P1
Colom Rémi	2–P1	Dal Negro Luca	3–O18, 4–O11
Colombelli Raffaele	1–O24	Dall'Osto Giulia	3–O7
Colombo Giada	3–O16, 3–O5	Dallari Caterina	3–O17
Coluccio Maria Laura	4–P1	Dalvit Diego A. R.	1–O36, 2–O14
Conde-Rubio Ana	3–P1	Dambal Sameer	1–O25
Conrads Lukas	1–O3, 3–O9	Damilano Benjamin	3–O34
Constantin Lucian A.	2–O32	Danescu Alexandre	1–O13
Conte Gloria	1–O26, 3–O5	Daney de Marcillac Willy	3–O23
Contestabile Alessandra	2–O14	Daoud Lea	1–P2
Contini Emma	1–P1	Darabian Hamid Reza	3–O38

Dardano Principia	1–O10	Di Fraia	1–O20
Datta Prasanta Kumar	1–O37	Di Francescantonio Agostino	1–O32, 2–O21, 3–O37
David Christin	2–O37, 3–O9, 3–P2	Di Gaspere Alessandra	3–P1
Davies Rowena	3–O9	di Gaspere Luciana	1–P2
Davis Joshua	3–O34	Di Giacinto Flavio	3–P1
de Almeida Laura	3–P1	Di Giulio Valerio	2–O22
De Angelis Costantino	1–O9	Di Meo Valentina	1–O40
De Angelis Francesco	2–O3, 3–O17	Di Muzio Simone	2–O32, 2–P2
de Bollivier Paul	1–O16	Di Renzo Marco	1–O28
de Ceglia Domenico	1–O2, 2–O28, 2–O29	Di Santo Riccardo	3–P1
De Clerck Karen	3–O37	Dias Eduardo J. C.	1–O13, 1–O43, 1–P2, 2–O22
de Coene Yovan	3–O23	Dickson Wayne	2–O5
de Corte Alice	2–P1	Diego Michele	4–O10, 4–O4
De Girolamo Del Mauro Anna	2–O16	Ding Fei	2–O24, 2–O38
De Leo Natascia	1–P2	Ding Kewen	2–P1
De Liberato Simone	2–O32, 2–P2	Ding Kun	3–O2
De Luca Antonio	2–O16	Diroll Benjamin	3–O11
de Lyon Ecole Centrale	3–O27	Divay Laurent	1–O31
de Melo Bruno	1–O39	Djafari-Rouhani Bahram	1–O23, 1–O36, 2–O2, 3–O33, 4–P1
De Michele Vincenzo	1–P1	Djafari Rouhani Bahram	3–O33
de Nijs Bart	3–O9	Djaker Nadia	1–O27
de Oliveira Thales	2–O11	Do Khanh-Van	2–O31
De Ponti Jacopo Maria	1–O26	Dobbidi Pamu	4–P1
De Santo Maria Penelope	2–P2	Dobie Jack	1–O41, 2–O19, 3–P1
De Seta	1–O24	Dobrykh Dmitry	2–P2
de Seta Monica	1–P2	Docampo Pablo	3–P1
De Spirito Marco	3–P1	Dodero Andrea	1–P1
De Stefano Luca	1–O10	Doi Yoshiyasu	3–O6
De Vittorio	1–O40	Dolci Mathias	3–O4
De Vittorio Massimo	2–O30, 4–O8	Dominguez Bucio	2–O14
De Wilde Yannick	2–O27, 3–O13	Don Jayamanne Jérôme	1–P2
Decamps Dominique	1–O8	Donadio Federica	1–O40
Decleva Piero	1–O8	Donato Maria Grazia	1–O40
Dedding Lex M.	3–O22	Donda Krupali	4–P1
Del Fatti Natalia	1–O26, 4–O10	Donegan Harry	3–P2
del Hougne Philipp	1–O9	Dong Hao-Wen	3–O33
Delaney Colm	1–O31, 1–P2, 2–P1	Dong Jian-Wen	3–O29
Delaunay Jean-Jacques	3–O27	Dong Zhen-Chao	3–O47
Delgado-Buscalioni R.	2–O22	Donkeng Hatou Yvelin	2–O35
Dell’Ova Florian	3–O30, 3–O40	Doolan Luke	2–P2
Della Sala Fabio	2–O32	Dores Bernardo	1–O3
Della Valle Giuseppe	3–O40	Dos Santos Luis	2–O31
Delmote Kevin	1–O37	Douaki Ali	2–O30
Deloudis Themistoklis	1–P1	Doucet Jean-Baptiste	3–P1
Delplace Thomas	1–P1, 3–O39	Dousset Cattleya	4–O10
Demesy Guillaume	1–O16	Dowling Adin	1–O38
Demetriadou Angela	1–P1, 1–P2, 2–O42, 2–O7, 2–P1, 2–P2, 3–P1	Downing James	3–O13
Demir Hilmi Volkan	2–O3, 2–O31, 3–O18	Doyennette L.	2–O25
Demler Eugene	1–P2	Draganidis Ioannis	1–O3
Deng Huiwen	2–O14	Dragnea Bogdan	3–O44
Deng Nanzhong	4–O2	Drouin Dominique	2–P1
Deng Zilan	1–O23	Duan Jiahua	1–O31
Deop-Ruano Juan Ramon	1–O13, 1–O6	Duan Yulong	1–O30, 3–O34, 3–P2
Deop Ruano Juan Ramón	3–P1	Duboz Jean-Yves	2–P2
Deparis Olivier	1–O37	Dudziński Jan	1–P1
Deplano Quentin	2–O33	Duhey Scott	2–O15
Develay Valentin	2–O25	Duine Rembert	1–O22
Devlin Rob	2–O6	Dujardin	3–O30, 4–O12
Devos Arnaud	3–O44	Dujardin Erik	1–O39, 3–O40
Dhaliwal Kevin	3–O27	Duquesne Jean-Yves	4–O4
Dhawan Anuj	2–P2, 4–P1	Durá-Azorín Blas	2–O8
Dhibi Abdelhak	1–O27	Durant Brandon K.	2–O31
di Bona Alessandro	4–O7	Dursap Thomas	1–O13
di Falco	2–O29	Dushaq Ghada	3–O9
Di Falco Andrea	3–O37	Dvorquez Eitan	1–O7

Dwivedi Ranjeet 2–O2
 Dyakov Sergey 1–O4, 1–P1
 Dzhikirba K. R. 1–O41

E

Ebrahimi Meymand Roya 2–O37
 Echevarría J. Ignacio 3–P1
 Eckhardt 1–O25
 Ecoffey Serge 2–P1
 Eddrief Mahmoud 4–O4
 Edee Kofi 1–O19
 Edginton Jacob 1–O20, 1–O8
 Edirisooriya Anjalie 2–O37, 3–O9, 3–P2
 Efimov Anatoly 1–O36, 2–O14
 Eismann Jörg S. 1–O35
 El Badri Youssef 2–O2
 El Boudouti E. H. 1–O36, 4–P1
 El Ganainy Ramy 2–O8
 El Ghafiani Mohamed 1–O36
 ElGanainy Ramy 1–O29
 Ellis Chase 2–O31
 Elsayy Mahmoud 4–O11, 4–O2
 Emanuele Antonio 3–P1
 Emrose Md Tanvir 2–O37
 Enjavi Seyed 3–O41
 Enns Sven 3–O38
 Enomoto Taisuke 3–O26
 Epalle Nathan 1–O39
 Erb Jared 3–O14
 Ergoktas Said 1–O2
 Erkensten Daniel 2–O11
 Erturk Alper 1–O26
 Esmann 2–O4
 Espinoza Shirly 4–O7
 Esposito Emanuela 1–O40
 Esteban Ruben 2–O33
 Estévez-Varela Carla 1–P1
 Everschor-Sitte Karin 3–O10

F

Fabris 3–O17
 Laura 1–O20
 Faccialà Davide 2–O37
 Fainman Yeshaiahu (Shaya) 3–O42
 Faist Jerome 1–P1
 Fan Lei 2–O37
 Fan Shanhui 2–O38
 Fan Tongmiao 2–P2
 Fang Dai 1–P2
 Faraone Teodora 3–O17
 Farcau Cosmin 4–P1
 Fardian-Melamed Natalie 4–O5
 Farheen Henna 1–O17, 1–O3
 Farmakidis Nikolaos 2–O16
 Favale Olga 4–O4
 Favero Ivan 1–O8
 Fede Letizia 1–P2
 Fedotov Oles 3–O30
 Feferman Daniel 1–O31
 Fei Yedeng 3–O21
 Feigenbaum Eyal 2–O22
 Feist Armin 1–O27, 2–O31, 3–O4
 FELIDJ Nordin 1–O12
 Félix Simon 2–O21
 Fellows Alexander P. 1–O41

Feng Dou 1–P2
 Feng Zhaobo 3–O29
 Fernandez-Arias Mónica 2–O33, 3–O28
 Fernandez-Corbaton Ivan 2–O29, 2–O37
 Fernández de Cabo Raquel 2–O8, 3–O15
 Fernandez-Dominguez Antonio I. 1–O23
 Fernandez-Mouron Louis-Henri 4–O1
 Ferrand Patrick 2–O34
 Ferrante Carino 1–O2, 2–P2, 4–O7
 Ferraro Antonio 3–O26
 Ferreira Catarina 2–O29, 2–P2
 Ferrera 1–O36, 2–O14, 2–O28, 4–O7
 Ferrera Marcello 1–O16
 Ferrier Lydie 3–O11
 Ferry Vivian 3–O3
 Fery 2–O31, 2–P2
 Fery Andreas 1–O16
 Fickler Robert 3–O24
 Fiedler Saskia 2–O16
 Filice Marco 2–P1
 Fillion-Gourdeau François 2–O21, 2–P2, 3–O37
 Finazzi Marco 1–O37
 Fine Simona 1–O34, 2–O37, 4–O2
 Fiore Andrea 1–O41, 1–P2
 Fischer Inga 3–P2
 Fischer Inga Anita 2–O13, 2–O23
 Fitzgerald Jamie 3–O27
 Fix Baptiste 1–O33
 Fix J. Pierce 4–O1
 Flamant Julien 1–O22
 Flebus Benedetta 1–O2, 2–P2
 Fleischer Monika 1–O18
 Fleury Guillaume 1–O31, 1–P2
 Florea Larisa 1–O20
 Flores 2–O17
 Flores-Olmedo Enrique 3–O46, 4–O2
 Florescua Marian 1–O22
 Flynn Vincent 2–O16
 Focardi Angelica 2–O2
 Foltyn Michael 3–O11
 Fomra Dhruv 2–O18, 3–P2
 Forbes Kayn A. 3–O14
 Foreman Matthew 4–O5
 Förstner Jens 4–O4
 Fortuna Franck 2–P1
 Fösleitner Elias 3–O27
 Fossard Frederic 1–O39
 Fournel Frank 1–P1
 Fowler-Wright Piper 1–O4
 Fradkin Ilia 3–O10
 Franca Santiago Omar Jesus 3–O18, 4–O11
 Franchi Riccardo 2–O33
 Franco Alfredo 2–O17
 Franco-Medrano Alejandro 3–P2
 Franke-Arnold Sonja 3–O25, 4–P1
 Franke Lars 1–O22
 Fransson Jonas 3–O11
 Frantz Jesse 2–O4
 Frantzeskakis Dimitrios J. 2–O21, 3–O37
 Freddi Sonia 2–O32
 Frenzel Maximilian 1–P1
 Freter Lukas 1–P2
 Frieling Holland 1–O18
 Frka-Petesic Bruno 1–O9
 Fromentèze Thomas 1–O9

Fruhling Colton B.	2-O29	Genevet Patrice	2-P1, 3-O27
Fu Hongyan	2-O12	Geng Zihan	3-P1, 3-P2
Fu PoHan	2-O42	Genovese Marco	2-P2
Fu Ziyi	1-O21	Gentile Francesco	4-P1
Fuard David	1-O18	George Matthew	2-O36
Fuchs adam	3-O13	Gerard Davy	1-O19, 2-O31, 2-O5, 3-O3
Fuentes Dominguez Rafael	1-O19	Germany Day	1-O25
Fujii Minoru	1-O32, 2-O33, 3-O24	Germeroth	1-O20
Fujimoto Manato	3-O28	Gershoni David	3-O6
Fukaya Yuri	2-O41	Gervasini Lydia Federica	3-O7
Funaki Hiroshi	4-O3	Geyman Sergey	2-P1
Funayama Keita	3-O33	Ghalawat Monika	3-O30
Fusco Zelio	2-O37, 3-O9, 3-P2	Gharagozloo-Hubmann	2-O21
Fusella Michael	2-O36	Gherman Ana Maria Mihaela	3-O17
G		Gherman Raphael	2-P1
	G. Kilic	Gholipour Behrad	1-O31
Sema	3-O28	Ghosal Sirsendu	3-P2
Gabbani Alessio	3-O24	Ghosh	1-O20
Gadegaard Nikolaj	2-O18	Giacomotti Alejandro M.	2-O8
Gaedtke Mika	3-P2	Giannini Lorenzo	2-O16
Gahlaut Shashank Kumar	3-O7	Gibson Brant C.	1-O7
Gailevicius Darius	1-O38, 2-P2, 3-P2	Gieb K.	3-P2
Galdi Vincenzo	1-O40, 2-O14	Giessen Harald	1-P1
Galeotti Francesco	2-O30	Gil Gabriel	2-O32
Galinski Henning	1-O32	Gil José J.	1-P2
Galland Christophe	1-O43, 2-O11, 3-O4	Gila Cristina	3-O25
Gallas Bruno	1-O16, 3-O34	Gilewski Wojciech	1-O33, 1-P1
Gallego Manuel	2-O26	Giliberti	1-O24
Gam-Derouich Sarra	3-O4	Giloan Mircea	1-P1
Gama José N.	1-P1	Gilon Hagit	3-P1
Gambelli Maria	1-O24	Ginel-Moreno Pablo	2-O26
Gan Lin	3-O18	Ginzburg Pavel	2-O3, 2-P1, 2-P2, 3-P1, 4-O9
Gan Qiaoqiang	2-O26	Giordano Valentina	4-O4
Gan Yuhui	3-O37	Giovannelli Isabella	1-O21
Gandolfi Marco	1-O9	Giovannini Tommaso	2-O25, 3-O17
Gao Han	1-P2	Gippius Nikolay	1-O4, 1-P1
Gao Hanyu	1-O37	Girerd Theo	1-O16
Gao Weibo	3-O20	Giri P. K.	3-P2
Gao Wenlong	3-O45	Girstun Agnieszka	1-O27, 1-P2
Gao Yajun	3-O11	Gladyshev Sergei	2-O15
Gao Yang	3-O28	Globosits David	2-O15
Garcelon Eloise	2-O31	Glocker Sandra	1-O2
García-Collado Ángel J.	3-P1	Gmachl Claire F.	2-O26
García de Abajo F. Javier	1-O13, 1-P2, 2-O22, 2-O32	Go Dongwook	2-P1
García de Abajo Javier	1-O24, 1-P1, 3-O13, 3-P1	Gobe Alexis	4-O11
García-Martín Antonio	2-O13	Godiksen Rasmus H.	3-O22
Garcia-Pardo Marina	1-P1	Golat Sebastian	3-O19
García Pedro David	1-O32	Gomes Brandon	1-O20
Gardes Frederic	2-O14	Gomez Rivas Jaime	1-O32, 2-O10, 2-P2
Garg Puneet	3-O24	Gonçalves P. André	2-O21
Garnett Erik C.	1-O15	Gong Rongzhou	1-P1
Garoli Denis	2-O30	Gonzalez Ana Lilia	4-P1
Garriga Miquel	3-O15	González Andrade David	2-O37
Garro Núria	4-P1	González-Andrade David	2-O29
Gashi Arian	2-O15	Gonzalez Ballesteros Carlos	1-O22
Gatensby Riley	2-P2	González-Colsa Javier	2-O33, 3-O24
Gauchotte-Lindsay	1-O37	Gonzalez Cristian	3-P1
Gauthier-Lafaye Olivier	2-P2	González Francisco	2-O33
Gazzadi Gian Carlo	4-O7	González José	4-O7
Gazzola Chiara	1-O26	González-López M. Carmen	1-P1
Ge Li	1-O38, 2-O8	González Morote Víctor	3-P1
Geddis Ailsa	2-O30	Gonzalez-Posada Fernando	3-O34
Geiman Sergei	3-P1	Gonzalez-Posada-Flores Fernando	3-O27
Geltmeyer Jozefien	3-O37	González Rubio Guillermo	4-O8
Gemo Emanuele	1-O17	Gonzalez Xavier	1-O40

Gonzini Camilla	2–O37, 4–O2	Gunnink Pieter	1–O22
Goodwin Melissa J.	2–P2	Guo Jiamin	1–P1
Gordon George	1–O19	Guo Tianyi	1–O37
Gorkunov Maxim	2–O20, 3–O18, 4–O9	Guo Xinxin	2–O17
Gorman Jason	1–O36	Guo Xuhan	3–O36
Gorodetski Yuri	3–O39	Guo Yang	1–O21
Goryachev Maxim	1–O8, 2–O40, 3–P2	Gupta Vaibhav	3–O3
Goshen Nadav	1–O22	Gureghian Clément	3–O27
Goswami Sumit	3–O11	Guselnikova Olga	2–O5, 2–P1
Gotoh Kazuhiro	3–O15	Gusikhin P. A.	1–O41
Götte Jörg B.	2–O18	Guskova	3–O3
Gotzinger Stephan	2–O27	Gutbrod Bjarne	1–O2
Gouasmia Hamza	2–O38	Gutiérrez Yael	1–O17, 1–P2, 4–O7
Goudarzi Masoumeh	1–O32	H	
Gourdin A.	2–O36		Ha
Gourdon Catherine	4–O4	Heonhak	3–O41
Govorov	3–O3	Ha Jihyo	3–O40
Govorov Alexander	2–O18, 3–O3, 3–O30, 3–O39	Haake Fabian	1–O32
Graham Duncan	3–O9	Hachtel Jordan A.	1–O27
Granata Federica	4–P1	Häfner Sebastian	3–P2, 4–P1
Granchi Nicoletta	2–O37, 4–O2	Haftel Michael	1–O33
Grange	1–O13	Hagelstein	1–O25
Grange Rachel	2–P11, 3–O18	Haggren Tuomas	2–O38
Graupeter Sarina	1–O41	Haglund	1–O41
Graziotto Lorenzo	1–O25, 3–O42	Haindl Rudolf	2–O22
Greentree Andrew D.	1–O7	Hajan Hodjat	1–P2
Greer	1–O18	Hajan Hodjat	1–O41, 4–P1
Gretter Stefano	1–O11	Hakala Tommi	1–O16
Gric Tatjana	1–O7	Halas Naomi J.	1–O40
Grierson-Copeland Romae	3–P2	Hale Lucy	3–O42
Grineviciute Lina	1–O38, 1–O6, 1–P2, 3–P2	Halir Robert	2–O26
Grishin Sergei V.	3–P1	Haliuk Serhii	4–P1
Grobas Illobre Pablo	3–O17	Halka Gloria	2–O24
Groenen Jesse	2–O31	Hallqvist Claudia Pernilla	3–P2
Groiseau Caspar	3–O15	Hama Tetsuya	3–O15
Gros Nicolas	3–O30, 3–O40, 4–O12	Hamano Ryo	1–O35
Grosjean Thierry	1–O16	Hamazaki Ryusuke	3–O14
Grosso David	2–O36	Hammer Manfred	4–O5
Grotov Konstantin	2–P1, 2–P2	Han Kyunghun	1–O36
Gruszecki Pawel	2–O39	Han Yanjun	3–O18
Gryb Dmytro	2–O20	Han Yaqi	2–O12
Grzeda Justyna	1–O27, 1–P1	Hands Luke	3–P1
Grzelczak Marek	2–P2, 3–O4	Hanham Stephen	3–O8
Gu Changzhi	1–O21	Hanine Nicolas	2–O16
Gu Fengzhi	3–O23	Hao Jiang	3–O20
Gu Zhongming	1–P1	Hao Tianyi	1–O38
Guan Chunying	2–O38	Hao Zhibiao	3–O18
Guan Jun	3–O47	Harder I.	3–P2
Guarnera Davide	2–O35	Hardouin Jade	4–O10
Gueddida Abdellatif	3–O33	Haris Muhammad	3–O23
Guernieri Agnese	2–P1	Harms Joren	1–O22
Gueroult Renaud	3–P1	Harouri Abdelmounaim	2–O4
Guerra Timothée	3–O25	Hashiyada Shun	2–O18, 3–O26
Guerrero Martínez Andrés	4–O8	Hasnaoui Hamza	2–O38
Guerrini Luca	3–O7	Hassanpour Jamshid	4–O5
Gui Lili	2–O15	Hata Yusuke	2–O41
Guilcapi Bryan	2–O16, 2–O30	Hattori Haroldo	4–P1
Guillemot Victor	3–O13	Hauer Raphael	3–O46
Guillet	2–O25	Hayashi Yasuo	3–P1
Guirado Jose G.	3–P1	Hayward Tina M.	2–O26
Guizal Brahim	2–O10	He Fei	1–O19
Guizzardi Michele	4–O7	He Liangshu	3–O16
Gulzari Muhammad	3–O33	He Tao	2–O11
Gumennik Alexander	4–O8	Healy Noel	3–O45, 3–P1, 3–P2
Guney Durdu	1–O24	Hecht Bert	3–O22

Ji Sooseong	1-P2	Karl Helmut	1-O17
Jia Han	2-P1, 3-P1	Karmakar Ayon Jyoti	1-O37
Jia Na	1-O41, 2-P2	Karmakar Manobina	1-O37, 1-P1, 2-P1
Jia Wenhe	1-O13	Karsenti Paul-Ludovic	1-O2
Jiang Hao	3-O8	Kashif Muhammad Fayyaz	1-O40, 2-O30
Jiang Mengqi	3-P2	Kasian Natalia	1-O32
Jiang Quanbo	3-O23	Kataoka Yusuke	3-P1
Jiang Tao	2-O20	Kato Yuichiro	3-O27
Jiang Zhaoqi	2-O38	Katsantonis Ioannis	3-O25, 3-P1
Jin Keyu	2-O38	Kawabata Kohei	3-O2
Jin Yabin	1-O12, 3-O16	Kawasaki Daiki	1-P1
Jo Sunghwan	1-O32	Kawase Kodo	2-O25
Jo Yongjae	1-P2	Kazan Michel	2-O4
Jöchl Elsa	3-O42	Kazemzadeh	1-O40
Jodaylami Maryam Hojjat	2-O30	Kazi Suraya	3-O34, 3-P2
John Ben	2-O21	Keeling Jonathan	1-P1
John Merbin	2-P2	Kemelbay Aidar	2-O15
Johnson Neil	1-O8	Kendall Stuart	1-O17, 1-O3, 3-P2
Johnson-Richards Christian	3-O45, 3-P1	Kepič Peter	1-O17, 1-O27, 2-P1
Johnson Sancenia	1-O34	Kerdiles Sebastien	2-O31
Jonaitytė Erika	4-P1	Kerzabi B.	2-O36
Jones Tabitha	1-O5	Kesavan	1-O25
Jonsson Magnus P.	1-O3, 1-O30, 3-O34, 3-P2	Khabarov Kirill	3-O17
Joulié Sebastien	2-O31	Khadir Samira	2-P1
Jradi Safi	3-O3	Khalily Mohsen	1-O28
Juan-Delgado Adrian	2-O33	Khamsavi Anousha	3-O38
Judéaux Lucas	4-O10	Khanikaev Alexander	3-O20
Juelg Gabriel	1-O13	Kharchevskii Anton	2-P2
Juodėnas Mindaugas	2-O8, 3-O23, 4-P1	Khatri Manita	2-O18
K		Khattou Soufyane	4-P1
		Khavasi Amin	3-O41
		Khinevich Nadzeya	2-O8
		Khisameeva A. R.	1-O41
		Khitous Amine	3-O23, 3-O30, 3-O40, 4-O12
		Khobzei Mykola	2-P1, 2-P2, 3-P1, 4-P1
		Khort Pavlo	1-P2
		Khudaiberdiev D. A.	1-O41
		Khurgin Jacob	1-O24
		Kidambi	2-O21
		Kildishev Alexander V.	3-O25
		Kilic Ufuk	3-O28
		Kim Beomjoon	1-O15
		Kim Byunggi	4-O10
		Kim Chang Woo	1-O10
		Kim Doeun	2-O3
		Kim Donghyun	3-O32
		Kim Dongsung	2-O14
		Kim Gyurin	2-O3
		Kim Inki	1-P2, 2-O37
		Kim Jaehyeong	1-P1, 1-P2, 2-O42
		Kim Jaekwan	4-O2
		Kim Jaesung	1-P2, 2-P1
		Kim Je-Hyung	3-O38
		Kim Jiwoo	3-P1
		Kim Juhwan	2-O3
		Kim Junhyung	3-O41
		Kim Kyu-Young	3-O38
		Kim Kyungmin	3-O32
		Kim Minhyuk	1-O43
		Kim Minjin	2-P2
		Kim Sejeong	2-P2, 3-P1
		Kim Shin-Sung	1-O42
		Kim Soo Jin	1-O10
		Kim Yae Jun	2-P1
		Kim Yong Hae	2-O42
Rohith	3-P2		
Kabát Jiří	1-O17, 1-O27		
Kadodwala Malcolm	2-O18, 3-O30		
Kafesaki Maria	3-O19, 3-P1		
Kagami Hibiki	1-O33		
Kagami Sota	3-O29		
Kagan Cherie K.	3-P1		
Kagan Cherie R.	1-O15		
Kainz Thomas	3-O18		
Kaiser Robin	3-O2		
Kaivola Matti	2-O29		
Kakarenko Karol	1-O32		
Kala Deepak	3-P1		
Käll Mikael	4-O1		
Kalyan Imon	3-P1		
Kamali Khosro	4-O1		
Kamegaya Atsushi	3-O26		
Kamenetskii Eugene	3-O42		
Kan Tetsuo	3-O22		
Kanai Tsuneto	4-P1		
Kandada Ajay R. S.	1-O25		
Kang Chanik	3-O32		
Kang Dongkyun	1-P1, 1-P2, 2-O42		
Kang Evan S. Hyunkoo	1-O18		
Kang Jiwon	3-O41		
Kang Seung-Kyun	1-O33		
Kang Young Soo	1-O10		
Kang Yunqing	2-P1		
Kanouni Fares	1-P1		
Karakhanyan Vage	1-O16		
Karaman Omer Can	1-O32, 1-O43		
Karamanos Theodosios	3-P2		
Karimi Habil Mojtaba	1-O32, 2-O33		
Karkihalli Umesh Kirankumar	3-O38		

Kimchi Itamar	3–O10	Krimovs Artemijs	1–O40
Kimel Alexey V.	2–O23	Kroker Stefanie	1–P1, 3–P2, 4–P1
Kimura Yuki	3–O15	Krokhin Arkadii	3–O16, 3–O43, 4–O11
Kinsey Nathaniel	1–O24, 3–O11	Królikowska Agata	2–P2
Kiropelidis Ioannis	2–O17	Kruk Sergey	1–O31
Kipp Gunda	1–O25	Krupka Oksana	1–P2
Kitayama Daisuke	1–O33	Kubo Wakana	2–O5
Kivshar Yuri	1–P2, 2–P1	Kudelski Andrzej	1–O27, 1–P1, 1–P2, 2–O30, 2–P2
Kjellberg Mikko	2–P1	Kufcsák András	3–O27
Klar Helmut	4–O7	Kuhl Ulrich	2–O17, 3–P1
Klatt Michael A.	2–O26	Kuhl Ulrich	1–O38
Klein Matthew	4–P1	Kukrálová Karolina	4–O12
Klinavičius Tomas	3–O23, 4–P1	Kukushkin I. V.	1–O41
Klingel Steffen	2–P2, 3–O25, 4–P1	Kullig Julius	1–O29
Klok Pavel	2–P1	Kumar Brijesh	1–P2
Kluczyk-Korch Katarzyna	1–P2, 4–P1	Kumar Gagan	3–P2, 4–P1
Klyvis Gvidas	2–O8, 3–O23, 4–P1	Kunst Flore K.	1–O14, 4–P1
Knapman Ross	3–O10	Kurashima Yuichi	3–O29
Kneissl Michael	1–O41	Kusch	2–O21
Koc Nurten	1–O34	Kusyak Kateryna	1–O25
Kodama Toshiyuki	1–O35	Kut King Kan Warren	1–O3
Kodama Yumiko	3–O15	Kwon Junyoung	1–O18
Koenig Tobias A. F.	2–O31, 2–P2	Kylhammar Hanna	2–P1
Kogelschatz Martin	1–O18	L	
Koijam Monika Devi	3–O33		La
Kokkinakis Emmanouil Theodoros	2–O29	Deda Massimo	2–O16
Kolataj Karol	3–O24	La Grasta Annabella	2–O30
Kolchanov Denis	3–P1, 4–O9	La Rocca Giuseppe C.	2–P1
Kole Purbita	2–O21	Labrani Narsis Ouassila	3–O40
Kolkowski Radoslaw	2–O29	Labrani Ouassila Narsis	4–O12
Koltenbah Benjamin	1–P2	Laborda Lalaguna Paula	2–O18
Kondovych Svitlana	3–O10	Lahbib Hachim	1–O3
Konečná Andrea	1–O27, 2–O32	Lai Chia-Yu	4–P1
Kong Jinseok	3–O41	Lai Jia-Feng	2–P1
Kong Tony	1–O31	Lai Wei-Hsiang	2–P1
Konig	3–O3	Lai Yun	2–O35
Konishi Kuniaki	1–O33	Laible Florian	1–O2
Korenjak Zala	1–O6	Lalle G.	1–O5
Kort-Kamp Wilton J. M.	1–O36, 2–O14	LaMountain Jacob	1–O20
Koschny Thomas	1–P1	Lamsaadi Hassan	2–O23
Koshelev Kirill	1–P2, 2–O20, 2–P1	Landais Pascal	2–P1
Koskas Ethan	1–O25	Lanfranchi Andrea	1–O13
Kossowski Nicolas	2–P1	Lang Andrew	2–O31
Kostcheev Sergei	2–O31, 2–O5	Langner	1–O25
Kotov	1–O18, 3–O3	Lanteri Stephane	4–O11, 4–O2
Kotov Nicholas A.	3–O40	Lanza Christian	1–O31
Kottos Tsampikos	1–O38	Lanzillotti-Kimura	2–O4
Kouderis Konstantinos	3–O38	Lanzillotti-Kimura Norberto Daniel	1–O17, 3–O35
Koufidis Stefanos	1–O8	Laouedj Oussama	2–O38
Koutsogeorgis Demosthenes	1–O41	Laprais Capucine	3–O27
Koutsogianni Afroditi	2–P2	Larciprete Maria Cristina	1–O2, 1–O5, 2–O31
Kowalska Natalia	1–O32	Large Nicolas	3–O35
Kowalski	2–O21	Larrey Vincent	1–O39
Kowrdziej Rafał	1–O2	Larrieu Guilhem	1–O39
Kozanecka-Szmigiel Anna	1–O32	Lascoux Noelle	1–O26, 4–O10
Kołodziejczak Maciej	1–O33, 1–P1	Latella Ivan	3–O19
Krachmalnicoff Valentina	2–O27, 3–O13	Lattebovio Claudia	1–O40
Krahne Roman	2–O30, 4–O8	Lau-Truong Stephanie	2–O31, 3–O4
Krai Nouh	3–O33	Laupretre Maël	1–O18
Kraja Rudin	3–O20	Laurent Elysé	3–O24
Křápek Vlastimil	1–O27	Laureti Stefano	1–P2, 3–P2
Krasavin Alexey	1–O8	Lavista Lorenzo	2–P1
Krešić Ivor	3–O38	Lavrinenko Andrei	1–O11
Kreßler Mira	2–O21	Lawrie Benjamin	3–O42
Krieger Janis	3–O25	Le Grand Mathys	1–O23, 3–O13

Le Gratiet Luc	2–O4	Li Wenjia	2–O38
Le Moal Eric	3–O24	Li Xiangping	1–O23
Le Moal Séverine	3–O24	Li Xiaomeng	4–O3
Le Thu Hac Huong	2–P1, 3–O29	Li Xueyun	1–P1
Leahu G.	1–O5	Li Yao	4–P1
Leamy Michael	1–O7	Li Yiming	3–O12
LeBrun Thomas	1–O36	Li Yinglan	3–P1
Lebsir Yonas	3–O26	Li Zhanyu	2–O41
Lee Bong Jae	1–O10	Li Zhongfu	2–P2
Lee Changhyoup	3–O38	Liang Bin	2–O17
Lee Chia-Hsuan	2–P1	Liao Huanxin	1–P2
Lee Da Yong	3–P2	Liao Kun	4–O2
Lee Elizabeth M. Y.	3–O31	Liedl Tim	3–O38
Lee Hansol	2–O29, 4–P1	Ligmajer Filip	1–O17, 1–P1, 2–P1
Lee Hiang Kwee	1–P1	Lim Yae-Chan	2–O24
Lee Jin Hee	3–O38	Lin Dongqing	1–O30
Lee JinnKye	1–P1	Lin Hua-Shin	3–O45
Lee Jongwon	1–O15, 1–P2, 2–P1	Lin Kaiqiang	3–P1
Lee Junho	4–O2	Lin Miao-Ling	3–O47, 4–O8
Lee Kyoungpyo	2–O21	Lin Shuxin	3–O2
Lee Myeongkyu	1–P1, 1–P2, 2–O42	Lin Zeqiang	2–P1
Lee Myung-Joon	2–O4	Lin Zin	2–O25
Lee Ning-Hao	4–P1	Lindner Sarah	1–O35, 3–O20
Lee Seunghoon	2–O18	Lio Giuseppe	1–O2
Lee Seunghyun	3–O32	Lio Giuseppe Emanuele	2–P1, 3–P2, 4–O7
Lee Sooyeon	4–O2	Lischner Johannes	1–O6
Lee Tae-Yun	2–O29	Liška Petr	1–P1
Legendre Julien	1–O3	Lissel	3–O3
Lehikoinen Joel	3–P1	Litchinitser Natalia	1–O20
Lei Bing	3–O36	Liu	2–O14
Lei Sheng	1–O28	Liu Bowen	3–P2
Leite Marina	3–O31	Liu Dawei	1–P2, 3–O9
Lemaitre Aristide	1–O18, 2–O4, 3–O35	Liu Guangyan	3–O36
Leonhardt Ulf	3–O38	Liu Haoran	2–O11
Leportier Thibault	1–O42	Liu Hong	2–O2
Lescestre Aurélie	2–P2	Liu Jie	1–P1
Lesiak Piotr	1–O32	Liu Kaihui	1–O19
Letartre Xavier	1–O16, 3–O27	Liu Lei	2–P2
Letelier Carreño Lucciano Antonio	1–P2	Liu Ning	2–P1
Lévêque Gaëtan	1–O23, 1–O36, 3–O33	Liu Tang-Chun	2–P2
Levesque Pierre	2–P1	Liu Tao	1–O21
Lewandowski Wiktor	1–O32	Liu Tzu-Hsiang	1–O23
Li	1–O25, 2–O21	Liu Wei	3–O42
Li Bassi Andrea	3–P2	Liu Weiwei	1–P2
Li Bing	1–O12, 3–O41, 3–P2	Liu Weizhen	3–O23
Li Fengjun	1–O23	Liu Wenzhe	1–P2
Li Ge	1–O38	Liu Xiaojun	2–O4
Li Haitao	1–P1	Liu Xinxin	3–O17
Li Haoxiang	3–P2	Liu Yongquan	3–P2
Li Hong	1–O18	Liudvinavicius Rodrigas	1–O19
Li Hongliang	1–O41	Llados Ares	1–O32
Li Hongtao	3–O18	Lo Hsuan	3–O12
Li Hua	1–O43	Locatelli Andrea	1–O9, 2–O35
Li Jensen	3–O43	Loccufier Eva	3–O37
Li Jiajun	2–P2	Lodde Matteo	2–O37, 4–O2
Li Jie	3–O36	Lohia Ishaan	3–O9
Li Jinxiang	2–O24	Löhr Alexander	1–O20, 2–P1
Li Lin	2–O15, 2–O38	Long David	1–O36
Li Lin-Han	4–O8	Long Houyou	2–O4
Li Mang	1–P2	López Ceferino	1–O32
Li Peng	2–O42, 4–P1	Lopez-Garcia	1–P1
Li Qian	3–O31	López-Reyna Andrea	3–O39
Li Tao	1–O28, 1–P1, 2–P2	Lorchat Etienne	3–O24
Li Tiefu	3–O28	Lorenzo Salvatore	1–O15
Li Voti Roberto	1–O5	Lorenzoni Andrea	2–O16

Losio Simona	3-O29	Magnozzi Michele	3-O29, 3-P2
Losurdo Maria	1-O17	Magnusson Robert	3-P1, 3-P2
Louca Charalambos	1-O5	Mahdi Rahmani	1-P1
Louis B.	2-O22	Mahfoudia Osama	2-O38
Louisia Kyan	2-P1	Mahler Benoit	4-O10
Lounis	2-O33	Maier P. Martin	1-O20
Lourenço Martins Hugo	2-O23	Maier Stefan A.	1-O40, 1-P1
Lovett Brendon	1-P1	Mairesse	1-O8
Lu Bin	1-O39	Maitre Agnes	3-O23
Lu Ming-Hui	2-P2	Maitre Damien	1-O23, 3-O13
Lu Peixiang	1-P2, 3-P1	Majewska Katarzyna	1-P2, 3-P2, 4-P1
Lu Ya Yan	1-O42	Majumdar Arka	2-O26
Lu Yu-Jung	3-O22, 4-P1	Majumder Apratim	2-O26
Lu Yuerui	1-P2	Makris Konstantinos G.	1-O38, 2-O17, 2-O29, 3-O38
Lu Zhuoyuan	1-P2	Malecka Urszula	3-P2
Lu Zihao	1-O18	Malic Ermin	2-O11, 2-O13, 2-O23
Luan Yigong	2-P2	Malik Uzair	2-O26
Lucia Luca	1-O24	Malinowski Kristina	1-P2
Lucklum Frieder	1-O12, 1-O26	Malpuech	2-O25
Lucotti Andrea	3-O7	Malureanu Radu	2-P2
Lukosiunas I.	1-O38	Mamaeva Kseniia	1-P2
Lung Shaun	2-O15	Mamonova Alena	3-O18, 4-O9
Luo Ashley	4-P1	Manassis Theocharis	3-P2
Luo Cai	1-O21	Mancarella Cristina	3-P2
Luo Yi	3-O18	Mandal Avik	1-O31
Luo Yuan	3-O21	Mandal Jyotirmoy	2-O6
Luo Yun	3-O4	Mandorlo Fabien	1-O16
Luo Zhendong	1-O41	Mangach Hicham	1-O23, 2-O2, 3-O33
Lupton John M.	3-P1	Mangeney Claire	3-O4
Luz Filho Jorge	1-P2	Mangold Florian	1-P1
Lv Ming	2-O38	Manjarrez-Montañez Bryan	2-O17
Lyu Ning	2-O37, 3-O9, 3-P2	Manjavacas Alejandro	1-O13, 1-O6, 2-O8, 3-P1
Lyu Tianshuo	2-O38	Mansouri	1-O31
M		Manuel Marques	2-O37
	M. De-	Many Manda Bertin	2-O4
vis Ancin	1-O40	Maragò Onofrio	1-O40
M. Rohith K.	4-P1	Marangolo Massimiliano	4-O4
Ma Dongchen	3-O28	Marcelot Cecile	2-O31
Ma Guancong	1-P2, 3-O16	Marchand Amandine	1-O37
Ma Jessica	1-O18	Marchesano Valentina	2-O16, 2-O30
Ma Jihong	2-O41	Marchi Valérie	1-O39
Ma Jinyong	2-O15, 2-O38	Marciello Marzia	2-O16
Ma Wei	3-O12	Marcucci Giulia	3-O49
Ma Xinyu	3-O36	Margineda José	3-P1
Ma Yungui	4-O1	Margueritat Jérémie	4-O10
Maan Pranshu	3-O25	Marguet Sylvie	1-O26, 3-O23, 3-O3, 4-O10
Macaluso Roberto	2-O31	Maria Jon-Paul	1-O24
MacDonald Kevin	2-O24, 3-O8	Marian Damiano	1-P2
Macdonald Ross	1-O15	Marini Andrea	2-O34
Macedo Rair	3-P2	Marino	3-P1
Machado Ricardo	1-O3	Marino Emanuele	1-O15, 1-P2, 2-P1
Machnev Andrey	4-O8, 4-O9	Markovic Obren	1-O16
Machorro-Ortiz Aleida	1-O40	Markovich Gil	3-O30
Macias Demetrio	2-O5	Markus Krzysztof	1-O18
Maciel Escudero Carlos Alberto	2-O23	Marmri Zakaria	3-O23
Mack David	1-O40	Marques M. I.	2-O22
MacLean	2-P1	Marstupa Rodions	4-P1
Madden Luke	1-O31	Martella Christian	1-O29
Mader Dorotheé	2-O21	Marthy Baptiste	4-O1
Madonia Antonino	2-P1	Marti-Morant Almudena	2-P2
Maeder Andreas	1-O13	Martin Cano Diego	3-O15
Maehrlein Sebastian F.	2-O32	Martin Jerome	2-O31
Maes Bjorn	1-P1, 2-P1, 3-O37, 3-O39	Martin Léo	3-O30, 3-O40, 4-O12
Maese-Novo Alejandro	2-O26	Martin Nicolas	1-O16
Magalhaes Tiago E. C.	1-O26	Martín-Sánchez Javier	1-O31, 2-O21, 2-O23

Martínez Alejandro	2-P2, 4-P1	Miao Qiwei	1-031
Martínez-Argüello Angel	2-O17	Micco Alberto	2-030
Martínez Castellano Eduardo	3-034	Michaeli Lior	2-024
Martínez-García Miguel Angel	3-O15	Midveris Klaudijus	3-023, 4-P1
Martínez-Martínez Virginia	2-07	Migla Sandis	4-P1
Martínez-Tomás Maria del Carmen	3-P2	Mihi Agustín	1-032, 3-O15, 3-O16
Martiniani Stefano	3-O46	Mihi Cervelló Antonio Agustín	2-P2, 3-P1
Martins Sofia	3-037	Mikhailovskaya Anna	2-P1, 2-P2
Martin-Cano	2-033	Mikosch J.	1-020
Marzban Reza	3-041, 4-05	Milano Alessia	2-016, 2-030
Masoller Cristina	1-038	Miller Sarah	3-024
Masson Jean-Francois	2-030	Millo Florian	4-04
Mastrototaro Giulio	1-040	Mills Ben	3-08
Masuhara H.	2-022	Min Bumki	3-029
Matera Luigi	1-031	Minakova Olga	2-032
Materna Andrzej	1-018	Minard Philippe	1-039
Mathpal Mohan C.	1-07	Mine Sota	2-025
Matsuda Osamu	3-016	Miniaci Marco	1-026, 3-033
Matsuo Mamoru	4-03	Mirahmadi	1-020
Matsuyama	1-025	Mirahmadi Maryam	2-030
Mattei Giovanni	1-023, 2-08	Miranda Adelaide	1-P1
Mattioli	1-024	Miranda Bruno	1-010, 2-015
Maurizi A.	1-05	Miroshnichenko Andrey	4-P1
Mauro Giorgio Sebastiano	2-035	Mirzajani Nasim	2-021
Maze Jeronimo R.	1-07	Miszczak Aleksandra	1-027, 1-P1
Mazevet-Schargrod Gabrielle	4-010	Mityushev Vladimir	1-033
Mazor Yarden	1-022	Mivelle Mathieu	1-016, 3-034, 4-P1
Mazzola Federico	1-018	Mkhitaryan Vahagn	2-032
Mazzoleni Silvia	4-04	Mnaymneh Khaled	2-037
McCaul Gerard	3-049	Mo Qingyang	2-P2
McCormack Oisin	1-041, 3-P1	Moccia Massimo	1-040
McDonald Alexander	3-06	Mocella Vito	2-015, 2-016
McGaughey Alan	4-P1	Mochán Wolf Luis	3-039
McGee David	2-036	Mochida Jun	3-020
Medjadba Hocine	2-038	Mochizuki Masahito	1-035
Meek Alex	3-046	Mochizuki Tatsuto	3-026, 4-P1
Meeker Michael	2-031	Moeyaert	2-014
Mehdi Elham	3-035	Mohamad Habib	3-013
Mei	1-031	Mohammadi Ershad	3-022
Mei Ting	4-P1	Mohand-Ousaid	4-012
Mekhael Madona	1-016	Mokeddem Zindine	1-03
Melati Daniele	1-03, 2-029, 2-037	Mokrousov Yuriy	2-P1, 3-039
Mellado Paula	2-09	Molesky Sean	3-01
Mellor Christopher J.	1-031	Molina-Cuberos Gregorio J.	3-P1
Melnikas Simas	1-P2	Molina-Fernández Iñigo	2-026
Membrez Gaetan	1-025	Molinario Céline	1-02, 3-023
Menabde Sergey G.	1-043	Molle Alessandro	1-029
Mendez-Sanchez Rafael	2-017	Momtazpour Mohammadhossein	1-031, 1-041
Mendoza-Carreño Jose	2-P2, 3-015	Mongruel Anne	3-029
Mendoza-Sandoval Elizabeth	2-08	Monin Loriane	3-024
Meneghini Giuseppe	2-023	Monmayrant Antoine	2-P2
Menezes Leonardo de S	1-P1, 2-020, 2-P1	Montaño-Priede Jose Luis	3-04
Meng Chao	1-013, 4-P1	Montenegro Carlos	3-035
Menon Rajesh	2-026	Montes Bajo Miguel	3-034, 3-P2
Menon Vinod	2-036	Monticone	2-P2
Mercurio Martina	2-031	Montinaro Cinzia	1-040, 2-030
Merlitz	3-03	Mook Alexander	1-022
Mérot Jean-Sebastien	3-027	Morabito Stefano	2-030
Meschede Lars	3-047	Moralis-Pegios	2-014
Mescola Andrea	4-07	Morassi Martina	2-04, 3-035
Meskelaite Indre	1-038, 2-P2	Moreau Julien	1-02
Messina	1-015, 3-P1	Moreno Fernando	1-017, 1-P2
Messina Fabrizio	1-P1, 1-P2, 2-P1	Moreno Julio Gutiérrez	2-P1
Messina Riccardo	2-010, 3-013	Moreno Vicente-Arche Luis	1-031
Meyer Nadine	1-039	Moreta Alonso	1-05

Moriya Keisuke	1–032	Narkevicius Aurimas	1–018
Moritake Yuto	1–021, 1–036	Narsis Labbani Ouassila	3–030
Moroni Riccardo Carlo	1–P2, 3–P2, 4–P1	Navarro-Cía Miguel	1–041
Moronta Cambero Pedro	2–P2	Navarro-Urrios Daniel	3–043, 3–P1
Morris Benedict	2–031, 3–040	Naylor Andrew	1–015, 2–P2
Morrison Sean	1–020	Nedelea Gabriel	2–037
Mortensen N. Asger	1–043, 2–011	Nekvapil Fran	3–017
Moschetto Salvatore	2–016	Nemati Arash	3–011, 4–02
Moschos	2–014	Neretina Svetlana	1–039
Mostafa Mohamed	3–P1	Nerini Matteo	1–09
Mota Filipa	1–03	Netherwood Kyle S.	3–022
Motomura Taisei	3–029	Neufeld Ofer	4–03
Mouchet Sébastien	1–037	Ng Li Shiuian	1–P1
Moujdi Sara	1–031	Ngo Thien Duc	2–029
Movsesyan Artur	3–03	Nguyen Trang	2–018
Moynihan Owen	1–041	Nguyen Vinh	3–011
Mueller	2–033	Nguyet Tô	3–036
Mueller Kai	3–019	Ni Xingjie	3–041
Mueller Lukas	2–P2, 3–025	Niccolini Benedetta	3–P1
Mueller Niclas Sven	2–021	Nicolas Mathieu	1–016
Mukherjee Samyabrata	3–011	Nicoletta Giuseppe	2–P2, 4–07
Mukhopadhyay Debmalya	1–P2	Nicolle Christophe	3–030, 3–040, 4–012
Mukhopadhyay Shroddha	1–06, 2–P2	Niegemann Jens	1–042
Muljarov Egor A.	2–015, 2–P1	Niehues Iris	3–024
Müller	3–03	Niemann Richarda	1–024, 2–021
Muller Jonas	1–039	Nieukirk Brendan	1–02, 1–039
Munday Jeremy	3–031	Niinomi Hiromasa	3–015
Mundoor Haridas	2–036	Nikitin Alexey Y.	1–031, 2–022, 2–07
Munkhbat Battulga	1–011	Nikitin Maxim	1–011
Munoz Carlos Sanchez	3–015	Nikitina Julianija	1–038, 3–P2
Muñoz Francisco	2–09	Nikitov Sergei A.	3–P1
Muñoz-Sanjosedé Vicente	3–034, 3–P2	Niklaus Frank	3–017
Muppalla Vidya Prakash	1–P2	Nikulin Grigoriy	2–034
Muračova	2–P1	Nishijima Yoshiaki	1–034
Murai Shunsuke	1–016, 1–032, 3–026	Nocerino Valeria	1–010
Murakami Ryo	3–06	Nogueira Flavio	3–020
Murakami Shuichi	3–028	Noiray Nicolas	2–017, 3–P1
Murali Srivatsa	1–P2	Nomura Masahiro	4–010, 4–04
Murate Kosuke	2–025	Nordlander Peter	1–040
Muravev V. M.	1–041	Norman Alexander	2–06
Murray Christopher B.	1–015, 3–P1	Notargiacomo	1–024
Musavinezhad Mohammad	2–027	Notargiacomo Andrea	3–P1
Musiol Marten	4–P1	Notaros Jelena	1–03
Mycroft Monika	1–022	Notomi Masaya	1–021
Myers Jason	3–011	Noual Adnane	4–P1
Myoung Nojoon	1–019	Nova Tobia	3–042
Myronov Maksym	1–014	Novotny Antonio Andre	1–P2
Mystilidis Christos	1–043	Núñez-Sánchez	1–P1
N		Núñez-Sánchez Sara	1–032
		Núñez Sánchez Sara	2–013
		Nyaga Alice	4–012
		Nørgaard Martin	1–043
		O	
Mengxing	2–023	O'Carroll Deirdre	2–036
Na Youn Ju	2–03	O'Keefe Patrick	3–P1
Naclerio Andrew E.	2–021	O'Meara Robert	4–P1
Nacmias Benedetta	3–017	Oberti	1–020
Nada Hiroki	3–015	Ochiai Mahiro	1–033
Nagao Tadaaki	2–029, 2–P1	Ogrin Feodor	2–09
Nagpal Arun	2–024	Ogrin Feodor Yu.	3–P1
Naidu Gopal Narmada	3–040	Oh Il-Kwon	2–04
Nair Geetha G.	2–P2	Oh Joo Hwan	3–043
Nakagawa Masaru	3–015	Oh Sang Soon	3–014, 3–022
Nam Jungmin	1–010	Ohashi Makoto	1–034
Namazade Nigar	3–P2		
Nani Charlotte Lea Oceane	3–P2		
Nardi Alfonso	2–021, 3–037		
Narimanov Evgeniy	1–P2, 2–028		

Ojambati Oluwafemi S.	2-P2, 3-O26, 4-P1	Pander Adam	1-O33
Okamoto Hiromi	3-O3, 3-O48	Pandey Ashish	4-O2
Okamoto Koichi	1-O16, 1-O32	Pandey Kartikey	3-O4
Okamura Yoshihiro	3-O20	Paniate Alberto	2-P2
Oleynik Paul	1-O41, 3-P2	Panoiu Nicolae-Coriolan	3-O22
Olifierczuk Marek	1-O2	Panwar Anuraj	3-P2
Olins Aleksandrs	4-P1	Papadakis Georgia	1-O3
Olivares Irene	2-O29	Papakonstantinou Constantine	1-O3
Oliver Angela	1-O40	Paparella Michelle	2-O14
Olivieri Davide	1-O11	Papasimakis Nikitas	1-O42, 3-P2, 4-P1
Olivieri Luana	3-O49	Papatryfonos Konstantinos	2-O4
Olmos Jorge	2-O22, 3-O15	Park C. W.	4-P1
Omatsu Takashige	2-O39	Park Dong Hyun	3-O38
Ono Yoshitaka	3-P1	Park Donghyun	2-P2, 3-O32, 3-P1
Opprecht Mathieu	2-O31	Park Hong-Gyu	2-O19
Ordonez	1-O8	Park Hyun Sung	4-O2
Ordóñez Andrés	1-O20	Park Jaeseong	2-O14, 4-P1
Ornigotti Marco	3-O18, 4-O11	Park Kyoungweon	1-O39
Orobotchouk Régis	1-O23	Park Mingyu	3-O32
Ortega-Moñux Alejandro	2-O26	Park Suk-In	3-O38
Ortiz Dolores	2-O33	Park Tae Gwan	2-O34
Ortiz Guillermo P.	3-O39	Park Won	2-O18
Ortiz Omar	2-O4	Park Yeonsang	1-O41
Ortolani Michele	1-O24, 1-P2, 2-P2, 3-P1	Parra Jorge	3-P1
Osborne Daniel	1-O37	Parra-Palavecino Polette	3-O14
Oscurato Stefano Luigi	2-O6	Partel Stefan	1-O31
Oshikiri Tomoya	3-O15	Parton Thomas G.	1-O18
Osmond Johann	2-O21, 3-O37	Parvaud Régis	1-O39
Ossi Paolo Maria	3-O7	Parvez Sheikh	1-O33
Otero Eva	2-P1	Pascual Herrero Hector	3-O31
Otomalo Tadele Orbula	2-O30, 2-O32	Pascual Robledo Isabel	3-O24
Otsuji Taiichi	3-O38	Pastoriza-Santos	1-P1
Oue Daigo	1-O21	Patchkovskii	1-O20
Overvig Adam	1-O43, 3-O11	Patel Vatsal	4-P1
Oyamada Nobuaki	3-O4	Patel Vimi	4-P1
Ozdemir Sahin	1-O24	Paterson Emma	1-O8, 2-O40, 3-P2
Ozlu Mustafa	2-O29	Patino Edgar J.	4-P1
P		Patoux Adelin	2-P1
	P	Pavesi Lorenzo	1-O11
Viswanath	1-P2	Pavone Francesco Saverio	3-O17
Paarmann	2-O21	Pavone Santi Concetto	2-O35
Pacheco Haydee	2-O36	Pawlak Dorota A.	1-O18, 3-O38
Pacheco-Peña Víctor	1-O15, 2-P2, 3-O1	Pazos Perez Nicolas	1-O34
Packo Pawel	3-O16	Pazos-Perez Nicolas	3-O3
Padilla Willie	4-O1	Pałka Norbert	1-O2
Padovani M.	1-O20	Pea	1-O24, 3-P1
Pady Joe	1-O3, 3-P2	Pea Marialilia	2-P2
Pady Joseph	1-O17	Peabody Jane	1-O33
Pagadala Karthik	2-O34	Peckus Domantas	2-O8, 3-O23
Pagneux Vincent	1-O12	Pedreira Pablo	1-P1
Pailhès Stéphane	4-O4	Peeters Djero	2-O10, 2-P2
Paillard Vincent	1-O39, 2-O23	Peiro Julian	1-O31
Pajovic Simo	1-O36, 2-O14	Peña-Rodríguez Ovidio	1-O10
Pal Robert	1-O40	Peña Roman Ricardo Javier	3-O24
Pal Umapada	1-O10	Pendry John	1-O9, 3-O2
Pal Vishwa	2-O26	Peng Ruwen	1-O36, 1-P11
Paladini Alessandra	3-P1	Peng Siying	2-O12
Palai Swaroop	1-O39	Peng Tzu-Yu	4-P1
Palermo Giovanna	1-O40	Pennec Yan	1-O23, 1-O36, 2-O2, 3-O33
Palleau Etienne	1-O39	Penninck Lieven	2-O36
Palmeri Roberta	2-O35	Penuelas	1-O13
Palmo do Carmo Marciano	1-O40	Perea-Causin Raul	2-O11
Palpant Bruno	2-O31, 3-O40	Perea-Puente Sinuhe	1-O18
Panades Josep M	3-P1	Perera Keshan	2-O36
Panais Clément	1-O26, 4-O10	Peres Nuno	2-O11

Pérez Diego	1–O17	Prosa Mario	2–O16
Pérez Luis A.	3–O15	Psaltis Demetri	1–O38
Perez Mateo	1–O5, 2–O19	Puebla Jorge	1–O22
Pernice Wolfram	1–O17	Putero M.	2–O36
Perrakis George	3–O19	Putranto Achmad	1–O18
Perri Anthony	1–O37	Pylypovskiy Oleksandr	3–O19
Pertsch Thomas	2–O15	Pyo Joong Hyeon	3–P1
Pestourie Raphael	3–O8	Pyo Jungwoo	1–P1, 1–P2, 2–O42
Pestourie Raphaël	1–O9	Q	
Peter Jonah	1–O8		Qi
Peter Ke-Sean J.	1–O24	Jingbo	2–O29
Peters Jeroen	2–O16	Qi Limin	4–O6
Petit-Etienne Camille	1–O18	Qi Xiaoyu	2–P2, 3–O15
Petit Stéphane	1–O8	Qian Chenjiang	1–O34
Petronijevic E.	1–O5	Qian Jing	1–O31, 2–P1
Petti	2–O30	Qiang Li	3–O22
Petti Lucia	2–O16	Qiao Dun	2–O14
Peveler	1–O37	Qin Chengzhi	3–P1
Peyyety Naga Anirudh	3–P2	Qin Jun	3–O28
Philippou Mathew	2–O36	Qin Meibao	1–O31
Phillips David B.	1–O3, 1–P2	Qiu Xiwen	2–O38
Pierrat R.	2–O27	Qu Lun	2–O15
Pigeau Benjamin	4–O10	Qualtieri	1–O40
Pignedoli Alessandro	3–O10	Querebillo Christine Joy	3–O9
Pimenov	1–O41	Quero Giuseppe	2–O30
Pinchuk Anatoliy	1–O33	Quidant Romain	1–O39, 3–P1
Pinheiro Felipe	1–P2, 3–O2	Quinn Tom	3–O27
Pinilla Cienfuegos Elena	2–P2, 3–P1	Quiroga Luis	1–O8
Pinilla-Cienfuegos Elena	4–P1	R	
Pinto Felipe A.	1–O7		
Pirro Matteo	4–O10	Radovskaia Viktoriia	2–O23
Pirruccio Giuseppe	2–O8	Rafael Cardozo de Oliveira Edson	2–O4
Piryatinski Andrei	1–O25	Rafailov Edik	4–O1
Pisanello	2–O30	Ragan Regina	3–O31
Pisanello Ferruccio	1–O40, 2–O32, 4–O8	Raguin Emeline	1–O18
Pisco Marco	2–O30, 3–O4	Rahimi-Iman Arash	3–O13
Piscopo Linda	1–O40, 2–O30	Rahimzadegan Aso	1–O18
Pitanti Alessandro	1–O35, 2–P1, 3–P2	Rahm Marco	2–P2, 3–O25, 4–P1
Pivnenko Mike	2–P1	Rahmani	1–O31
Pizzolante Fabrizio	3–P1	Rahmani Mohsen	1–O41
Plain Jérôme	1–O19	Raicu Valerica	3–O42
Plum Eric	4–P1	Raja Mogan Tharishinny	1–P1
Podolskiy Viktor	1–O20	Rajabali Shima	1–O13
Poirier Wilfrid	3–O13	Rajabpoor Alisepahi Amir	2–O41
Polito Raffaella	1–O24, 3–P1	Rajak Debobrata	1–O8
Polman Albert	3–O24	Rakickas Tomas	2–P1
Poloczek Michael	2–P2	Rakovich Aliaksandra	1–O40
Polshchikova Zoya	1–O13	Rakovich Yury	2–O7
Pons Bernard	1–O8	Ramalis Lukas	1–O6
Pons Thomas	3–O23	Raman Moghe Aditi	3–O24
Ponticelli Luisa	3–O17	Ramanathan Shriram	4–O7
Posnjak Gregor	3–O38	Ramesh Narayan Preethi	3–O5
Possmayer Thomas	2–P1	Ramezani Mohammad	1–O32
Pottekad Sneha	1–O40	Ramirez-Cuevas Francisco	4–P1
Potts	1–O25	Ramos	1–O3
Pou-Alvarez Pablo	3–O29	Ramos Raphael	1–O18
Pou Juan	3–O29	Ramos Romero Alejandro	4–P1
Poumirol Jean-Marie	1–O39, 2–O23, 2–O31	Ramprasad Nimisha	2–O24, 2–P1
Poursat	1–O37	Ramunno Lora	2–O35
Pozzi Marcello	1–O32	Ranjbar-Naeini Omid R.	3–O5
Prado Marcus	3–O2	Rao Anish	3–O4
Prelat Leila Rocio	1–O13, 1–P2	Rasing Theo H.	2–O23
Prieur Thomas	1–O2	Raskatla Venugopal	2–O24
Prince	1–O20	Rasmussen Theis	2–O22
Probst Patrick T.	3–O3		

Rasras Mahmoud	3–09	Rodríguez F. J.	1–08
Ratchford Daniel C.	2–031	Rodríguez-Fortuño Francisco J.	1–040, 2–P1, 3–019, 3–P2, 4–P1
Rathgeb Jonas	1–02	Rodriguez Jean-Baptiste	3–027
Ratiu Bogdan-Petrin	3–022	Rodríguez-Jiménez Santiago	3–09
Ravnik Miha	1–06	Roelli Philippe	3–024
Ravoo Bart Jan	1–037	Roemer Rudolf	1–P2
Rawat Shivakh	3–011	Roffi Laureline	1–P1
Raza Søren	3–022	Rogach Andrey	2–07
Raziman T. V.	3–022	Rogez Benoît	3–023
Razzari Luca	4–011	Rognon Junior	4–010
Readman Charlie	3–09	Roh Sookyoung	4–02
Reale Marco	1–015, 1–P2, 2–P1	Rojas-Martinez Isabel Y.	2–022
Rebarz Mateusz	4–07	Roman-Cortes Diego	1–P2, 3–014
Rebholz Lukas	2–033	Romanato Filippo	3–P2
Rego Laura	1–020	Romano-Rodriguez Albert	3–P1
Regreny Philippe	1–013	Romano Silvia	2–015, 2–016
Regueiro Alejandro	3–P1	Romero Abujetas Diego	2–013
Rehman Anusha	1–P2	Romero-Gomez Mayela	2–05
Reinhard Bjoern	4–03	Roos A.	1–020
Reisner Erwin	3–09	Ropač Peter	1–06
Reisner Mattis	1–038	Ropers Claus	2–022
Remolif Loic	2–040	Roques-Carmes Charles	1–042
Ren Bochen	3–041	Rosati Roberto	2–013
Ren Haoran	1–P1	Rosenkranzova Jana	4–012
Ren Jie	2–017	Ross Michael	3–017
Ren Mengxin	2–015	Rotenberg Nir	2–07
Rendina	1–040	Roth Diane J.	1–040
Rendina Ivo	2–015, 2–016	Rotter Stefan	2–015, 3–038
Renger Jan	2–027	Rovenská Katarina	2–P1
Řepa Rostislav	1–027	Rovillain Pauline	4–04
Resl Josef	1–017	Rozenbaum Olivier	3–025
Ressier	1–039	Ruberti M.	1–020
Reuter	2–021	Rubino Riccardo	1–P1
Reuven Bar	3–030	Rueda Javier Hernández	3–P1
Revol Inês	3–P1	Ruffato Gianluca	3–P2
Reyes-Coronado Alejandro	2–022	Ruiz de Galarreta Carlota	1–03, 3–P2
Reynier Benoît	3–034, 4–P1	Rumyantseva Anna	2–031, 2–05
Rezgui Housseem	1–026	Ruo-Berchera Ivano	2–P2
Rezzouk Amina	4–P1	Rusimova Kristina	2–030
Ri Na	3–09	Ruvo Menotti	1–040
Ribeiro Tânia	1–026	Rylko Natalia	1–P1
Ricci Marco	3–P2	Ryzhak Diana	1–041
Richards-Johnson Christian	3–P2	Ryzhii Victor	3–038
Richerme Phillip	4–08	Ryzhkov M. S.	1–041
Rideau Denis	3–013		
Rider Marie	1–025	S	
Rigter Susan A	1–015		Saadi
Rippa Massimo	2–016, 2–030	Chirine	3–027
Riva Emanuele	1–026	Sabatino Foster	3–020
Riveiro Antonio	3–029	Sachdeva Shikha	1–P1
Rivera Nicholas	2–040	Saerens Grégoire	1–013
Rizza Carlo	2–014, 2–028, 4–07	Sagnelli Domenico	2–016, 2–030
Robben Bavo	2–036	Sagnes Isabelle	1–024, 2–04, 3–035
Robert Hadrien	3–P1	Saha Abhirupa	3–041
Roberts Ann	2–035	Saha Bivas	1–P2
Roberts Gregory	4–02	Sahoo Sahil	3–039
Robillard Jean-François	3–044	Saiko Maximilian	3–011
Rocha José C. A.	1–P2	Saini Sudhir K.	4–08
Rockstuhl Carsten	2–013, 2–033, 3–024, 3–028	Saint-Girons Guillaume	3–027
Rodrigues José	1–03	Saint-Olive Hugo	3–023
Rodriguez Alejandro	3–01	Saito Koichiro	2–018
Rodriguez Aude	1–020	Saito Saito	3–022
Rodriguez-Cobo Luis	3–04	Saive Rebecca	4–P1
Rodriguez Echarri Álvaro	2–022	Saiz Jose M.	2–033, 4–07
Rodríguez-Echarri Álvaro	2–022	Sajan Anju	2–P1

Sakowicz Maciej	3-P1	Schmid William	1-O40
Sakurai Atsunori	3-O26, 4-P1	Schmitz Peter C.	2-P1
Salakhova Natalia	1-O4	Schneider A.	1-O20
Salam Akbar	1-O35	Schossmann Alexander	3-O11
Salemeh Elie	1-O12	Schraidt Oliver	3-O5
Salerno Grazia	3-O13, 3-O46, 3-P2	Schubert Eva	3-O28
Salerno Nunzio	2-O35	Schubert Mathias	3-O28
Salgals Toms	2-P1, 2-P2, 4-P1	Schuck P. James	4-P1
Salhi Sarra	1-O3	Schulte Benedikt	1-O25
Salinga Martin	1-O17	Schulz Julian	3-O38
Salut Roland	1-O16	Schulz Justin	1-O41, 2-O19, 3-P1
Salvaggio Ermelinda	1-O19	Schwab Julian	1-P1
Salvatore Marcella	2-O6	Schwartzberg Adam M.	2-O15
Sanchez-Dehesa Jose	3-O43	Schwarz	1-O41
Sanchez-Gil Jose	2-O10	Schwarz Sacha	2-P1
Sánchez-Gil José Antonio	2-O13	Schwob Catherine	1-O16
Sánchez-Iglesias Ana	2-P2, 3-O4	Schynowski Leah	1-O2
Sánchez-Sánchez Alejandro	2-O29	Sciacca Beniamino	1-O18
Sánchez Sánchez Alejandro	2-O37	Sciortino	3-P1
Sánchez Sánchez Miguel	4-O7	Sciortino Alice	1-O15, 1-P1, 1-P2, 2-P1
Sanchis Pablo	3-P1	Seabron Eric	2-O31
Sandeep Sathyan	2-O4	Sebők-Papp Ákos	3-P2
Sandell	2-O14	Seeds	2-O14
Sanderson Gabriel	1-O31	Sehrawat Sagar	2-O29
Sandoghdar Vahid	2-O27	Sekine Akihiko	3-O6
Sandomenico Annamaria	1-O40	Semnani Behrooz	1-O4
Sanford-Crane Hannah	1-O37	Sen Raja	3-O35
Sanita Gennaro	1-O40	Senftleben A.	1-O20
Sano Kohei	3-P1	Sentef Michael	3-O32
Sano Ryotaro	4-O3	Seo Dongjin	3-O32
Santiago-Cruz Tomas	2-P2	Septembre I.	2-O25
Santoro Edgardo Gabriel	1-O10	Sepúlveda Elkin	4-P1
Santos Gonzalo	1-O17	Seradjeh Babak	4-O8
Santos Paulo	1-O35	Serebryannikov Andriy	1-O19
Sanz-Paz Maria	3-O24	Serena Vitiello Miriam	1-O7
Saramak Renata	2-O36	Serha Oleksandr	2-O20
Saravi Sina	2-O15	Serha Rostyslav	1-O22
Sarhan Radwan M.	3-O7	Serna Rosalia	1-O17, 1-O5, 1-P1
Sarkar Jayanta	1-O19	Serradeil Valerie	3-O13
Sarkar Siddhartha	2-O41	Serrano Diana	1-O31
Sarkar Subhajit	1-O24	Serrano Giulia	1-P2
Sarkar Swagato	2-O31, 2-P2	Serrera Guillermo	1-P2, 3-O22, 3-O24
Sarmiento-Merenguel José Dario	2-O26	Setford Rebecca	1-O37
Sathyan Sandeep	1-O17, 3-O35	Seth Sohan	3-O27
Sato Masahiro	2-O39	Setzpfandt Frank	2-O15
Sato Masatoshi	1-O21	Shadrivov Ilya	1-O11
Sauer Steffen	3-P2, 4-P1	Shah Khizar	2-P1
Saviot Lucien	3-O35	Shah Yash	4-P1
Sawada Kei	2-O9	Shahbazyan Tigran	1-O34
Sawan Hasan	3-P1	Shaibe Nadav	3-O14
Scalari Giacomo	3-O42	Shaik Mohammad Imran	4-O10
Scalora Michael	1-O6, 2-O14, 2-O21, 2-O28, 2-O29, 2-P2, 3-O37, 4-O7	Shaju Sandra	3-O10
Schaefer Christian	3-O19	Shakirova Diana	2-O39
Schall Peter	1-O15	Shalaev Vladimir M.	2-O23, 2-O29, 2-O34, 3-O25, 4-O7
Scheffold Frank	3-O46	Shang Nianze	1-O19
Schenkel Martina	1-O6	Shao Lei	4-O6
Scheurer	2-O21	Shapiro Boris	2-O28
Schick Rudolf	1-O37	Sharma Anupam	4-O4
Schirato Andrea	3-O40	Sharma Navneet K.	1-P1
Schittenhelm Max	3-P2	Sharma Vijay Kumar	2-O3
Schleusener Alexander	4-O8	Shayegan Komron	2-O24
Schlipf Jon	1-O41, 1-P2, 3-P2	Sheikh-Ansari Abbas	1-O31
Schmid	1-O3	Sheldon Matthew	3-O30
Schmid Jens H.	1-O38, 2-O26	Shelling Neto Liam	1-P1, 4-P1
		Shen Hsin-Yu	1-O23

Shen Lian	2-O38	Soltani M.	1-O4
Shen Yijie	3-O10	Somboli Luca	1-O25
Shevchenko Andriy	2-O29	Somers Jamie	1-P2, 2-P1
Shi Chengzhi	3-O16	Soncin L.	2-O27
Shi Jianhua	3-O36	Song Jialu	1-O32
Shi Jinhui	2-O38	Song Jin Dong	3-O38
Shi Lei	1-P2, 3-P2	Song Junchao	1-O17
Shi Yun	3-P2	Song Junyeob	1-O36
Shibayama Jun	1-O42	Song Qinghua	2-O24
Shields Joe	1-O17, 1-O3, 3-P2	Song Subeom	4-O2
Shih Aaron	3-O46	Song Wange	2-P2
Shih Yu-Ching	2-P1	Soppera Olivier	1-O2, 3-O23
Shima Daisuke	2-O33	Sorbello Gino	2-O35
Shinde Saniya	2-O15	Sosa Maira Perez	1-O32
Shinomiya Hiroto	2-O33	Sotomayor-Torres Clivia M.	1-O26, 3-O5
Shkarin Alexey	2-O27	Soudi Mahdi	1-O37
Shramkova Oksana	1-O34	Souissi H.	2-O25
Shu Xuewen	1-O36	Sousa Patrícia C.	2-P1
Shuai Yi	3-O28	Souslov Anton	3-O33
Shubitidze Tornike	3-O18, 4-O11	Spaegle Christina	1-O42
Shuvaev Alexey	1-O41	Spagnolo Barbara	1-O40
Shvets Gennady	3-O11	Sparling Chris	1-O8
Shymkiv Dmitrii	3-O16, 3-O43	Spaziani Sara	2-O30
Shyta Vira	3-O20	Spencer Joni	3-O31
Siampour Hamidreza	2-O15	Spencer Michael	2-O32
Sibilia	1-O5	Sperling Justin	1-O37
Siegel Nicole	3-O24	Spiesshofer Nicolas	1-O5, 2-O42, 2-P2
Šikola Tomáš	1-O27, 1-P1, 2-O2	Spotorno Emma	3-O29
Silveirinha Mário	1-O21, 3-O20	Sraj Ali	2-O31
Silvestri Matteo	2-O34	Sreekumar Sneha	2-O36
Šimić Marko	1-O35	Sridurai Vimala	2-P2
Simone Giuseppina	1-P1	Srinivasan Kartik	1-O36
Simos	2-O14	Srivastava Anshuman Kumar	1-P2
Singh Ankit K.	2-P1	St-Jean Philippe	3-O6
Singh Kamal P.	2-O26	Stagnaro Paola	3-O29
Singla Vidhi	2-O18	Staliunas Kestutis	1-O38, 1-P2, 2-P2, 3-P2
Sipperley Chad	1-O37	Stamatopoulou Elli	2-O13
Sirota Lea	2-O4	Stankevicius Evaldas	1-O19, 2-P1
Sistermans Tom T. C.	1-O40, 2-P1, 3-O22, 3-O27	Stauber Tobias	4-O7
Sivan Yonatan	1-O24, 3-P1	Stecher Theresa	1-O32
Sjakste Jelena	3-O35	Stefaniuk Tomasz	3-P2
Skandalos Ilias	2-O14	Steiner Anja Maria	3-O3
Skibitzki Oliver	3-P2	Steiner Ullrich	1-P1, 3-O18
Skorka Jakub	1-P2	Stemler Ralf	3-O25
Skripka Artiom	4-P1	Stengel Sven	1-O36, 2-O28, 2-O29, 4-O7
Skubisz C.	1-O5	Stevens Christopher	4-P1
Smagin Iliia	1-O4, 1-P1	Stevens Katherine	3-P2
Śmiarowski Tomasz	3-P2, 4-P1	Stokkerei Kris	4-O2
Smiri Badreddine	1-O18	Stokkerei Kriss	3-O46
Smirnova Olga	1-O20, 2-P1	Stolic Irena	2-O29
Smith David R.	1-O9, 3-O37	Stone James	3-O27
Smith Raymond	3-O28	Stoneman Michael	3-O42
Smith Steve	1-O33	Stoychev Alexander	3-P1
Smowton	2-O14	Strandberg Erik	1-O41
Sobiech Hubert	1-O27, 1-P1	Strangi Giuseppe	1-O27, 1-O40
Sobucki Krzysztof	2-O39	Stroud Rhonda	2-O31
Sodomaco Sveva	1-P1	Strupinski W.	1-O19
Soeda Kentaro	1-O33	Sturm	1-O25
Sohaib Muhammad	1-O6	Su Hsiu-Ping	1-P1
Solana David Ramirez	3-O33	Su Xiaolong	1-P2
Solano Eduardo	1-P1	Su Zhongqing	1-P1
Soldevila Fernando	3-O16	Suarez Miguel A.	1-O16
Soler Théo	3-O24	Suarez Xitali G.	2-O31
Solís Diego M.	1-O13	Sugimoto Hiroshi	1-O32, 2-O33, 3-O24
Solnyshkov	2-O25	Sugimoto Toshiki	3-O26, 4-P1

Sugiura Toshihiko	2-P2	Tanaka Yoshito Y.	1-O4, 2-O18, 3-O26
Suh Jae Yong	2-O29	Tanaka Yuta	1-O33
Suh Myoung-Gyun	3-O25	Tang Chao	3-O38
Sukharev Maxim	4-P1	Tang Hao	1-P2
Sukhorukov Andrey	2-O15, 2-O38	Tang Mingchu	2-O14
Sultanov Vitaly	2-P2	Tang Runze	1-O2, 1-O39
Sumner Christopher	2-P1	Taniguchi Takeshi	2-O11
Sun Changzheng	3-O18	Tarazaga Martín-Luengo Aitana	1-O31, 2-O21
Sun Jia-Hong	2-P1, 3-P1	Targholizadeh Amir	2-O34
Sun Kai	2-O41	Tasolamprou Anna	3-O19, 3-O25
Sun Ningwei	2-O5, 3-O3	Tassin Philippe	1-O41, 1-P1, 3-O49, 3-P1
Sun Qiang	1-O7	Tatara Gen	1-O4
Sun Xiaoxiao	2-O11	Tatsuma Tetsu	3-O15
Sun Yuxiang	1-O28	Taubner Thomas	1-O3, 3-O9
Sun Zhipei	1-O19, 3-O36	Taylor Michael A. D.	1-O25
Suriyage Manuka	3-P2	Tedeschi Davide	2-O34
Sutherland Duncan	1-O40	Teran-Garcia Enrique	2-O21
Suzuki Hironori	3-O22	Terao Takamichi	1-P1
Suzuki Takehito	1-O33	Terentjevas Justas	1-O20, 2-P1
Suzuki Yuta	3-O28	Tessier Gilles	3-P1
Sychugov Ilya	1-P1, 3-O4	Thévenard Laura	4-O4
Symonds Clémentine	1-O18	Thibaudau Franck	3-O23
Szaniawska Aleksandra	1-O27, 1-P1, 1-P2	Thomas Angel	2-O18
Szczepański Paweł	3-P2	Thomas Rijil	2-O33
Szenes András	2-O19, 3-P2	Thomaschewski Martin	2-O24, 3-P2
Szostak Rodrigo	1-P1	Thompson Jesse	2-O35
Szriftgiser Pascal	1-O23	Thompson Nicholas	2-O36
Sztranyovszky Zoltan	2-O42, 2-P1, 2-P2	Tielrooij Klaas-Jan	1-O29, 3-O44
Szűnstein Virág	2-O19	Timpanaro Nunzio	2-O31
Szymańska Aleksandra	2-P2	Tirabassi Giulio	1-O38
T		Tischler Joseph	2-O31
	Tada	Tittl	1-P1
Omar	2-O10	Tittl Andreas	1-O24, 2-O20, 2-O31
Taghipour Nima	1-O5	Tiwari Pradeep	3-P1
Tagliabue Giulia	1-O32, 1-O43, 3-O40	Tkach Vlad	3-P1
Taguchi Atsushi	3-O10	Tkach Vladyslav	2-P1, 2-P2, 4-P1
Taheri Behnood	4-O5	Tobar Michael	1-O8, 2-O40, 3-O32
Tai Chao-Yi	2-P2	Todd Caleb	2-O42, 2-P2
Tailpid Laure	3-O27	Toffanin Stefano	2-O16
Tak Bhera Ram	2-P2, 4-P1	Tofferl Michael	3-O11
Takahara Junichi	3-O1	Toftul Ivan	2-P1
Takahashi Hiroyuki	1-O33	Togawa Yoshihiko	1-O39
Takahashi Shota	3-O26, 4-P1	Tolchin Maxwell J.	1-O24
Takahashi Youtarou	1-O22	Toma	2-P2
Takamizawa Akafumi	3-O29	Toma Andrea	1-O6
Takayama Osamu	1-O11	Tomasino Alessandro	1-O13
Takei Ryohei	3-O29	Tomita Satoshi	3-O32
Talamas Simola	1-O24	Tommasini Matteo	3-O7
Talamas Simola Enrico	1-P2	Tonkaev Pavel	1-P2
Talebi Nahid	1-O33	Törmä Paivi	1-P1, 3-O13, 3-P1
Talele Swarali	1-P1	Torre Renato	1-P2
Taliercio Thierry	3-O27, 3-O34	Torrent Daniel	3-O16
Talts Ülle-Linda	3-O18	Torres Clivia M. Sotomayor	3-O33
Tamarat Philippe	2-O33	Torrini Francesca	3-O17
Tamulevičienė Asta	3-O23	Torrisi Giuseppe	2-O35
Tamulevičius Sigitas	2-O8, 3-O23	Tortorici Caterina	1-P1
Tamulevičius Tomas	2-O8, 3-O23	Totero Gongora Juan Sebastian	3-O49
Tamura Mamoru	3-O7	Toudert Johann	1-O17, 1-O5
Tan Hark Hoe	2-O38	Traouli Yousra	3-O28
Tan Jiaren	1-O20	Trebbia Jean-Baptiste	2-O33
Tan Ping-Heng	3-O47, 4-O8	Tredicucci Alessandro	2-P1, 3-P2
Tanaka Daisuke	3-P2	Tréguer-Delapierre Mona	3-O34
Tanaka Hiroya	3-O33	Trémas Loumi	1-O23, 3-O13
Tanaka Katsuhisa	3-O26	Tresguerres-Mata Ana Isabel F.	1-O31, 2-O21, 3-O13
Tanaka Takuo	1-P1, 2-O24	Tripathy Girish	3-O49

Triplett Brandon	2–O34	Vehndel Julia	1–O17
Trotsiuk Liudmila	1–O39, 2–O31	Veltri Alessandro	1–O5, 2–O19
Trull Jose	1–O6, 2–P1, 2–P2	Venanzi	1–O24
Trusso Sebastiano	3–O7	Venanzi Tommaso	2–O11
Trzaskowska Aleksandra	1–O19	Venkatesan Thirumalai	3–O11
Tsakonas Costas	1–O41	Vento Valeria	1–O43
Tse Joshua T. Y.	3–O26	Venturi Giacomo	2–P1
Tseng Chung-Kai	2–P2	Verbiest Thierry	3–O23
Tseng Shuo-Yen	1–O34	Verma Ashwani Kumar	3–O17
Tserkezis Christos	1–O43, 3–O26	Veronis Georgios	2–O37
Tsidki Omer	2–P1	Vertsanova Olena	1–O6
Tskhe Yekaterina	1–O31	Vescovo Milo	2–O10
Tsui Hei Chit Leo	3–P1	Vest Benjamin	2–O34
Tsukerman Mikhail	2–P1	Vewinger Frank	3–O38
Tsuruta Kenji	2–O41	Vézian Stéphane	3–O34
Tsuzuki Shohei	1–O42	Vicencio Rodrigo	1–P2, 3–O14
Tukova Anastasiia	3–O17	Vieira Eliana	1–O3
Tur Prats Jordi	3–O44	Viewegh Petr	1–P1
Tuxbury William	1–O38	Vignjevic Luka	3–P2, 4–P1
Tverdokhleba Nina	3–O3	Vignolini	1–O18
Tyszka-Zawadzka Anna	3–P2	Vijn Pieter	1–O34
U		Vilkevicius Kernius	1–O19, 2–P1
	Uhlig	Villa Andrea	4–O7
Lukas	1–O41	Villafranca Velasco Aitor	2–O29, 2–O37
ul Ain Misbah	2–O18	Villanueva-Blanco Maria	3–O34, 3–P2
Ullberg Nathan	4–O1	Vincent Gregory	3–O27
Um Soobin	3–O32	Vincenti Maria Antonietta	1–O6, 2–O14, 2–O21, 2–O28, 2–O29, 2–P2, 3–O37, 4–O7
Un Ieng-Wai	1–O24, 3–P1	Vindel-Zandbergen Patricia	1–O20, 2–P1
Urard Pascal	1–O23, 3–O13	Virally Paul	3–O1
Urban Joanna M.	2–O32	Virgili Tersilla	4–O7
Urbánek Michal	2–O20	Virgilio	1–P2
Uribe-Pizarro Pablo M.	4–P1	Viviani Prisca	1–O26
Urrutia-Anguiano Jonathan A.	2–O22	Vivien	1–O3
Urvoas-Cisse Agathe	1–O39	Vo Tamie	2–O18
Ushkov Andrey	4–O9	Vogler-Neuling Viola	3–O18
Utzeri Roberto	3–O29	Vogliardi Andrea	3–P2
V		Vogwell Josh	1–O20
	Vaia	Vollmar Niklas	1–O17
Richard	1–O39	Vollmer Frank	2–P1
Vaiano Patrizio	3–O4	Volz Sebastian	3–O37, 4–O4
Valagiannopoulos Costas	3–O25	von Freymann Georg	3–O38
Valderrama-Botia José	3–O30	Voronin Kirill	1–O31, 2–O22
Valerio Guido	3–P2	Vovchuk Dmytro	2–P1, 2–P2, 3–P1, 4–P1
Valerio-Lepiniec Marielle	1–O39	Vozer Felisberto Marcos D.	4–O8
Valero Adrià Canós	2–O15	Vozzi	1–O20
Valev Ventsislav	1–O16	Vuckovic Jelena	2–O25
Valladares Y Tacchi Andres	3–O40	Vyas Sunil	3–O21
Valletta Antonio	2–P2	Vynck	1–O18
van de Voorde Mathis	4–P1	Vynck Kevin	2–O2
van Mechelen D.	2–O10	W	
van Rossum Thijs	1–P1		Wald-
van Veldhoven René P. J.	1–O34, 2–O37	hauser Miklós	2–O19, 3–P2
Vangala Shivashankar	4–P1	Waldsauer T.	3–P2
VanVoorhis Gearht	2–O36	Walfort Sebastian	1–O17
Varghese Sebin	3–O44	Walker Dennis	4–P1
Vasileiadis Thomas	3–O44	Wallace Gregory Q.	3–O9
Vasilevskiy	1–P1	Walton Finlay	1–O37
Vasilevskiy Igor	4–O7	Wan Chao	3–O36
Vass Dávid	2–O19, 3–P2	Wan Duanduan	1–O21, 3–O45
Vast Nathalie	3–O35	Wang	3–O3
Vaswani Lavi Kumar	3–P2	Wang Alan	3–O21
Vazquez Besteiro Lucas	2–O18, 3–O3	Wang Biao	3–P2
Vazquez-Miranda Saul	4–O7	Wang Bing	1–P2, 3–P1
Vega Marlo	1–O2	Wang Chen-Yu	4–P1

Wang Chuntao	3-O17	Wiesner Maciej	1-O19
Wang Fenglei	1-O28	Wietek Edith	2-O11
Wang Hao	4-O2	Williams Bradley	2-O36
Wang Ji Tong	3-O22	Williams Gabrielle	1-O34
Wang Jialong	3-O28	Wilson Liam	1-O37
Wang Jian	3-O18	Wimer Shawn	3-O28
Wang Jianfang	1-P1, 4-O6	Winnerl	2-O11
Wang Jun	2-O38	Wlecial Katarzyna	1-O27
Wang Kaiyuan	3-O14	Wleciał Katarzyna	1-P2
Wang Kaizhi	3-O36	Wojewoda Ondřej	2-O20
Wang Lai	3-O18	Woldu Hadgu Emebet	1-O9
Wang Lianchao	3-O5	Wolf	2-O21
Wang Mengyun	1-O3	Wolf Martin	2-O21, 2-O32
Wang Mu	1-O36, 1-P11	Wolff Alexander	2-P2, 3-O25
Wang Qi Jie	3-O12	Woliński Tomasz	1-O32
Wang Shaojun	1-O39	Won Rachel	1-O5
Wang Shengyan	4-O6	Wong Alex Man Hon	1-O28, 2-P1
Wang Shubo	4-O5	Wong Stephan	1-O7, 3-O14
Wang Shuming	4-O6	Wong Wai Chun	3-O43
Wang Wei	3-O36	Worku Aklilu	1-O39
Wang Wei-Han	2-P1	Wright C. David	1-O3, 3-P2
Wang Xian	1-P2, 2-P2	Wright David	1-O17
Wang Xiangrong	2-O9	Wright Terry	1-O19
Wang Xinhao	1-P2	Wright Thomas	3-O27
Wang Xulong	1-P2	Wróbel Jerzy	1-O2
Wang Yan-Feng	3-O5	Wu Enzong	4-O3
Wang Yang	1-P1	Wu Heng	3-O47
Wang Yao-Ting	3-O45, 4-P1	Wu Hung-Yi	1-O23
Wang Yen-Yu	4-P1	Wu Nianqiang	2-O3
Wang Yue-Sheng	3-O33, 3-O5	Wu Pin Chieh	1-P1, 2-P1
Wang Yuhang	3-O12	Wu Wei	2-O15
Wang Yuling	3-O17	Wu Xuanguang	2-O42
Wang Yumeng	2-P1	Wu Xuanyu	4-P1
Wang Yuxiang	3-O9	Wu Yina	2-O32
Wang Zuojia	4-O3	Wuttig Matthias	1-O3, 3-O9
Wanguemert Perez J. Gonzalo	2-O26	Wytrych Patrycja	3-P2
Waquier Louis	4-O4	X	
Wasserroth Sören	2-O21		Xia
Watanabe	1-O25	Han-Rong	1-O21
Watanabe Hogara	2-O39	Xiang Chushuang	2-O4
Watanabe Keisuke	2-O29, 2-P1	Xiang Zong	3-O36
Watanabe Kenji	2-O11	Xiao Di	3-O28
Watkins James	4-O8	Xiao Fajun	2-O2
Wattellier Benoit	2-O36	Xiao Meng	1-O21
Weaver Mike	2-O36	Xiao Yang	1-O41
Weber Jonathan	3-O11	Xiao Yue	4-O2
Weber L.	2-O36	Xie Dajie	4-O11
Weber Nils	1-O17	Xie Minjun	4-O1
Weber Sébastien	2-O23	Xie Yuanyang	1-O8
Wei Yu-Chen	1-O32	Xie Zhe	3-O36
Weig Eva	3-O44	Xie Zhiyuan	3-O4
Weigand Helena	1-O13	Xie Zhonglin	4-P1
Weimar Udo	1-O2	Xin	1-O3
Weiss Thomas	2-O15, 2-O39, 2-P1	Xing Di	3-O27
Weiss Vlastmil	1-P1	Xiong Bing	3-O18
Weissflog Maximilian	2-O15	Xiong Bo	4-O1
Weltz Hugo	4-O10	Xu	1-O31
Wen Jisen	1-O41	Xu Athena	1-O4
Weng Jianyu	3-O36	Xu Hongxing	2-O11
Wenger Christian	3-P2	Xu Jingjun	2-O15
Wenger Jerome	3-O23	Xu Kun	2-O15
Wernicke Tim	1-O41	Xu Lei	1-O41
Westly Daron	1-O36	Xu Lianjie	2-P1
Wiecha	1-O39	Xu Tao	3-O3
Wiersig Jan	1-O29, 1-O38	Xu Xiulai	3-O38

Xu Yiyuan 2–O15
 Xu Zhenwei 2–O17
Y
 Yablonovitch Eli 2–O14
 Yacomotti Alejandro M. 1–O38
 Yadav Golla Sandeep 1–O3
 Yamaguchi Yoshinori 1–O33
 Yamakage Ai 4–O3
 Yamamoto Kazuki 3–O14
 Yamamoto Yuji 1–O41
 Yamane Hidemasa 3–P2
 Yamanishi Junsuke 3–O15
 Yamauchi Yusuke 2–P1
 Yan Dong 3–O36
 Yan Jiaruo 3–P1
 Yan Peng 2–O39
 Yanase Youichi 2–O40
 Yang Fan 2–O32
 Yang Guoce 1–O3
 Yang Guohui 3–O9
 Yang Jun 3–P1
 Yang Morris M. 2–O34
 Yang Shengsong 3–P1
 Yang Shuhui 1–O16
 Yang Tao 2–O21
 Yang Wenkai 1–P2
 Yang Xiaoxia 3–O47
 Yang Xingyu 3–O34
 Yang Yaowen 1–P2
 Yang Yuanmu 3–O21
 Yang Yuzhen 2–P1, 3–P1
 Yao Dapeng 1–O4
 Yaroshevsky Andre 3–O39
 Yatsugi Kenichi 3–O33
 Yavorskiy Dmitriy 1–O2
 Ye 1–O3
 Ye Qian 1–O40
 Ye Yuning 1–O41
 Yeh J. Andrew 3–O21
 Yelin Susanne 1–O8
 Yerolatsitis Stephanos 3–O27
 Yeshchenko Oleg 1–P2
 Yeste Javier 3–O34, 3–P2
 Yilmaz Cetin 2–O17
 Yin Bo 3–O3
 Ying Cuifeng 1–O41
 Yingling 3–O3
 Ylivaara Oili 1–O26, 3–O5
 Yoda Taiki 1–O21
 Yoon Jae Woong 2–P1, 3–P1, 3–P2
 You Bingying 3–O27
 Yousefi Leila 1–O33
 Yu Alvine 3–O31
 Yu Jianbo 3–O12
 Yu Xuechao 1–O41, 2–O14
 Yu Zongfu 2–O26
 Yuan Lin-Chyn 4–P1
 Yuan Xinyi 3–O46
 Yuan Yueyi 3–O9
 Yuen Ben 1–P2, 2–P1, 3–P1
 Yumoto Junji 1–O33
 Yun Kuk Hyun 1–O10
 Yun Seokho 4–O2
 Yun Yongseob 4–O2

Yungar Eran 3–P1
 Yurduseven Okan 1–O9
Z
 Zabolotnykh A. A. 1–O41
 Zagonel Luiz Fernando 3–O24
 Zahn Dietrich R. T. 2–P2
 Zahoaliq Kelment 2–O16
 Zakomirnyi Vadim 2–O5
 Zaleska Anastasiia 1–O4, 2–O5
 Zamani Amin 1–O31
 Zandi Ashkan 3–O41
 Zanotto 2–P1
 Zanotto Simone 2–O20, 3–P2
 Zapata Mario 1–O10, 4–P1
 Zawadzki Adam 1–O33, 1–P1
 Zayats Anatoly 1–O20, 1–O4, 1–O8, 2–O5, 3–P2
 Zelsmann 1–O18
 Zemer Brielle 2–O36
 Zeng Haolong 3–O29
 Zeng Shuwen 2–O31
 Zenin Vladimir A. 1–O43
 Zhabova Alexandra V. 3–P1
 Zhang Baile 3–O2
 Zhang Bohan 3–O21
 Zhang Chaofan 2–O38
 Zhang Cheng 3–O46
 Zhang Chunmei 1–O11
 Zhang Jiajia 1–P1
 Zhang Jiaming 3–P2
 Zhang Jianjie 1–O12
 Zhang Jiazhen 1–P2
 Zhang Jingyi 3–O5
 Zhang Jinxing 1–O35
 Zhang Kai 1–P1, 3–O36
 Zhang Kuang 3–O9
 Zhang Lu 1–O31
 Zhang Minming 3–O8
 Zhang Peng 1–O41, 2–P1
 Zhang Pu 1–O43
 Zhang Qing 3–O28
 Zhang Ruiqian 1–P1, 4–O6
 Zhang Shuang 2–P2
 Zhang Shunping 1–O43
 Zhang Wending 1–O31, 4–P1
 Zhang Wenhan 3–O8
 Zhang Xia 1–O41
 Zhang Xiujian 2–P2
 Zhang Xuanru 3–O36, 3–O47
 Zhang Yan 3–O20
 Zhang Yezhezi 2–O26
 Zhang Yongliang 1–O41, 2–O19, 2–P2, 3–P1
 Zhang Yu 1–O25, 4–O3
 Zhang Yufeng 3–O36
 Zhang Zhen 4–O7
 Zhang Zhenrong 2–O12
 Zhang Zhiwang 2–O4
 Zhang Zhongzheng 1–O12
 Zhao Haoyu 1–P1
 Zhao Jingyi 1–P2
 Zhao Jinxin 1–P1
 Zhao Meiyang 3–P2
 Zhao Miao 1–O40
 Zhao Shenyou 3–O9, 3–P2
 Zhao Yang 1–O41, 2–P1, 3–O12, 3–O31, 3–P1

Zheludev Nikolay I.	1–O11, 2–O24, 3–O46, 3–P2, 4–P1	Zhu Shining	1–P1
Zheng Di	2–O30	Zhu Zheng	2–O38
Zheng Harry	3–O14	Zhuang Zepeng	3–O29
Zheng Shuang	3–O8	Zhukov Arcady	1–P2
Zheng Xuezhi	1–O43, 2–O21	Zhukova Valentina	1–P2
Zheng Yaozi	1–P2	Zhuo Xiaolu	1–P1, 4–O6
Zheng Yuruo	1–O20	Zi Jian	1–P2
Zheng Ze	1–O31, 2–O14	Zijlstra Peter	2–O30
Zheng Zeyu	1–P2	Zilio Simone Dal	3–P2
Zhong Qi	1–O29	Zilli Attilio	2–O21, 2–P2, 3–O37
Zhou Hongli	1–O43	Zito Gianluigi	2–O15, 2–O16
Zhou Lu	2–O30	Zito Rocco	3–P2
Zhou Ming	2–O37	Zografopoulos Dimitris	3–O4
Zhou Qiang	1–O43	Zou Runzhi	1–O43
Zhou Xiaoming	2–O41	Zsukovszki Konstantin	3–O45
Zhou Yin	3–P1, 3–P2	Zuniga Perez	2–O25
Zhou Ziwei	3–O3	Zuo Lei	1–P1
Zhu Changyan	3–O12	Žutautas Andrius	4–P1
Zhu Fangjia	3–O24		
Zhu Jie	1–P1, 2–O41		